CA2ON
EV 665
1986
U58

A UNIFIED WET DEPOSITION DATA BASE FOR EASTERN NORTH AMERICA: DATA SCREENING, CALCULATION PROCEDURES, AND RESULTS FOR SULPHATES AND NITRATES (1980)

Prepared for the Canadian Federal-Provincial Research and Monitoring Co-ordinating Committee

DEPOSITORY
JUN 28 1990
CATALOGUE SERVICE

Prepared by the Unified Deposition Data Base Committee (see Acknowledgements)

Copyright Provisions and Restrictions on Copying:

This Ontario Ministry of the Environment work is protected by Crown copyright (unless otherwise indicated), which is held by the Queen's Printer for Ontario. It may be reproduced for non-commercial purposes if credit is given and Crown copyright is acknowledged.

It may not be reproduced, in all or in part, for any commercial purpose except under a licence from the Queen's Printer for Ontario.

For information on reproducing Government of Ontario works, please contact ServiceOntario Publications at copyright@ontario.ca

CA2ON
EV 665
1986
U58

A UNIFIED WET DEPOSITION DATA BASE FOR EASTERN NORTH AMERICA: DATA SCREENING, CALCULATION PROCEDURES, AND RESULTS FOR SULPHATES AND NITRATES (1980)

Prepared for the Canadian Federal-Provincial Research and Monitoring Co-ordinating Committee

Prepared by the Unified Deposition Data Base Committee (see Acknowledgements)

ACKNOWLEDGEMENTS

This report was prepared at the request of the Canadian Federal-Provincial Research and Monitoring Co-ordinating Committee's Atmospheric Sciences Sub-Group. The work was co-ordinated by M. Lusis, the Ontario Ministry of the Environment's representative on the Sub-Group, and involved a committee consisting of the following scientists:

E.C. Voldner and R.J. Vet (Environment Canada)
W.H. Chan, M. Lusis and P.K. Misra (Ontario Ministry of the Environment)
T.L. Clark (USEPA)
A.R. Olsen (Battelle Pacific Northwest Laboratory)
D. Bigelow (NADP Coordinator's Office)

A number of useful comments and suggestions on the proposed screening and calculation procedures (many of which were subsequently incorporated) were contributed by:

P. Finkelstein (USEPA)
T. Dana (Battelle Pacific Northwest Laboratory)
J. Shannon (Argonne National Laboratory)
L. Topol (Combustion Engineering Inc.)
B. Malo (USGS)
L. Barrie, M. Still and R. Shaw (Environment Canada)
C. Lelievre, L. Talbot, Y. Grimand and G. Jacques (Environment Quebec)
O. Melo (Ontario Hydro)

The data tables in this report were obtained using the Acid Deposition System (ADS) data base operated by Pacific Northwest Laboratory and funded as part of the National Acid Precipitation Assessment Program by the U.S. Environmental Protection Agency.

TABLE OF CONTENTS

1.0 INTRODUCTION

This report contains proposed precipitation data screening and wet deposition calculation procedures, as well as the resulting data set for sulfates and nitrates in Eastern North America for 1980. The procedures were developed by a group of deposition monitoring and mathematical modelling scientists from Canada and the United States at the request of the Canadian Federal-Provincial Research and Monitoring Co-ordinating Committee's Atmospheric Sciences Sub-Group (RMCC/ASSG).

The RMCC/ASSG request was prompted primarily by the current lack of a well-documented North American deposition data set developed using well-defined data screening and wet deposition calculation procedures. A major objective was to construct a data set that mathematical modelers could use for evaluation of their long-range transport models. An immediate need was to provide data for use by the International Sulfur Deposition Model Evaluation Study in early 1985. Although several wet deposition and precipitation concentration maps have been produced by different authors, they have not always been based on the same data and/or data screening and calculation procedures. Consequently, interpretations of differences and similarities of the maps were hindered by the unknown effects of the procedural differences. Thus, a unified and up-to-date wet deposition data set for North America based on common data screening and calculation procedures was planned.

It was recognized that different users of deposition data have different needs which may be reflected in different requirements for data screening and calculation. The procedures proposed here are the result of the joint work of the authors and reflect their collective judgement with respect to mathematical modelers' general needs. Application of the procedures to produce data summaries from 1980 onwards is meant to meet the pressing need for a unified and up-to-date North American wet deposition data set. The authors recognize that alternative data screening and calculation procedures have been (or can be) proposed[1]. Moreover, data summaries prepared for alternative specific objectives may dictate such procedures. It is hoped that the current effort will provide a basis upon which future data screening and calculation procedures can improve.

---

1 For example, see:

MAP3S/RAINE (1982). The MAP3S/RAINE Precipitation Chemistry Network: Statistical Overview of the Period 1976-1980. Atmospheric Environment, 16, 1603-1631.

U.S.-Canada Memorandum of Intent on Transboundary Air Pollution (1982). Work Group 2, Monitoring and Interpretation Subgroup Final Report No. 2F-I.

Our objective was to produce concentration and deposition information on an annual and seasonal basis. In addition to average values (and also annual totals for deposition), certain statistics were also computed. These are: maximum and minimum values; means (arithmetic and geometric); the 25, 50 and 75 percentiles; and the Kolmogorov-Smirnov D-statistic (to test the distribution of the data for both normality and log-normality). Although ultimately a unified data set on all the major ions is of interest, top priority here was given to sulphates and nitrates.

It was decided not to present the data on isopleth maps, but, rather, in a tabular form. The reason is that interpolation methods for wet deposition data are still at a relatively early stage of development. For purposes of model validation, it was felt that values at individual measurement sites will be adequate.

One of the novel features of the present data set was the attempt to attach a level of confidence to each datum (based primarily on data completeness and site representativeness at the regional level). Due to different sample capture efficiencies on an annual, seasonal and individual sampling period basis, and the differing degrees to which "ideal" siting criteria are satisfied at each site, not all data are of the same quality. For the benefit of data users, we felt it would be very valuable to distinguish between sites yielding data of different quality. We are proposing, therefore, three levels of data quality. "Level 1" data meets the most rigorous screening criteria, and hence is considered to be the best for model evaluation and trend analysis. On the other hand, "level 3" represents what we judge to be the minimum acceptable quality for satisfactory model evaluation. Data not meeting even "level 3" criteria have been excluded from this report.

The data for each site are accompanied by the estimated level of data quality. Eventually, it is hoped that accuracy values can also be developed for each of the three levels. Although at present this information is not available, work is underway at a number of institutions which may allow the accuracy to be estimated within the next year or so.

The ADS Database[2] at Battelle Pacific Northwest Laboratories was used for generating the data sets of interest here. Data came from the following networks (which are routinely depositing data into ADS and which meet certain minimum quality control requirements): in the USA - National Atmospheric Deposition Program/National Trends Network (NADP/NTN), Multistate Atmospheric Power Production Pollution Study (MAP3S), and Utility Acid Precipitation Study Program (UAPSP, formerly EPRI/SURE); and in Canada - Canadian Network for Sampling Precipitation (CANSAP) and Air and Precipitation Monitoring Network (APN), which in 1983 were replaced by the Canadian Air and Precipitation Monitoring Network (CAPMON), and the Acid Precipitation in Ontario Study (APIOS). The

---

2 Watson, C.R. and A.R. Olsen (1984). Acid Deposition System (ADS) for Statistical Reporting: System Design and User's Code Manual. Report EPA-600-8-84-023, U.S. Environmental Protection Agency.

UAPSP, MAP3S, APN, and CAPMON networks collect precipitation on a daily basis, the NADP/NTN network on a weekly and the CANSAP network on a monthly composite basis. The APIOS network collects both on a daily (designated D in the Tables) and a monthly (designated C) basis.[3]

The problem of merging data from different networks into a single, unified data base, which also contains comments on levels of data quality, is not a simple one, since each network uses a different approach to the screening and subsequent reporting of sample data. The approach here was arrived at after a careful consideration of the procedures used by the above networks and is outlined in Appendix A.

Note that although the present report only contains 1980 data, an addendum is planned later this year which will present further data for sulfates and nitrates, for 1981 to 1983.

---

3 As of January 1982, APIOS monthly sampling was changed to a 28-day collection period.

2.0 CONCENTRATION AND DEPOSITION CALCULATION PROCEDURES

2.1 All seasonal/annual concentrations are precipitation depth-weighted average values:

$$\bar{C} = \frac{\sum_{i=1}^{n} C_i P_i}{\sum_{i=1}^{n} P_i}$$

where $\bar{C}$ = the average weighted concentration (seasonal, annual)

C_i = the concentration measured during collection period i (daily, weekly, monthly)

P_i = the precipitation recorded during collection period i (see 2.3 below)

n = number of simultaneous valid measurements[4] of precipitation and concentration during the season/year.

2.2 All seasonal/annual[5] deposition values are calculated by multiplying the precipitation depth-weighted average concentration by the total precipitation depth for the season/year (P_T):

$$D = \bar{C}\, P_T$$

where $P_T = \sum_{i=1}^{N} P_i$

and N = number of collection periods with precipitation amounts for the season/year.

---

4 For a definition of a valid measurement, see Appendix A, paragraph A.6. Only sample periods where concentration measurements are determined to be valid are included.

5 For a definition of the seasons, see paragraph 2.6

2.3 The precipitation depth is generally obtained from a co-located standard gauge measurement. At some locations, however, there may be a systematic overcatch problem (i.e. the collector depth is greater than the standard gauge depth, and the collection efficiency for the period of interest - see paragraph 3.4.5 - greater than about 110%). This type of situation is relatively rare but, when it does occur, a problem with the standard gauge may be indicated. In this case, the gauge and collector depth data are carefully examined and the deposition is calculated using both the gauge depth as well as the maximum of gauge or collector depths (whichever is greater during each collection period). If the deposition calculated using the maximum of gauge or collector depths is more than 10% greater than the deposition calculated using the gauge depth alone and if there is no obvious problem with either the gauge or collector, then the concentration or deposition is calculated using the greater of the two values.

$$\overline{C} = \frac{\sum_{i=1}^{n} C_i \, (P_i \text{ or } P'_i, \text{ whichever is greater})}{\sum_{i=1}^{n} (P_i \text{ or } P'_i, \text{ whichever is greater})}$$

and

$$D = \overline{C} \sum_{i=1}^{N} (P_i \text{ or } P'_i, \text{ whichever is greater})$$

where

P_i = standard gauge depth

P'_i = collector depth.

The rationale for considering the greater of the two values to be the more reliable in these cases is outlined in Appendix B. Concentration and deposition values calculated in this way are underlined in the data tables (Tables 1-10).

2.4 Precipitation chemistry data are often missing from one or more collection periods. In these cases the annual/seasonal deposition is handled by multiplying the depth-weighted concentration (using the available data) during the year/season by the measured total precipitation depth (P_T) during the year/season, determined as recommended in 2.3.

2.5 The precipitation depth data are collected at the precipitation chemistry monitoring site. If depth data are missing from the standard gauge for a particular sampling period, then different procedures have historically been used in Canada and the United States. In Canada, interpolated gauge information from surrounding weather service stations has been generally used: in the U.S., collector depths are employed. We have adopted the current procedures in this report, pending resolution of this question.

2.6 Definition of Annual and Climatological Seasons

2.6.1 Preparation of annual and seasonal data summaries requires specific definitions for annual and climatological seasons. Annual periods are here selected to coincide as closely as possible to the calendar year. Seasonal periods are defined to coincide as closely as possible to the climatological seasons, defined here as: winter - December, January, February (contiguous); spring - March, April, May; summer - June, July, August; fall - September, October, November.

2.6.2 The fact that some cumulative networks use collection periods that do not necessarily coincide with the preferred annual and climatological seasonal periods based on calendar months presents a problem. For example, NADP follows a weekly collection period starting on Tuesday and APIOS-cumulative follows a 28-day collection period (as of 1982) starting on Tuesday. Entire collection periods must be allocated to an annual or seasonal period either on a fractional time basis or a fractional precipitation occurrence basis. The latter requires knowledge of when precipitation occurred within a single collection period. Since this information is not available for all networks, the allocation of collection periods (samples) is here computed on a fractional time basis.

2.6.3 The procedure used here for the fractional time allocation of samples to an annual or seasonal period requires that at least fifty percent of the time covered by a collection period be contained in the annual or seasonal period. This applies to both the beginning and end of an annual or seasonal period. For each summary the first and the last date of the period summarized is given in the data tables.

2.7 Valid sample results designated as below the detection limit are included although the way they are handled depends on the statistic calculated. If an average value is calculated, then one-half of the detection limit is used: if a percentile is to be calculated, then the actual detection limit is used. In either case, the number of data values below the detection limit is reported in Tables 1-10.

3.0 DATA QUALITY CRITERIA

3.1 Data quality is an important consideration in any wet deposition summary process. Aspects of quality include site representativeness, network operational and sample analysis procedures, screening of individual samples on the basis of available sample comment codes, and data completeness measures for the period being summarized. Network procedures and the screening process applied to individual samples are discussed in Appendix A. Data quality levels discussed below are based on only those samples that meet the screening criteria described in Appendix A.

3.2 Each qualifying sulfate and nitrate concentration average and deposition value is assigned an overall data quality level (1, 2 or 3) based on a site representativeness rating and a data completeness rating. Table A shows the assignment.

TABLE A. Overall Data Quality Level

		Site Representativeness Rating		
		1	2	3
Data Completeness Rating	1	1	2	3
	2	2	2	3
	3	3	3	3

3.3 Assignment of Site Representativeness Rating

We have adopted the following approach to account for the uncertainties due to less-than-ideal siting. Regionally unrepresentative sites are given a rating of 3 and are identified using the criteria outlined in Appendix C. These are sites with local influences (e.g. dusty surroundings, significant emission sources within 40 km) known or strongly suspected to have a significant effect on seasonal/annual average wet deposition values.

On the other hand, sites with a rating of 1 do not suffer from any of the interferences listed in Appendix C and are considered to be regionally representative. However, there is a large number of existing sites which fall into neither the "3" nor "1" categories, and for which evaluation of site representativeness is difficult. We have assigned these sites a rating of "2". They have failed on the

basis of one or more of the criteria in Appendix C; however, the severity of the local influences is difficult to assess a priori. We have relied whenever possible on the comments of individual network operators, analyses of the historical data, or site audits, in order to distinguish further between type 2(a) and 2(b) sites. In the former case, those familiar with the site in question, or with historical data from the site, have judged that the local interferences are probably small or insignificant and the sites are potentially representative. On the other hand, "2(b)" sites have more problems associated with them, although those familiar with their surroundings or historical data did not feel that they should clearly go into the "3" category. They were nevertheless judged to be potentially unrepresentative and data from them should be regarded with somewhat less confidence than data from "2(a)" sites. Thus, if the reader sees an overall rating of 2 for a particular datum in Tables 1 to 10, he should consult further the site representativeness rating, to see if a distinction has been made between the 2(a) and 2(b) categories. A datum with the former has a higher confidence associated with it than a datum with the latter (if the data completeness rating is in both cases the same).

It should be noted that detailed site evaluations (based on both the nature of the surroundings and historical data characteristics) are presently underway in a number of networks. Therefore, the ratings assigned in this report, although based on the best information available at the time of writing, should be considered as tentative and subject to possible future revision.

3.4 Assignment of Data Completeness Rating

Each annual and seasonal average value is assigned one of three data completeness ratings. A value not meeting the lowest rating requirements is excluded from the data tables. Five data completeness measures are used to determine the data completeness rating. A sixth measure, percent sea salt correction, is used for sulfate values for sites within 100 km of the coast. All six criteria must be met before an individual sulfate or nitrate value is assigned a given data completeness rating. How these measures are used to determine the data completeness rating is given in Tables B and C. A definition of the measures in column 1 of Tables B and C follows in paragraphs 3.4.1 to 3.4.6.

TABLE B. Data Completeness Rating Criteria For Seasonal Sulfate and Nitrate Values

Data Completeness Measure	Level 1	Level 2	Level 3
%PCL	≥95%	≥90%	≥90%
%TP, VSL, VSMP	≥80%	≥70%	≥60%
%COL EFF			
Winter	≥80% (50%)*	≥60% (40%)*	≥50% (30%)*
Spring, Summer Fall	≥80%	≥60%	≥50%
%SEASALT (sulfate)	≤25%	≤50%	≤75%

*The bracketed value applies to Canadian data

TABLE C. Data Completeness Rating Criteria For Annual Sulfate and Nitrate Values

Data Completeness Measure	Level 1	Level 2	Level 3
%PCL			
Annual	≥95%	≥90%	≥90%
Each quarter+	≥75%	≥60%	≥50%
%TP, VSL, VSMP			
Annual	≥80%	≥70%	≥60%
Each quarter+	≥70%	≥60%	≥50%
%COL EFF			
Annual	≥80% (70%)*	≥60% (40%)*	≥50% (30%)*
Each quarter+	Same as in Table B above		
%SEASALT (sulfate)	≤25%	≤50%	≤75%

* The bracketed value applies to Canadian data.

+ An annual summary must not only meet the annual data completeness criteria, but also the quarterly criteria for each quarter. The addition of quarterly criteria for % TP, VSL and VSMP to the annual criteria is to insure that adequate data from each quarter is present in the annual summary. The quarterly criteria for % TP, VSL and VSMP in Table C are relaxed from the seasonal criteria in Table B since the emphasis is on insuring adequate data for an annual summary, and not reporting a quarterly summary.

3.4.1 Percent precipitation coverage length (%PCL) is defined as the percent of the summary period for which information on whether or not precipitation occurred is available.

$$\%PCL = 100 * (SPL - NDPP)/SPL$$

where SPL = number of days in the summary period

NDPP = number of days when it is not known if precipitation occurred.

If precipitation is known to have occurred during a particular sampling period but no measurement of the amount is available then no knowledge of precipitation is assumed. Total precipitation depth P_T (defined paragraph 2.2) is the amount of precipitation occurring during the period of precipitation coverage. This data completeness measure does not include any consideration of the availability of a valid precipitation chemistry sample.

3.4.2 Percent total precipitation (%TP) is the percent of total precipitation depth measured during the summary period that is associated with valid sulfate or nitrate samples.

$$\%TP = 100 * TPVC/P_T$$

where TPVC = portion of total precipitation depth (P_T) associated with valid sample component measurements ($\sum_{i=1}^{n} P_i$, see paragraph 2.1).

3.4.3 Percent valid sample length (%VSL) is the percent of the days in the summary period that are associated with valid sample periods.

$$\%VSL = 100 * (NDNP + NDVCMP)/SPL$$

where NDNP = Number of days in summary period associated with sample periods during which no precipitation occurs.

NDVCMP = number of days in summary period with valid sample component measurement on measured precipitation sample.

3.4.4 Percent of wet deposition samples that have valid sample component measurements (%VSMP).

%VSMP = 100* NSVCMP/NSMP

where NSVCMP = number of wet deposition samples in summary period that result in a valid sample component measurement.

NSMP = number of wet deposition samples in summary period.

3.4.5 Percent collection efficiency (%COL EFF) is the ratio (converted to a percent) of the total sample volume (converted to a depth) to the total precipitation depth.

%COL EFF = 100* EPDVC/ERGVC

where EPDVC = sum of depths predicted from sample volume for qualifying samples.

ERGVC = sum of standard gauge depths for qualifying samples.

and qualifying samples are those (a) that have both a co-located standard gauge and sample volume measurement available and (b) that have a valid sample component measurement.

3.4.6 Percent sea salt correction (%SEASALT) is the percent of the average sulfate concentration that is estimated to be due to sea salt.

%SEASALT = 100* (XBAR - XBARC)/XBAR

where XBAR = arithmetic mean of sulfate concentrations from uncorrected valid sulfate samples.

XBARC = arithmetic mean of sulfate concentrations from sea salt corrected valid sulfate samples.

The sea salt correction uses sodium or magnesium as tracers of sea salt, as described in Appendix D.

3.4.7 The collection efficiency requirement for Canadian winter average values has been relaxed somewhat compared to other seasons due to the generally poorer collector performance for snow sampling. If the 80% requirement for other seasons (level 1) is applied to the winter months when a very large percentage of the precipitation in Canada is in the form of snow, then the data loss is quite large. It is felt that a lower percentage could be accepted for winter because the problems are primarily due to undercatch of snow. The sample collected is expected, therefore, to be representative. The Canadian annual collection efficiency requirement is also relaxed somewhat as a consequence.

4.0 RESULTS

The data for 1980 are presented in Appendix E (Tables 1-5 for sulfates, and 6-10 for nitrates). Table 1(a), for example, lists by station the annual sulfate concentration and deposition values, as well as the overall data quality levels (and the individual siting and data completeness ratings on which the overall levels are based). If the datum qualified for a sea-salt correction, then the corrected concentration and deposition values are shown below the uncorrected ones. Underlined values were calculated according to paragraph 2.3. The number of collection periods used (N), and valid samples where measurements were below the detection limit (NBDL), are also shown. Table 1(b) presents the statistics for concentration values measured at each site, including the depth-weighted, geometric and arithmetic means (and standard deviations); maximum and minimum values and the 25-, 50- and 75-percentiles; and the Kolmogorov-Smirnov D-statistic for both normal and log-normal distributions (asterisked values indicate that the data distribution is not consistent with a normal, or lognormal, distribution at the 5% significance level).

Appendix F contains a listing of the sites found in Tables 1 to 10, including their latitude, longitude and elevation, and a brief operating history. Also included in this appendix is a set of maps showing the location of each site.

A few further comments are in order:

1. We have proposed here a procedure for data quality assessment based primarily on four considerations:

   (a) the potential for contamination of the sample by dryfall has been minimized by including only wet collector data;

   (b) the laboratory which has performed the sample analysis is reputable and has judged the analysis results to be valid;

   (c) the site is (or is not) regionally representative;

and (d) the data are (or are not) sufficiently complete to have a high degree of confidence associated with the derived seasonal or annual values.

While few scientists involved in deposition monitoring would dispute the fact that the above are among the major factors involved in an assessment of precipitation data quality, there are other questions which have not been addressed - for example, what about the errors introduced by field evaporation losses from cumulative samplers, or by chemical transformations which may occur between the time of sample collection and chemical analysis? It might be argued that some of these questions are in fact addressed indirectly by the data quality rating scheme proposed here (for example, a cumulative sample with serious evaporation losses would have a low percent collection efficiency, and hence would

tend to get a lower quality rating, than a daily sample): others (such as chemical transformation) are beyond the scope of our mandate, but have been, or are currently being, actively investigated elsewhere. Thus while we recognize that the present procedures are largely based on our current understanding of precipitation sampling and chemistry and may require further revision, or indeed may not necessarily be the best for all users (e.g., those in the environmental effects assessment field may not require such rigorous data screening as proposed here), we hope that the current effort will provide a point of reference for future work, and that, should alternative screening and calculation procedures be used, reasons will also be documented for departing from the present ones.

2. At first sight, the data completeness measures proposed in section 3.4 seem rather complicated. In fact, they reflect the type of problems one encounters when one is actually confronted with a "real" data set, and are motivated by the following questions, all of which require an answer for the data completeness and temporal representativeness to be properly assessed: for what portion of the sampling period do we have a complete knowledge of the occurence of precipitation (paragraph 3.4.1)?; what portion of the precipitation volume that was collected is associated with a valid chemical analysis (3.4.2)?; further, what percent of the time during the summary period, and what percent of the total number of precipitation samples, do these valid samples represent (3.4.3 and 3.4.4 respectively)?; and finally, what was the collection efficiency, referred to a co-located standard gauge, over the sampling period (3.4.5)? The percentages used in Tables B and C to determine the data completeness were based on the experience of the Unified Wet Deposition Database Committee members with precipitation chemistry data and sampling problems, and reflect their best current collective judgement.

3. It can be seen from the tables that, with the exception of the CANSAP network, more than 50% (in the case of some networks, considerably more) of the sites have been judged to be either regionally representative, or potentially representative. This result reflects the care used in site selection for the more recent networks, which generally have tried to consider most of the sources of error outlined in Appendix C.

4. It will be noted that relatively few sites have received level 1 data quality ratings. This is no doubt partly due to the fact that in 1980 several of the contributing networks were either only starting, or still experiencing start-up problems which will hopefully not be evident in future data summaries. The paucity of level 1 data leads us to again remind the reader that where possible, a distinction has been attempted between level 2a and 2b sites, and that higher confidence should be placed in level 2a data (see the site representativeness column in Tables 1 to 10), if the data completeness assessment is comparable.

5. The major factors involved in the calculations, as detailed in this report, have been adhered to in generating the Tables and Figures herein. In a few cases the considerations involved in the data summary process were much more complicated, but a full discussion was not felt to be justified here (for example, how does one perform a sea salt correction when the sodium or magnesium concentrations are below the detection limit?). For details, please contact one of the authors (A. Olsen).

6. The current report contains only 1980 data. However, an addendum is planned for later this year, which will contain 1981-1983 data for Eastern North America, calculated and evaluated according to the procedures outlined here.

5.0 RECOMMENDATIONS AND AREAS FOR FURTHER WORK

1. We recommend that, for purposes of model evaluation (on a seasonal or annual basis), the data summaries given in this report be used. Furthermore, it is our hope that the procedures used in this report will be adopted by others having similar needs in the future, as the use of a unified and well-documented data set should simplify the task of scientists involved in the development of long-range transport models and emission reduction scenarios.

2. We recommend that the concept of overall data quality levels, including site representativeness and data completeness ratings, proposed here be retained in future data summaries, and that work continue to refine assignment of site representativeness criteria and data completeness measures. We also recommend that efforts be made to develop ranges of data accuracy associated with each data quality level. Work in this area is already underway at a number of institutions.

3. In many applications of deposition data, it would be very useful to have objectively analyzed deposition fields rather than values at discrete monitoring stations, as in this report. We recommend that efforts be intensified in the search for an optimum objective analysis technique for generating atmospheric deposition fields.

4. Some of the siting ratings arrived at in this report (paragraph 3.2 and Appendix C) are only tentative: all of them apply to the situation during or before 1984. These ratings should be re-evaluated periodically, to ensure that they represent correctly current data.

In addition, the present work has revealed a number of problems which require further attention.

5. Procedures for handling missing precipitation depth data (see paragraph 2.5) are different in Canada and the United States. While we have stayed with the current procedures in each country in this report, the pros and cons of the Canadian and United States approaches should be assessed, and a uniform procedure adopted. Also, we recommend that rain qauges be kept operational all the time at precipitation chemistry monitoring sites (this has not been the case in the past with some networks).

6. The Canadian and U.S. standard gauges differ in their efficiency for collecting snow (under windy conditions, the U.S. gauges are generally less efficient than Canadian gauges). This could cause a systematic bias in the data between the two countries, especially in the winter season. Although many of the monitoring sites in the northern U.S. tend to be in sheltered locations where wind effects are minimized, an evaluation of the differences thus caused is recommended.

ML/hm

Attach.

6/6/1

APPENDIX A

NETWORK SAMPLING PROTOCOLS AND SCREENING FOR VALID SAMPLES

1 Precipitation chemistry monitoring networks collect precipitation samples in the field, transport them to an analytical laboratory for chemical analysis and report the sample results for others to use. Network specific protocol procedures are implemented to ensure that data are collected, analyzed and reported as consistently as possible. Each network uses a different approach to the screening and subsequent reporting of sampling data. For example, some networks have rigid screening procedures which a sample must pass before any data are reported. Other networks may use essentially the same screening procedures but will report the sample data accompanied by appropriate note codes even when the sample does not meet the screening criteria. These differences in network screening and reporting of sample data must be considered when data from multiple networks are combined for an analysis.

2 The following is a discussion of the data screening and reporting procedures adopted by the networks included in this report (APN, APIOS, CANSAP, MAP3S, NADP and UAPSP). The information is obtained from documentation available from each network and discussions with network personnel directly knowledgeable about their screening and reporting procedures. Most of the information is used in the transfer of each network's data to a common data format for wet deposition data used in the ADS data base.

3 Each network has a chemical analysis laboratory which performs sample analyses and checks the reasonableness of the sample analysis results using only information available from the analysis. Some networks may use additional information to initiate a re-analysis. For the current purpose it is sufficient to state that each network receives data from a chemical analysis laboratory which has been subjected to internal laboratory checks. The results reported from the laboratory are assumed to represent the ion species concentration in the sample as received by the laboratory. All chemical analysis laboratories used by the networks participate in interlaboratory comparison studies. Laboratory sample analysis protocols are available from individual network coordinators.

4 Each network then combines the sample results from the laboratory with supporting comments and flags associated with the sample collection effort. This includes information from the time of field collection until the sample is analyzed. The information differs widely across the networks, especially as to how much is recorded in a network data base for others to use. The ADS data base incorporates all of the comments, codes and flags that are

available from each network in a computerized form. It is assumed that the data sent to ADS by each network have been subjected to an internal network individual sample screening process. That process may result in samples being declared invalid/suspect and either not being reported or being appropriately coded.

5 Valid sample criteria have been designed to incorporate each network's comments, codes and flags into the decision process of determining whether an individual wet deposition sample result is to be included or excluded from a summary. The discussion on screening for valid samples is stated in terms of the ADS data base common record format with some reference to network specific codes as necessary for clarification.

6 Valid sample criteria applicable to the annual and seasonal summaries are:

a. All sampling periods for which it is known that no precipitation occurred are considered valid sample periods. This applies mainly to weekly, monthly and 28-day sampling protocols. For event and daily sampling protocols the absence of a sample record for a day implies that no precipitation occurred (this assumption is not always valid for the earlier data).

b. The wet deposition sample must be a wet-only sample. All samples identified as bulk, partially bulk or undefined are invalid.

c. Wet deposition samples that have insufficient precipitation to complete a chemical analysis for a specific ion species are invalid for that specific ion species. Event/daily samples are most likely to have this occur.

d. An individual ion species concentration accompanied by a comment code designating the measurement to be "suspect" or "invalid" is declared an invalid sample. Deletion of the ion species concentration by the network for the same reason has the same effect.

e. The actual sampling period for a wet deposition sample must be close to the network's protocol sampling period. Specifically, the following conditions lead to an invalid sample:

- For NADP, actual DAYS-IN-SAMPLE less than 6 or greater than 8. This includes all NADP samples coded "LD" with measured precipitation.

- For APIOS-C, actual DAYS-IN-SAMPLE less than 21 or greater than 35.

- For CANSAP, actual DAYS-IN-SAMPLE less than 22, or greater than 36.

7 All networks include note codes which are informational in nature. Some codes denote reasons why sample results are not available or reported. Other codes describe conditions present in field, sample transit and sample receipt. Unless explicitly stated elsewhere, these note codes are not used in determining whether or not a sample is valid. The basic premise is that each network has screened individual sample results for possible contamination. If a sample result passes their screening, it is assumed that possible sample contamination indicated by field or lab comments did not materially affect the sample ion species concentrations. Insufficient information is available from the networks to subject all samples to the same sample screening process.

APPENDIX B

THE USE OF PRECIPITATION DEPTH FROM STANDARD GAUGE OR SAMPLE COLLECTOR

Past experience has shown that on occasion, the standard gauge depth will be either equal to or greater than the depth measured by a co-located precipitation chemistry collector. The present discussion is concerned with the relatively few occasions when there is a systematic overcatch of the collector and where there is no clearly evident reason for the discrepancy. In these cases, it is recommended that the maximum of either gauge or collector depth during each collection period be used, for the following reasons:

1. Precipitation gauges are subject to measurement errors due to evaporation, adhesion, inclination and splash and are significantly influenced by wind and the nature of the precipitation itself (Rodda, 1971; Israelson, 1967). After a comprehensive review of precipitation measurement, Israelson (1967) states that gauge errors are apparently almost always in a negative direction (causing undercatch) and that it has become common practice, when comparing gauges, to designate the gauge which has the largest catch as the most accurate. While there is some disagreement with this practice (McGuiness, 1966), there is general agreement that no one gauge measures "true rainfall" and that sometimes one gauge catches the most precipitation while other times another gauge does (Israelson, 1967).

   The reviews of precipitation measurement by Israelson (1967) and Larson (1971) described several studies which show that all gauges typically caught less than pit gauges (e.g. Neff and Hamon, 1965) and lysimeters (e.g. McGuiness, 1966). These and other studies indicate that airflow over gauges is the most important factor affecting catch efficiency. Wind effects are particularly important for snow collection and Goodison (1978) has shown that significant differences exist between the catch of Canadian Nipher-shielded snow gauges (higher catches) and the catch of universal gauges with alter shields (lower catches). The differences in catch were largely attributed to different aerodynamic characteristics over the collection orifices, and increased with wind speed.

   The facts are that:

   (a) most gauges undercatch (compared to ground-level measurements);

   (b) gauge catch efficiences are highly dependent on wind effects and

   (c) some gauges are more efficient than others (those mounted lower to the ground to reduce wind effects, or nipher shielded snow gauges).

2. Available data show that, on occasion, precipitation chemistry samplers (such as the Aerochem Metrics sampler) catch more than the standard gauges. Based on the previous discussion, this could be due to several reasons (wind effects, orifice size, height, etc.). Given that both the sampler and the standard gauge typically undercatch, it seems reasonable to accept the highest catch as the most accurate. This is particularly true if the differences between the gauges are due to natural variability as opposed to known, man-made errors (e.g. spilling, misreading).

While there is a well-conceived reluctance on the part of statisticians to accept a maximum value of a measured parameter without careful evaluation and justification, evidence suggests that the maximum measurement of precipitation at a site may be more accurate. Also, while "standard gauge" measurements can be considered as "reference values", variations in the siting, shielding, type, maintenance, orifice size and precipitation characteristics across precipitation monitoring networks suggest that standard gauge data can be highly variable and prone to major uncertainties. Thus, it is not altogether surprising that the precipitation chemistry samplers ocassionally overcatch the standard gauges and that this should be compensated for.

In view of the above-mentioned uncertainties in standard gauge depths, it seems reasonable to accept the larger of the gauge or collector depth as the more accurate, in cases where there is evidence of a systematic collector overcatch.

REFERENCES

Goodison, B.E. 1978. "Comparability of Snowfall and Snow Cover Data in a Southern Ontario Basin" Proceedings of the Workshop on Modelling Snow Cover Runoff. CRREL. Hanover, N.H. September 26-29.

Israelson, C.E. 1967. "Reliability of Can-Type Precipitation Gauge Measurements - A State-of-the-Science Review" Report #2, Utah Water Research Laboratory, College of Engineering, Utah State University, Logan, Utah.

Larson, L.W. 1971. "Precipitation and Its Measurement - A State of the Art" Water Resources Series No. 24 Report, Water Resources Research Institute, University of Wyoming, Laramie, Wyoming.

McGuinness, J.L. 1966. "A Comparison of Lysimeter Catch and Raingauge Catch" USDA, ARS, 41-124, October.

Neff, E.L. and Hamon, R. (1965): "Evaluation of Precipitation Gauge Performance". Boise 1965 Reynolds Creek Watershed Annual Report, Ida-Bo-102.6.

Rodda, J.C. (1971): "The Precipitation Measurement Paradox - The Instrument Accuracy Problem" WMO-No. 16 World Meterological Organization, Report on WMO/IHD Project. Geneva, Switzerland.

APPENDIX C

SUGGESTED CRITERIA TO IDENTIFY REGIONALLY UNREPRESENTATIVE SITES

There are a number of difficulties involved in assessing errors due to poor siting. We have elected to distinguish between regionally representative, unrepresentative, and potentially representative or unrepresentative sites. The distinction between these types is discussed in Section 3.2.

If one or more of the criteria below were met, the location of the network site was generally considered to be unrepresentative for monitoring regional-scale acid deposition and the data from that site were given a rating of "3", unless an examination of the historical data from the site, or the judgement of those familiar with the site, indicated that the local interferences were small or insignificant. (Note that these criteria would not necessarily apply for data users whose interest is in the sub-regional scale).

1. There is a continuous industrial source, a town or suburban area located within 10 kilometres.

2. There is a major point source (greater than 10,000 tons sulfur dioxide or nitric oxide per year) located within 50 kilometres; or the sum of point source emissions within 50 kilometres is greater than 10,000 tons per year.

3. There is a surface pollutant storage facility (e.g. salt pile) located within 100 metres.

4. There are transporation sources, furnaces or incinerators located within 100 metres.

5. There is cultivation or other agricultural activity within 500 metres.

6. Buildings, trees, etc., impinge on the cone defined by a 45 degree angle above the horizontal plane and centred at the site (30 degrees is considered optimal but 45 degrees is the highest acceptable angle).

7. The local area is known to be dusty due to poor ground cover.

APPENDIX D

SEA SALT CORRECTION TO PRECIPITATION SAMPLES

Sea salt contains large amounts of Na^+, Cl^-, Mg^{++}, S, Ca^{++} and K^+, in relatively constant ratios. When sea salt aerosols enter precipitation samples, they raise the concentrations of these ions over those which existed prior to the input of sea salt. In order to determine the $SO_4^=$ concentration in precipitation independent of the influence of sea salt, it is necessary to correct the measured $SO_4^=$ concentration for the sea salt contribution. Generally, this is done by subtracting from the measured $SO_4^=$ concentration the amount of $SO_4^=$ predicted to be due to sea salt, as calculated as the product of the Na^+ concentration and the ratio of $SO_4^=$ to Na^+ concentrations in bulk sea water (see, for example, the report "The OECD Programme on Long Range Transport of Air Pollutants - Measurements and Findings", Second Edition, OECD, Paris, 1979).

This method assumes that the Na^+ concentration in the precipitation sample is dominated by the sea salt contribution and that the ratio of $SO_4^=$ to Na^+ in bulk sea water is the same as in the sea salt aerosols which were scavenged into the sample and generated from sea water. Although this latter assumption has been questioned, it is the most practical assumption to make at this time (in the absence of special studies on sea aerosol composition at each precipitation monitoring site). The former assumption, however (that all Na^+ in the precipitation is due to sea salt alone), becomes less valid with distance from the coastline, and with the presence of other confounding influences such as road salt, road dust and human contamination. Indeed, a quick perusal of CANSAP data at Sable Island (completely surrounded by sea water), Shelburne (located near the Atlantic coastline), and St. John (located near the coastline but also near urban influences) shows that the ratios of the major ions in precipitation samples increasingly differ from those in bulk sea water as the external influences increase. Consequently, we are not recommending sea salt corrections for samples collected more than 100 km inland.

It is useful, therefore, to check that the value of Na^+ in the precipitation sample collected at a coastal site is the best value to use as the basis for the sea salt correction of $SO_4^=$. The following section suggests a method for doing this. It involves comparing the ratios of several ions (Na^+, Cl^-, Mg^{++}) measured in the precipitation samples to the same ratios in sea water in order to see which ions provide the best indication of sea salt influence.

1. Let

$$A = \frac{\frac{[Mg^{++}]}{[Na^{+}]}\ \text{precipitation measured}}{\frac{[Mg^{++}]}{[Na^{+}]}\ \text{sea salt}}$$

$$B = \frac{\frac{[Na^{+}]}{[Cl^{-}]}\ \text{precipitation measured}}{\frac{[Na^{+}]}{[Cl^{-}]}\ \text{sea salt}}$$

$$C = \frac{\frac{[Mg^{++}]}{[Cl^{-}]}\ \text{precipitation measured}}{\frac{[Mg^{++}]}{[Cl^{-}]}\ \text{sea salt}}$$

2. If $0.75 \leq A \leq 1.25$

Then correct for sea salt using $[Na^{+}]$

i.e. $$[SO_4^{=}]_{\text{corrected}} = [SO_4^{=}]_{\text{measured}} - 0.25\,[Na^{+}] \quad \ldots (1)$$

where all concentrations are in (mg/l).

3. If $A \leq 0.75$ or ≥ 1.25

Then check to see whether it is more appropriate to correct using Na^{+} or Mg^{++}, with the procedure outlined below:

Calculate B and C

(a) If $B \leq 0.75$ or ≥ 1.25 but $0.75 \leq C \leq 1.25$

Then the reason that $A \leq 0.75$ or ≥ 1.25 is probably because $[Na^{+}]$ is inaccurate.

Therefore correct for sea salt using Mg^{++}

i.e. $$[SO_4^{=}]_{\text{corrected}} = [SO_4^{=}]_{\text{measured}} - 2.09\,[Mg^{++}] \quad \ldots (2)$$

(b) If $0.75 \leq B \leq 1.25$ and $C \leq 0.75$ or ≥ 1.25

Then, the reason that $A \leq 0.75$ or ≥ 1.25 is probably because $[Mg^{++}]$ is inaccurate.

Therefore correct for sea salt using $[Na^{+}]$ i.e. Eq (1)

(c) If $0.75 \geq B$, $C \geq 1.25$

or $0.75 \leq B$, $C \leq 1.25$

Then there are strong confounding influences on the data.

Therefore if B is closer to 1.0 than C, then base the sea salt correction on $[Na^{+}]$ (i.e. Eq 1).

If C is closer to 1.0 than B, then base the correction on $[Mg^{++}]$ (i.e. Eq 2).

APPENDIX E

MONTHLY AND SEASONAL SULFATE AND NITRATE CONCENTRATION AND WET DEPOSITION TABLES FOR 1980

Table 1(a)

1980 Annual Unified Data Summary

30-Jun-1985
Page 1

Sulfate

State / Network / Site Name	Period Summarized First Date	Last Date	Overall Rating	Site Rep	Data Comp	% PCL	% TP	% VSL	% VSMP	% Col Eff	N	N BDL	Wtd Mean mg/l	SO4 Dep g/m2	% Sea Salt Correction	Total Precip cm
Delaware																
MAP3s/PCN																
Lewes	Jan 1 80	Jan 1 81	2	2A	2	100	99	97	84	87	62		2.62	2.40		91.6
												1	2.27	2.08	8	
Illinois																
NADP																
Dixon Springs	Jan 2 80	Dec 30 80	3	2B	3	93	100	71	77	91	37		3.28	2.78		84.6
Indiana																
UAPSP																
Roanoke	Jan 1 80	Jan 1 81	2	2A	2	100	97	93	79	92	90		2.95	2.59		88.0
Rockport	Jan 1 80	Jan 1 81	3	3	1	100	100	99	97	94	76		2.82	2.60		92.5
New Hampshire																
NADP																
Hubbard Brook	Jan 2 80	Dec 30 80	2	1	2	90	99	85	93	99	43		2.46	2.14		86.8
New York																
NADP																
Aurora	Jan 3 80	Dec 30 80	2	2A	2	90	100	85	94	93	44		3.91	3.11		79.6
Knobit	Jan 1 80	Dec 30 80	2	2A	2	90	89	77	87	96	40		2.91	1.88		64.8
MAP3s/PCN																
Brookhaven	Jan 1 80	Jan 1 81	2	2B	1	100	99	98	88	91	57		2.51	2.03		81.1
													2.31	1.87	4	
Ithaca	Jan 1 80	Jan 1 81	2	2A	1	100	98	98	94	94	74		2.64	2.50		94.9
Whiteface	Jan 1 80	Jan 1 81	1	1	1	100	98	97	90	113	81		2.62	2.47		94.5
North Carolina																
NADP																
Clinton Station	Jan 2 80	Dec 30 80	2	2A	2	98	100	88	90	89	45		1.85	2.15		116.5
Coweeta	Jan 2 80	Dec 30 80	2	2A	2	94	99	87	94	93	44		1.74	2.74		157.5
Lewiston	Jan 2 80	Dec 30 80	2	2A	2	94	95	85	90	86	44		2.25	1.96		87.3
												1	2.15	1.87	4	
Piedmont Station	Jan 2 80	Dec 30 80	2	2A	1	96	99	81	84	94	42		3.02	3.02		99.9
UAPSP																
Raleigh	Jan 1 80	Jan 1 81	3	3	1	100	95	96	82	87	68		1.88	1.77		94.1
Ohio																
NADP																
Caldwell	Jan 2 80	Dec 30 80	2	2B	2	94	97	88	94	103	45		4.14	4.04		97.4
Delaware	Jan 2 80	Dec 30 80	2	2A	1	96	100	88	92	93	46		3.98	4.32		108.6
Wooster	Jan 2 80	Dec 30 80	3	3	1	96	97	87	90	95	44		3.64	3.30		90.6
UAPSP																
Zanesville	Jan 1 80	Jan 1 81	3	3	2	100	99	99	95	88	95		3.27	4.35		133.2
Pennsylvania																
NADP																
Leading Ridge	Jan 2 80	Dec 30 80	2	1	2	92	100	90	98	92	47		3.39	3.13		92.5
MAP3s/PCN																
Penn State	Jan 1 80	Jan 1 81	2	2B	1	100	100	99	95	122	75		3.22	2.77		86.0
UAPSP																
Scranton	Jan 1 80	Jan 1 81	2	2A	1	100	100	100	100	99	81		2.60	1.67		64.2

Note: The annual data completeness level also depends on the quarterly data completeness levels

Sulfate

State / Network / Site Name	Period Summarized First Date	Period Summarized Last Date	Overall Rating	Site Rep	Data Comp	% PCL	% TP	% VSL	% VSMP	% Col Eff	N	N BDL	Wtd Mean mg/l	SO4 Dep g/m2	% Sea Salt Correction	Total Precip cm
South Carolina																
NADP																
Clemson	Jan 2 80	Dec 30 80	3	3	2	90	100	79	87	99	40		1.93	2.38		123.3
Virginia																
MAP3s/PCN																
Virginia	Jan 1 80	Jan 1 81	3	2A	3	99	83	93	74	93	60		2.50	2.11		84.5
West Virginia																
NADP																
Parsons	Jan 2 80	Dec 30 80	2	2A	1	96	100	96	100	92	50		3.56	4.36		122.3
UAPSP																
Lewisburg	Jan 1 80	Jan 1 81	2	2A	2	100	97	98	94	96	78		2.16	1.60		74.2
New Brunswick																
CANSAP																
Acadia Fes	Dec 31 79	Jan 1 81	3	3	1	100	100	100	100	88	12		2.17	2.74		126.5
Charlo	Dec 31 79	Dec 31 80	3	3	3	100	100	100	100	72	12		2.27	2.97		130.5
													2.12	2.76	7	
St. John	Dec 31 79	Jan 1 81	3	3	2	100	100	100	100	80	12		2.78	3.87		139.2
													2.53	3.52	10	
Newfoundland																
CANSAP																
Goose	Dec 31 79	Jan 1 81	2	2B	2	100	92	92	92	76	11		.98	1.12		114.6
													.93	1.06	4	
Nova Scotia																
CANSAP																
Kejimkujik (a)	Dec 31 79	Jan 1 81	2	2A	2	100	92	91	92	100	11		1.71	1.97		115.1
													1.52	1.75	8	
Truro	Dec 31 79	Dec 31 80	3	3	2	100	100	100	100	75	12		2.71	2.91		107.2
													2.50	2.68	8	
Ontario																
CANSAP																
Dorset (a)	Jan 2 80	Dec 31 80	3	1	3	100	87	82	77	78	10		2.62	3.31		126.4
Harrow	Dec 31 79	Dec 31 80	3	3	3	100	100	100	100	79	12		4.84	4.73		97.7
Kingston	Dec 31 79	Dec 31 80	3	3	3	100	78	83	77	79	10		3.92	4.05		103.3
Mount Forest (a)	Dec 31 79	Jan 1 81	3	3	2	100	93	92	92	77	11		4.20	4.07		96.8
Simcoe	Dec 31 79	Jan 1 81	3	3	2	100	92	91	92	89	11		4.02	3.49		87.0
APN																
Chalk River	Jan 1 80	Jan 1 81	2	2A	1	100	98	96	92	94	142		2.82	2.70		95.8
Long Point	Jan 1 80	Jan 1 81	3	3	1	100	98	96	88	95	99		4.01	3.51		87.5
Quebec																
CANSAP																
Chibougamau	Dec 31 79	Dec 31 80	3	3	3	100	100	100	100	66	12		1.55	1.54		99.2
Nitchequon	Dec 31 79	Jan 1 81	3	2B	3	100	97	91	92	70	11	1	.98	.83		84.7
Quebec City	Dec 31 79	Jan 1 81	3	3	2	100	100	100	100	83	12		3.87	4.48		115.7

Note: The annual data completeness level also depends on the quarterly data completeness levels

Table 1(b)

1980 Annual Unified Data Summary

30-Jun-1985
Page 1

Sulfate

State / Network / Site Name	Overall Rating	Site Rep	Data Comp	N	N BDL	Concentration: Wtd Mean mg/l	Geometric Mean mg/l	Geometric SD mg/l	Arithmetic Mean mg/l	Arithmetic SD mg/l	Percentiles mg/l: Min	25%	50%	75%	Max	K-S D-Statistic: Gau	Log
Delaware																	
MAP3s/PCN																	
Lewes	2	2A	2	62		2.62	2.43	.74	3.11	2.26	.31	1.44	2.8	4.0	11.5	.153*	.109
Illinois																	
NADP																	
Dixon Springs	3	2B	3	37		3.28	3.53	.60	4.27	3.15	1.39	2.30	3.1	5.1	16.4	.180*	.140
Indiana																	
UAPSP																	
Roanoke	2	2A	2	90		2.95	2.87	.63	3.46	2.22	.33	1.76	3.0	4.7	12.9	.126*	.060
Rockport	3	3	1	76		2.82	3.00	.64	3.79	3.78	.42	2.02	2.9	4.3	31.5	.213*	.066
New Hampshire																	
NADP																	
Hubbard Brook	2	1	2	43		2.46	2.15	.77	2.80	1.99	.40	1.28	2.2	3.7	9.4	.134	.114
New York																	
NADP																	
Aurora	2	2A	2	44		3.91	3.92	.61	4.56	2.36	.74	2.77	4.4	5.7	12.6	.100	.148*
Knobit	2	2A	2	40		2.91	2.85	.87	3.92	3.05	.31	1.64	3.1	5.9	13.0	.200*	.092
MAP3s/PCN																	
Brookhaven	2	2B	1	57		2.51	2.74	.72	3.59	3.06	.68	1.63	2.8	4.5	16.3	.174*	.068
Ithaca	2	2A	1	74		2.64	2.34	.97	3.44	3.42	.07	1.61	2.6	4.1	23.0	.217*	.112*
Whiteface	1	1	1	81		2.62	2.27	.77	3.01	2.39	.26	1.30	2.5	3.9	11.5	.159*	.068
North Carolina																	
NADP																	
Clinton Station	2	2A	2	45		1.85	2.15	.76	2.78	2.21	.18	1.50	2.1	3.6	12.2	.176*	.096
Coweeta	2	2A	2	44		1.74	2.08	.62	2.58	2.16	.75	1.24	1.8	3.2	13.5	.199*	.099
Lewiston	2	2A	2	44		2.25	2.63	.89	3.93	4.93	.19	1.42	2.7	4.9	31.1	.264*	.104
Piedmont Station	2	2A	1	42		3.02	3.72	.73	4.92	4.43	1.00	2.15	3.7	5.5	25.9	.225*	.075
UAPSP																	
Raleigh	3	3	1	68		1.88	2.13	.71	2.77	2.55	.47	1.38	2.1	3.3	16.9	.204*	.083
Ohio																	
NADP																	
Caldwell	2	2B	2	45		4.14	3.76	.75	4.88	4.12	.36	2.53	3.7	6.2	25.4	.159*	.104
Delaware	2	2A	1	46		3.98	3.54	.62	4.15	2.70	.22	2.72	3.7	4.9	19.0	.183*	.132*
Wooster	3	3	1	44		3.64	3.61	.52	4.08	2.04	1.05	2.37	3.9	5.3	10.5	.086	.084
UAPSP																	
Zanesville	3	3	2	95		3.27	3.21	.61	3.85	2.49	.70	2.18	3.0	5.3	16.8	.172*	.070
Pennsylvania																	
NADP																	
Leading Ridge	2	1	2	47		3.39	3.44	.77	4.42	3.07	.48	1.88	3.8	6.3	17.5	.107	.106
MAP3s/PCN																	
Penn State	2	2B	1	75		3.22	3.05	.89	4.33	4.36	.28	1.92	3.6	5.3	31.7	.176*	.115*
UAPSP																	
Scranton	2	2A	1	81		2.60	3.09	.74	3.88	2.56	.21	2.09	3.4	5.1	13.2	.148*	.079

Note: The annual data completeness level also depends on the quarterly data completeness levels

Sulfate

State / Network / Site Name	Overall Rating	Site Rep	Data Comp	N	N BDL	Wtd Mean mg/l	Geometric Mean mg/l	Geometric SD mg/l	Arithmetic Mean mg/l	Arithmetic SD mg/l	Percentiles mg/l Min	25%	50%	75%	Max	K-S D-Statistic Gau	K-S D-Statistic Log
South Carolina																	
NADP																	
Clemson	3	3	2	40		1.93	2.23	.58	2.58	1.40	.37	1.61	2.4	3.3	7.6	.122	.096
Virginia																	
MAP3s/PCN																	
Virginia	3	2A	3	60		2.50	2.70	.86	3.77	3.17	.43	1.27	2.8	4.9	15.4	.146*	.082
West Virginia																	
NADP																	
Parsons	2	2A	1	50		3.56	3.60	.63	4.33	2.90	.50	2.52	3.5	5.3	17.4	.166*	.050
UAPSP																	
Lewisburg	2	2A	2	78		2.16	2.13	.76	2.76	2.00	.16	1.29	2.1	3.8	9.8	.137*	.056
New Brunswick																	
CANSAP																	
Acadia Fes	3	3	1	12		2.17	1.91	.58	2.22	1.30	.62	1.35	1.8	3.0	5.3	.203	.116
Charlo	3	3	3	12		2.27	2.25	.61	2.55	1.05	.40	2.10	2.4	3.3	4.4	.168	.288*
St. John	3	3	2	12		2.78	2.72	.38	2.89	1.01	1.50	1.85	3.0	3.5	4.6	.145	.186
Newfoundland																	
CANSAP																	
Goose	2	2B	2	11		.98	1.04	.32	1.10	.46	.80	.80	0.9	1.2	2.4	.325*	.240
Nova Scotia																	
CANSAP																	
Kejimkujik (a)	2	2A	2	11		1.71	1.83	.54	2.08	1.04	.80	1.20	1.9	3.0	4.0	.136	.146
Truro	3	3	2	12		2.71	2.68	.51	2.96	1.25	.80	2.00	2.6	4.3	4.7	.175	.199
Ontario																	
CANSAP																	
Dorset (a)	3	1	3	10		2.62	2.66	.47	2.93	1.31	1.10	2.05	2.3	4.1	5.3	.257	.188
Harrow	3	3	3	12		4.84	5.22	.39	5.71	3.21	3.90	4.05	4.6	5.4	15.2	.348*	.294*
Kingston	3	3	3	10		3.92	4.35	.45	4.76	2.07	2.00	3.15	3.9	7.2	7.7	.244	.174
Mount Forest (a)	3	3	2	11		4.20	4.05	.50	4.51	2.16	1.70	2.70	4.0	5.9	9.1	.140	.132
Simcoe	3	3	2	11		4.02	4.16	.36	4.41	1.61	2.20	3.30	4.3	5.5	7.9	.141	.092
APN																	
Chalk River	2	2A	1	142		2.82	2.83	.78	3.82	3.26	.30	1.60	2.8	5.0	20.2	.166*	.031
Long Point	3	3	1	99		4.01	3.89	.61	4.66	3.04	.70	2.50	4.1	6.2	20.6	.111*	.074
Quebec																	
CANSAP																	
Chibougamau	3	3	3	12		1.55	1.44	.45	1.57	.66	.70	.91	1.5	2.0	2.7	.171	.156
Nitchequon	3	2B	3	11	1	.98	.75	.82	.94	.60	.20	.60	0.9	1.2	2.4	.188	.151
Quebec City	3	3	2	12		3.87	4.15	.35	4.40	1.70	2.50	3.10	4.1	5.1	8.8	.174	.134

Note: The annual data completeness level also depends on the quarterly data completeness levels

Table 2(a)

Winter Quarter 1980 Unified Data Summary
(Dec 1979, Jan 1980, Feb 1980)

28-Jun-1985
Page 1

Sulfate

State / Network / Site Name	Period Summarized First Date	Last Date	Overall Rating	Site Rep	Data Comp	% PCL	% TP	% VSL	% VSMP	% Col Eff	N	N BDL	Wtd Mean mg/l	SO4 Dep g/m2	% Sea Salt Correction	Total Precip cm
Delaware																
MAP3s/PCN																
Lewes	Dec 1 79	Mar 1 80	2	2A	2	100	97	96	78	79	14		1.58	.26		16.5
													1.42	.23	7	
UAPSP																
Indian River	Dec 1 79	Mar 1 80	3	3	2	100	96	95	75	96	15		1.93	.36		18.4
													1.76	.33	10	
Georgia																
NADP																
Georgia Station	Dec 4 79	Mar 4 80	2	2A	1	100	100	100	100	123	13		1.96	.43		22.0
Illinois																
NADP																
Bondville	Dec 4 79	Mar 4 80	2	2A	2	92	99	85	92	70	11		3.33	.31		9.3
Dixon Springs	Nov 27 79	Mar 4 80	2	2B	2	100	94	70	71	90	10		3.57	.65		18.1
Indiana																
UAPSP																
Fort Wayne	Dec 1 79	Mar 1 80	2	2A	2	100	95	96	76	60	13		2.18	.25		11.3
Rockport	Dec 1 79	Mar 1 80	3	3	1	100	99	99	94	98	17		2.43	.31		12.6
Massachusetts																
UAPSP																
Montague	Dec 1 79	Mar 1 80	2	2A	1	100	100	100	100	98	7		1.44	.15		10.2
Minnesota																
NADP																
Marcell	Dec 4 79	Mar 4 80	2	2B	2	100	99	77	75	62	9	1	1.16	.08		7.2
New York																
NADP																
Huntington	Dec 4 79	Mar 4 80	2	2B	2	92	100	85	92	133	11	1	1.76	.19		10.7
MAP3s/PCN																
Brookhaven	Dec 1 79	Mar 1 80	2	2B	1	100	99	99	91	89	10		2.36	.36		15.2
													2.12	.32	11	
Ithaca	Dec 1 79	Mar 1 80	2	2A	2	100	100	100	100	71	15		1.37	.19		14.1
Whiteface	Dec 1 79	Mar 1 80	2	1	2	100	86	96	71	155	10		1.76	.23		13.2
North Carolina																
NADP																
Clinton Station	Dec 4 79	Mar 4 80	2	2A	2	100	100	100	100	70	13		1.92	.44		23.1
Coweeta	Dec 4 79	Mar 4 80	2	2A	1	100	100	100	100	89	13		1.70	.51		29.9
Lewiston	Dec 4 79	Mar 4 80	2	2A	1	100	83	85	85	87	11		1.78	.46		25.9
													1.71	.44	4	
Piedmont Station	Dec 4 79	Mar 4 80	2	2A	1	100	93	85	85	93	11		2.10	.36		17.4
UAPSP																
Raleigh	Dec 1 79	Mar 1 80	3	3	2	100	78	93	70	88	14		1.68	.34		20.3
Ohio																
NADP																
Delaware	Dec 4 79	Mar 4 80	2	2A	2	92	100	85	92	84	11		2.64	.36		13.6
Wooster	Dec 4 79	Mar 4 80	3	3	2	92	99	85	92	100	11		3.19	.32		10.0
UAPSP																
Zanesville	Dec 1 79	Mar 1 80	3	3	1	100	98	98	86	91	12		2.28	.29		12.8

Sulfate

State / Network / Site Name	Period Summarized First Date	Last Date	Overall Rating	Site Rep	Data Comp	% PCL	% TP	% VSL	% VSMP	% Col Eff	N	N BDL	Wtd Mean mg/l	SO4 Dep g/m2	% Sea Salt Correction	Total Precip cm
Pennsylvania																
NADP																
Leading Ridge	Dec 4 79	Mar 4 80	2	1	2	92	100	85	92	90	11		2.91	.35		11.9
MAP3s/PCN																
Penn State	Dec 1 79	Mar 1 80	2	2B	1	100	100	99	95	94	18		1.74	.21		11.9
UAPSP																
Scranton	Dec 1 79	Mar 1 80	2	2A	1	100	100	100	100	97	11		2.00	.13		6.6
South Carolina																
NADP																
Clemson	Dec 4 79	Mar 4 80	3	3	1	100	89	82	85	94	11		2.03	.45		22.2
Tennessee																
UAPSP																
Giles County	Dec 1 79	Mar 1 80	2	2A	1	100	99	97	88	99	22		2.01	.49		24.4
Virginia																
MAP3s/PCN																
Virginia	Dec 1 79	Mar 1 80	2	2A	2	100	96	93	70	87	14		1.36	.24		17.3
West Virginia																
NADP																
Parsons	Dec 4 79	Mar 4 80	2	2A	1	100	100	92	92	88	12		2.42	.42		17.2
UAPSP																
Lewisburg	Dec 1 79	Mar 1 80	2	2A	2	100	88	95	78	95	14		1.02	.17		16.5
New Brunswick																
CANSAP																
Acadia Fes	Dec 1 79	Feb 29 80	3	3	1	100	100	100	100	80	3		1.04	.20		19.6
Charlo	Dec 1 79	Feb 29 80	3	3	3	100	100	100	100	33	3		3.20	.58		18.0
													3.04	.55	6	
St. John	Nov 30 79	Feb 29 80	3	3	1	100	100	100	100	61	3		2.96	.56		18.9
													2.30	.43	23	
Newfoundland																
CANSAP																
Gander	Nov 30 79	Mar 1 80	3	3	3	100	100	100	100	32	3		1.84	.56		30.4
													1.44	.44	22	
Goose	Nov 30 79	Feb 29 80	3	2B	3	100	100	100	100	40	3		.84	.22		25.7
													.76	.19	10	
Nova Scotia																
CANSAP																
Truro	Dec 1 79	Feb 29 80	3	3	1	100	100	100	100	78	3		1.68	.44		26.1
													1.30	.34	24	
APN																
Kejimkujik (b)	Dec 1 79	Mar 1 80	2	2A	1	100	96	97	87	107	20		1.63	.29		17.9
													1.31	.24	14	

Sulfate

State / Network / Site Name	Period Summarized First Date	Period Summarized Last Date	Overall Rating	Site Data Rep	Site Data Comp	% PCL	% TP	% VSL	% VSMP	% Col Eff	N	N BDL	Wtd Mean mg/l	SO4 Dep g/m2	% Sea Salt Correction	Total Precip cm
Ontario																
CANSAP																
Atikokan	Nov 30 79	Feb 29 80	3	3	3	100	77	68	67	59	2		1.54	.10		6.8
Kingston	Nov 30 79	Feb 29 80	3	3	1	100	100	100	100	72	3		4.23	.63		14.8
Moosonee	Dec 1 79	Feb 29 80	3	2B	3	100	69	67	67	35	2		1.62	.15		9.0
													1.53	.14	5	
Mount Forest (a)	Dec 1 79	Mar 3 80	3	3	1	100	100	100	100	59	3		4.32	.65		15.1
Peterborough	Nov 30 79	Feb 29 80	3	3	1	100	100	100	100	68	3		5.50	.87		15.8
Simcoe	Dec 1 79	Feb 29 80	3	3	1	100	100	100	100	68	3		4.34	.81		18.6
APN																
Chalk River	Dec 1 79	Mar 1 80	2	2A	1	100	100	100	100	83	28		2.51	.22		8.8
ELA (b)	Dec 1 79	Mar 1 80	3	2A	3	100	64	97	82	73	14		1.11	.06		5.2
Long Point	Dec 1 79	Mar 1 80	3	3	2	99	96	91	71	104	17		2.13	.26		12.2
Quebec																
CANSAP																
Chibougamau	Nov 30 79	Feb 29 80	3	3	3	100	100	100	100	31	3		1.74	.25		14.2
Maniwaki	Nov 30 79	Feb 29 80	3	2B	3	100	88	69	67	42	2		5.37	.51		9.6
Nitchequon	Dec 1 79	Feb 29 80	3	2B	3	100	100	100	100	34	3		.68	.08		11.3
Quebec City	Nov 30 79	Feb 29 80	3	3	1	100	100	100	100	52	3		5.49	.65		11.9
Sept Isles	Nov 30 79	Feb 29 80	3	3	3	100	100	100	100	31	3		1.94	.28		14.5
													1.67	.24	11	
St. Hubert	Nov 30 79	Feb 29 80	3	3	1	100	100	100	100	88	3		4.41	.47		10.6

Table 2(b)

Winter Quarter 1980 Unified Data Summary
(Dec 1979, Jan 1980, Feb 1980)

28-Jun-1985
Page 1

Sulfate

State / Network / Site Name	Overall Rating	Site Rep	Data Comp	N	N BDL	Wtd Mean mg/l	Geometric Mean mg/l	Geometric SD mg/l	Arithmetic Mean mg/l	Arithmetic SD mg/l	Concentration Percentiles mg/l Min	25%	50%	75%	Max	K-S D-Statistic Gau	K-S D-Statistic Log
Delaware																	
MAP3s/PCN																	
Lewes	2	2A	2	14		1.58	1.68	.59	1.97	1.12	.81	.90	1.7	3.1	3.8	.174	.187
UAPSP																	
Indian River	3	3	2	15		1.93	1.82	.87	2.59	2.45	.35	.95	1.6	3.5	9.8	.238*	.126
Georgia																	
NADP																	
Georgia Station	2	2A	1	13		1.96	2.12	.68	2.67	2.14	.70	1.52	2.1	2.7	8.3	.313*	.179
Illinois																	
NADP																	
Bondville	2	2A	2	11		3.33	3.27	.67	3.97	2.57	1.07	1.85	3.2	5.6	9.4	.156	.156
Dixon Springs	2	2B	2	10		3.57	3.17	.50	3.52	1.57	1.40	1.95	3.6	5.1	5.6	.142	.188
Indiana																	
UAPSP																	
Fort Wayne	2	2A	2	13		2.18	2.07	.74	2.54	1.52	.33	1.46	2.3	3.6	6.0	.126	.157
Rockport	3	3	1	17		2.43	2.20	.72	2.73	1.78	.42	1.36	2.8	3.3	6.8	.182	.161
Massachusetts																	
UAPSP																	
Montague	2	2A	1	7		1.44	1.65	.55	1.87	.98	.87	.88	1.5	2.9	3.3	.233	.164
Minnesota																	
NADP*																	
Marcell	2	2B	2	9	1	1.16	1.30	1.06	2.24	2.94	.45	.71	1.1	2.7	9.6	.356*	.199
New York																	
NADP																	
Huntington	2	2B	2	11	1	1.76	1.50	1.07	2.20	1.63	.30	.69	1.8	3.9	5.1	.149	.158
MAP3s/PCN																	
Brookhaven	2	2B	1	10		2.36	1.84	.66	2.24	1.54	.60	1.18	1.7	3.4	5.4	.330*	.236
Ithaca	2	2A	2	15		1.37	1.22	.74	1.51	.91	.34	.60	1.6	2.5	2.9	.137	.188
Whiteface	2	1	2	10		1.76	1.80	.52	2.02	.99	.88	1.02	1.9	3.0	3.6	.189	.152
North Carolina																	
NADP																	
Clinton Station	2	2A	2	13		1.92	1.89	.55	2.15	1.14	.60	1.50	1.8	2.6	5.0	.158	.150
Coweeta	2	2A	1	13		1.70	1.78	.52	2.01	1.00	.75	1.17	1.8	2.8	3.9	.178	.163
Lewiston	2	2A	1	11		1.78	1.54	.63	1.85	1.23	.60	1.00	1.6	2.4	4.9	.220	.139
Piedmont Station	2	2A	1	11		2.10	2.80	.59	3.26	1.86	1.00	2.05	2.8	4.6	7.1	.223	.124
UAPSP																	
Raleigh	3	3	2	14		1.68	1.56	.64	1.86	1.08	.46	.98	1.7	2.6	4.2	.126	.118
Ohio																	
NADP																	
Delaware	2	2A	2	11		2.64	2.33	.92	3.00	1.65	.22	1.65	3.8	4.0	5.6	.224	.245
Wooster	3	3	2	11		3.19	2.96	.77	3.82	2.74	1.05	1.23	2.7	5.7	9.6	.204	.206
UAPSP																	
Zanesville	3	3	1	12		2.28	1.95	.55	2.22	1.23	.54	1.63	2.0	2.6	5.6	.241	.190
Pennsylvania																	
NADP																	
Leading Ridge	2	1	2	11		2.91	2.47	.69	3.02	1.98	.84	1.60	2.6	4.1	7.4	.171	.115
MAP3s/PCN																	
Penn State	2	2B	1	18		1.74	1.89	.77	2.43	1.70	.37	1.30	2.0	3.4	6.2	.208*	.107
UAPSP																	
Scranton	2	2A	1	11		2.00	1.95	.64	2.36	1.71	.68	1.44	2.0	3.4	6.7	.274*	.162

Sulfate

State / Network / Site Name	Overall Rating	Site Rep	Data Comp	N	N BDL	Concentration: Wtd Mean mg/l	Geometric Mean mg/l	Geometric SD mg/l	Arithmetic Mean mg/l	Arithmetic SD mg/l	Percentiles mg/l: Min	25%	50%	75%	Max	K-S D-Statistic: Gau	Log
South Carolina																	
NADP																	
Clemson	3	3	1	11		2.03	2.25	.49	2.51	1.19	1.10	1.40	2.6	3.1	5.0	.176	.178
Tennessee																	
UAPSP																	
Giles County	2	2A	1	22		2.01	2.36	.48	2.64	1.36	1.11	1.60	2.3	3.1	6.0	.171	.106
Virginia																	
MAP3s/PCN																	
Virginia	2	2A	2	14		1.36	1.31	.75	1.75	1.65	.43	.81	1.2	2.3	6.8	.263*	.169
West Virginia																	
NADP																	
Parsons	2	2A	1	12		2.42	2.19	.64	2.53	1.14	.50	1.44	2.8	3.2	4.2	.160	.238
UAPSP																	
Lewisburg	2	2A	2	14		1.02	1.09	.83	1.45	1.13	.16	.78	1.1	2.0	3.9	.278*	.150
New Brunswick																	
CANSAP																	
Acadia Fes	3	3	1	3		1.04	.98	.59	1.11	.69	.62	.62	0.8	1.9	1.9	.336	.300
Charlo	3	3	3	3		3.20	3.06	.18	3.09	.56	2.60	2.60	3.0	3.7	3.7	.247	.226
St. John	3	3	1	3		2.96	3.03	.07	3.03	.21	2.80	2.80	3.1	3.2	3.2	.292	.297
Newfoundland																	
CANSAP																	
Gander	3	3	3	3		1.84	1.76	.32	1.82	.59	1.30	1.30	1.7	2.5	2.5	.250	.211
Goose	3	2B	3	3		.84	.83	.45	.88	.35	.50	.50	0.9	1.2	1.2	.225	.272
Nova Scotia																	
CANSAP																	
Truro	3	3	1	3		1.68	2.00	.46	2.13	.86	1.20	1.20	2.3	2.9	2.9	.243	.286
APN																	
Kejimkujik (b)	2	2A	1	20		1.63	1.81	.74	2.34	1.83	.40	1.23	1.7	2.9	7.4	.195*	.137
Ontario																	
CANSAP																	
Atikokan	3	3	3	2		1.54	1.57	.27	1.60	.43	1.30		1.6		1.9	.260	.260
Kingston	3	3	1	3		4.23	4.72	.38	4.98	2.05	3.60	3.60	4.0	7.3	7.3	.350	.335
Moosonee	3	2B	3	2		1.62	2.15	.51	2.30	1.13	1.50		2.3		3.1	.260	.260
Mount Forest (a)	3	3	1	3		4.32	4.30	.15	4.33	.67	3.90	3.90	4.0	5.1	5.1	.359	.355
Peterborough	3	3	1	3		5.50	6.12	.65	7.09	4.88	3.70	3.70	4.9	12.7	12.7	.340	.302
Simcoe	3	3	1	3		4.34	4.84	.43	5.16	2.37	3.60	3.60	4.0	7.9	7.9	.355	.340
APN																	
Chalk River	2	2A	1	28		2.51	2.12	.58	2.52	1.68	.83	1.31	2.0	3.3	8.5	.171*	.085
ELA (b)	3	2A	3	14		1.11	1.30	.82	1.76	1.47	.36	.76	1.2	2.9	5.3	.240*	.118
Long Point	3	3	2	17		2.13	2.41	.78	3.04	1.92	.30	1.70	2.2	5.4	6.2	.257*	.150
Quebec																	
CANSAP																	
Chibougamau	3	3	3	3		1.74	1.65	.34	1.71	.61	1.24	1.24	1.5	2.4	2.4	.304	.275
Maniwaki	3	2B	3	2		5.37	5.42	.14	5.44	.78	4.90		5.4		6.0	.260	.260
Nitchequon	3	2B	3	3		.68	.61	.37	.63	.21	.40	.40	0.7	0.8	0.8	.298	.321
Quebec City	3	3	1	3		5.49	5.46	.51	5.93	2.80	3.20	3.20	5.8	8.8	8.8	.186	.213
Sept Isles	3	3	3	3		1.94	2.32	.86	2.86	1.95	.90	.90	2.9	4.8	4.8	.177	.269
St. Hubert	3	3	1	3		4.41	4.79	.66	5.59	3.99	3.00	3.00	3.6	10.2	10.2	.358	.335

Table 3(a)

Spring Quarter 1980 Unified Data Summary
(Mar 1980, Apr 1980, May 1980)

Sulfate

State / Network / Site Name	Period Summarized First Date	Last Date	Overall Rating	Site Rep	Data Comp	% PCL	% TP	% VSL	% VSMP	% Col Eff	N	N BDL	Wtd Mean mg/l	SO4 Dep g/m2	% Sea Salt Correction	Total Precip cm
Delaware																
MAP3s/PCN																
Lewes	Mar 1 80	Jun 1 80	2	2A	2	100	100	98	88	77	15		2.52	.86		34.0
													2.12	.72	15	
UAPSP																
Indian River	Mar 1 80	Jun 1 80	3	3	1	100	99	98	92	98	23		2.46	.84		34.0
													2.23	.76	6	
Georgia																
NADP																
Georgia Station	Mar 4 80	Jun 3 80	2	2A	1	100	100	100	100	107	12		1.48	.74		50.0
Illinois																
NADP																
Dixon Springs	Mar 4 80	Jun 3 80	2	2B	1	100	100	86	85	91	11		3.14	.96		30.6
MAP3s/PCN																
Illinois	Mar 1 80	Jun 1 80	3	2A	3	100	90	86	63	74	22		3.21	.90		28.0
Indiana																
UAPSP																
Fort Wayne	Mar 1 80	Jun 1 80	2	2A	2	100	96	92	79	88	27		2.79	.73		26.0
Rockport	Mar 1 80	Jun 1 80	3	3	1	100	100	100	100	99	30		2.67	.77		28.9
Massachusetts																
UAPSP																
Montague	Mar 1 80	Jun 1 80	2	2A	1	100	100	100	100	96	18		1.91	.60		31.4
Michigan																
NADP																
Wellston	Mar 4 80	Jun 3 80	2	2A	2	92	86	77	82	97	9		3.49	.55		15.9
Minnesota																
NADP																
Lamberton	Mar 4 80	Jun 3 80	2	1	2	92	100	85	91	96	10		3.09	.53		17.2
New Hampshire																
NADP																
Hubbard Brook	Mar 4 80	Jun 3 80	1	1	1	100	100	92	92	98	12		2.14	.67		31.1
New York																
NADP																
Aurora	Mar 4 80	Jun 3 80	2	2A	2	92	100	92	100	94	12		3.07	.72		23.5
Huntington	Mar 4 80	Jun 3 80	2	2B	2	92	100	92	100	149	12		2.22	.59		26.8
Jasper	Mar 4 80	Jun 3 80	2	2A	1	100	99	85	85	91	11		2.60	.61		23.3
Knobit	Feb 26 80	Jun 3 80	2	2A	1	100	92	86	92	89	12		2.65	.61		23.1
Stilwell Lake	Mar 4 80	Jun 3 80	2	2B	1	100	100	100	100	87	13		2.15	1.08		50.0
MAP3s/PCN																
Brookhaven	Mar 1 80	Jun 1 80	2	2B	1	100	99	97	88	93	21		2.38	.81		33.9
													2.13	.72	5	
Ithaca	Mar 1 80	Jun 1 80	2	2A	1	99	100	98	94	95	17		1.65	.48		29.0
Whiteface	Mar 1 80	Jun 1 80	1	1	1	99	100	99	100	124	15		2.50	.51		20.5
North Carolina																
NADP																
Clinton Station	Mar 4 80	Jun 3 80	3	2A	3	100	100	69	69	95	9		1.30	.38		29.7
Piedmont Station	Mar 4 80	Jun 3 80	2	2A	2	92	100	85	92	97	11		3.02	1.04		34.6
UAPSP																
Raleigh	Mar 1 80	Jun 1 80	3	3	2	100	99	98	90	76	18		1.40	.41		29.1

Sulfate

State / Network / Site Name	Period Summarized First Date	Period Summarized Last Date	Overall Rating	Site Rep	Data Comp	% PCL	% TP	% VSL	% VSMP	% Col Eff	N	N BDL	Wtd Mean mg/l	SO4 Dep g/m2	% Sea Salt Correction	Total Precip cm
Ohio																
NADP																
Caldwell	Mar 4 80	Jun 3 80	2	2B	1	100	91	85	85	107	11		3.44	1.11		32.4
Wooster	Mar 4 80	Jun 3 80	3	3	2	92	91	77	83	99	10		3.33	.86		25.8
MAP3s/PCN																
Oxford	Mar 1 80	Jun 1 80	2	2B	1	100	94	95	81	104	21	1	3.27	1.06		32.4
UAPSP																
Zanesville	Mar 1 80	Jun 1 80	3	3	2	100	100	99	97	78	29		2.94	1.22		41.5
Pennsylvania																
NADP																
Kane	Mar 4 80	Jun 3 80	2	2A	1	100	100	100	100	97	13		3.06	1.17		38.2
Leading Ridge	Mar 4 80	Jun 3 80	2	1	2	92	100	92	100	92	12		2.85	1.07		37.4
MAP3s/PCN																
Penn State	Mar 1 80	Jun 1 80	2	2B	1	100	100	100	100	137	19		2.53	.88		34.7
UAPSP																
Scranton	Mar 1 80	Jun 1 80	2	2A	1	100	100	100	100	98	24		1.98	.51		25.8
South Carolina																
NADP																
Clemson	Mar 4 80	Jun 3 80	3	3	2	92	100	85	91	101	10		1.69	.94		56.0
Tennessee																
UAPSP																
Giles County	Mar 1 80	Jun 1 80	2	2A	1	100	99	97	88	84	22		1.42	.93		65.7
Virginia																
MAP3s/PCN																
Virginia	Mar 1 80	Jun 1 80	2	2A	1	98	96	95	86	96	18		2.58	.78		30.3
West Virginia																
NADP																
Parsons	Mar 4 80	Jun 3 80	2	2A	2	92	100	92	100	92	12		3.42	1.30		38.0
UAPSP																
Lewisburg	Mar 1 80	Jun 1 80	2	2A	1	100	100	100	100	102	20		1.69	.35		20.8
New Brunswick																
CANSAP																
Acadia Fes	Feb 29 80	May 31 80	3	3	1	100	100	100	100	91	3		1.96	.52		26.5
Charlo	Feb 29 80	May 31 80	3	3	2	100	100	100	100	67	3		1.47	.57		38.9
													1.37	.53	6	
St. John	Feb 29 80	May 31 80	3	3	2	100	100	100	100	77	3		1.90	.63		33.0
													1.75	.58	6	
Newfoundland																
CANSAP																
Goose	Feb 29 80	May 31 80	2	2B	2	100	100	100	100	75	3		1.19	.22		18.8
													1.13	.21	4	
Stephenville	Feb 29 80	May 31 80	3	3	3	100	66	66	67	90	2		1.30	.25		19.4
													1.17	.23	10	

Sulfate

State / Network / Site Name	Period Summarized First Date	Last Date	Overall Rating	Site Rep	Data Comp	% PCL	% TP	% VSL	% VSMP	% Col Eff	N	N BDL	Wtd Mean mg/l	SO4 Dep g/m2	% Sea Salt Correction	Total Precip cm
Nova Scotia																
CANSAP																
Kejimkujik (a)	Feb 29 80	Jun 2 80	2	2A	1	100	100	100	100	126	3		1.46	.39		26.9
													1.27	.34	8	
Truro	Feb 29 80	May 31 80	3	3	1	100	100	100	100	89	3		1.89	.57		30.3
													1.78	.54	4	
APN																
Kejimkujik (b)	Mar 1 80	Jun 1 80	2	2A	1	99	83	97	90	101	18	1	1.66	.54		32.3
												1	1.45	.47	7	
Ontario																
CANSAP																
Dorset (a)	Feb 29 80	May 31 80	2	1	2	100	100	100	100	72	3		2.85	.76		26.6
ELA (a)	Feb 29 80	May 31 80	2	2A	2	100	100	100	100	74	3		1.85	.10		5.1
Harrow	Feb 29 80	Jun 1 80	3	3	2	100	100	100	100	68	3		4.40	1.19		27.1
Kingston	Feb 29 80	May 31 80	3	3	2	100	100	100	100	78	3		3.03	.99		32.5
Mount Forest (a)	Mar 3 80	Jun 1 80	3	3	3	100	74	66	67	66	2		2.18	.55		25.1
Peterborough	Feb 29 80	May 31 80	3	3	2	100	97	96	75	68	3		2.85	.68		23.8
Pickle Lake	Feb 29 80	Jun 1 80	3	2A	3	100	78	67	67	58	2		3.94	.29		7.3
Simcoe	Feb 29 80	May 31 80	3	3	1	100	100	100	100	91	3		3.31	.87		26.3
APN																
Chalk River	Mar 1 80	Jun 1 80	2	2A	1	100	99	99	97	96	38		2.72	.60		22.1
ELA (b)	Mar 1 80	Jun 1 80	2	2A	1	100	100	100	100	85	13		1.79	.10		5.6
Long Point	Mar 1 80	Jun 1 80	3	3	1	100	96	98	94	93	33		4.42	1.18		26.6
Quebec																
CANSAP																
Chibougamau	Feb 29 80	May 30 80	3	3	3	100	100	100	100	60	3		1.30	.19		14.6
Maniwaki	Feb 29 80	May 31 80	2	2B	1	100	100	100	100	86	3		2.72	.58		21.4
Nitchequon	Feb 29 80	May 31 80	3	2B	3	100	100	100	100	52	3		.91	.14		14.9
Quebec City	Feb 29 80	May 31 80	3	3	1	100	100	100	100	88	3		3.56	.99		27.8
Sept Isles	Feb 29 80	May 31 80	3	3	2	100	100	100	100	62	3		1.49	.49		33.1
													1.16	.38	23	
St. Hubert	Feb 29 80	May 31 80	3	3	3	100	69	66	67	77	2		3.12	.71		22.8

Table 3(b)

Spring Quarter 1980 Unified Data Summary
(Mar 1980, Apr 1980, May 1980)

Sulfate

State / Network / Site Name	Overall Rating	Site Rep	Data Comp	N	N BDL	Concentration: Wtd Mean mg/l	Geometric Mean mg/l	Geometric SD mg/l	Arithmetic Mean mg/l	Arithmetic SD mg/l	Percentiles mg/l: Min	25%	50%	75%	Max	K-S D-Statistic: Gau	Log
Delaware																	
MAP3s/PCN																	
Lewes	2	2A	2	15		2.52	2.28	.65	2.74	1.69	.87	1.54	2.0	3.9	6.4	.200	.112
UAPSP																	
Indian River	3	3	1	23		2.46	2.42	.78	3.04	1.88	.28	1.61	2.8	4.3	8.2	.156	.144
Georgia																	
NADP																	
Georgia Station	2	2A	1	12		1.48	2.03	.99	4.07	7.72	.78	1.07	1.5	3.3	28.3	.384*	.261*
Illinois																	
NADP																	
Dixon Springs	2	2B	1	11		3.14	3.39	.46	3.74	1.82	1.62	2.28	3.1	4.8	7.9	.183	.139
MAP3s/PCN																	
Illinois	3	2A	3	22		3.21	3.13	.61	3.69	2.03	.96	2.02	3.2	5.3	7.5	.155	.101
Indiana																	
UAPSP																	
Fort Wayne	2	2A	2	27		2.79	3.08	.56	3.61	2.27	.99	2.17	3.0	4.2	11.2	.167	.069
Rockport	3	3	1	30		2.67	2.78	.49	3.14	1.72	1.10	1.92	2.8	3.9	8.7	.164*	.069
Massachusetts																	
UAPSP																	
Montague	2	2A	1	18		1.91	2.32	.99	3.53	3.40	.47	.94	2.7	4.9	13.5	.183	.104
Michigan																	
NADP																	
Wellston	2	2A	2	9		3.49	3.71	.55	4.27	2.55	1.75	2.57	2.9	6.2	9.2	.253	.218
Minnesota																	
NADP																	
Lamberton	2	1	2	10		3.09	2.64	.53	2.98	1.54	1.08	1.98	2.5	4.0	6.2	.210	.165
New Hampshire																	
NADP																	
Hubbard Brook	1	1	1	12		2.14	2.40	.75	3.13	2.52	.76	1.32	2.0	4.8	9.4	.235	.147
New York																	
NADP																	
Aurora	2	2A	2	12		3.07	3.43	.68	4.19	2.68	1.03	2.01	3.4	6.9	8.7	.186	.127
Huntington	2	2B	2	12		2.22	2.32	.54	2.61	1.16	.73	1.73	2.4	3.8	4.1	.168	.145
Jasper	2	2A	1	11		2.60	2.91	.62	3.47	2.16	1.42	1.53	2.7	4.6	8.0	.209	.195
Knobit	2	2A	1	12		2.65	3.34	.95	4.80	3.99	.65	1.73	3.6	6.6	13.0	.176	.136
Stilwell Lake	2	2B	1	13		2.15	3.46	.85	5.24	6.71	1.26	1.75	2.9	6.1	26.5	.299*	.148
MAP3s/PCN																	
Brookhaven	2	2B	1	21		2.38	3.14	.80	4.37	4.16	.83	1.82	3.1	5.0	16.3	.256*	.137
Ithaca	2	2A	1	17		1.65	1.92	1.04	3.02	2.97	.16	1.13	1.8	4.2	9.2	.313*	.156
Whiteface	1	1	1	15		2.50	2.27	.60	2.66	1.59	.56	1.63	2.5	3.0	6.8	.221*	.126
North Carolina																	
NADP																	
Clinton Station	3	2A	3	9		1.30	1.74	.55	2.00	1.21	.88	1.05	1.5	2.6	4.7	.217	.163
Piedmont Station	2	2A	2	11		3.02	4.29	.85	6.33	7.17	1.32	2.66	3.6	8.4	25.9	.345*	.240
UAPSP																	
Raleigh	3	3	2	18		1.40	2.05	.80	2.89	2.91	.64	1.01	1.9	3.2	10.5	.245*	.094

Sulfate

State / Network / Site Name	Overall Rating	Site Rep	Data Comp	N	N BDL	Concentration: Wtd Mean mg/l	Geometric Mean mg/l	Geometric SD mg/l	Arithmetic Mean mg/l	Arithmetic SD mg/l	Percentiles mg/l: Min	25%	50%	75%	Max	K-S D-Statistic: Gau	Log
Ohio																	
NADP																	
Caldwell	2	2B	1	11		3.44	4.00	.50	4.51	2.50	2.02	2.53	3.6	6.3	10.4	.199	.130
Wooster	3	3	2	10		3.33	3.77	.45	4.16	2.17	2.27	2.62	3.5	5.0	9.2	.237	.145
MAP3s/PCN																	
Oxford	2	2B	1	21	1	3.27	3.30	.51	3.74	2.04	1.06	2.40	3.4	4.8	8.8	.159	.125
UAPSP																	
Zanesville	3	3	2	29		2.94	3.34	.54	3.96	3.06	1.69	2.26	2.7	5.0	16.8	.288*	.221*
Pennsylvania																	
NADP																	
Kane	2	2A	1	13		3.06	4.20	.88	6.76	9.47	1.76	1.99	3.7	5.6	36.3	.389*	.208
Leading Ridge	2	1	2	12		2.85	3.05	.63	3.63	2.13	1.15	1.64	3.3	5.6	7.7	.145	.145
MAP3s/PCN																	
Penn State	2	2B	1	19		2.53	2.36	.66	2.77	1.32	.35	1.63	2.7	3.9	5.2	.145	.165
UAPSP																	
Scranton	2	2A	1	24		1.98	2.52	.75	3.32	2.72	.69	1.44	2.5	4.0	11.0	.203*	.063
South Carolina																	
NADP																	
Clemson	3	3	2	10		1.69	2.03	.62	2.48	1.97	1.05	1.17	1.9	3.2	7.6	.270*	.167
Tennessee																	
UAPSP																	
Giles County	2	2A	1	22		1.42	1.60	.66	2.01	1.64	.52	1.03	1.6	1.8	7.3	.353*	.225*
Virginia																	
MAP3s/PCN																	
Virginia	2	2A	1	18		2.58	2.87	.79	3.76	2.76	.66	1.63	3.1	5.7	10.6	.183	.084
West Virginia																	
NADP																	
Parsons	2	2A	2	12		3.42	3.63	.52	4.13	2.37	1.74	2.59	3.4	4.9	9.0	.226	.126
UAPSP																	
Lewisburg	2	2A	1	20		1.69	1.86	.85	2.66	2.52	.58	.85	1.6	3.6	9.8	.245*	.113
New Brunswick																	
CANSAP																	
Acadia Fes	3	3	1	3		1.96	2.18	.77	2.70	2.25	1.30	1.30	1.5	5.3	5.3	.369	.352
Charlo	3	3	2	3		1.47	1.35	1.15	1.96	1.78	.40	.40	1.6	3.9	3.9	.248	.224
St. John	3	3	2	3		1.90	2.01	.45	2.16	1.07	1.50	1.50	1.6	3.4	3.4	.369	.360
Newfoundland																	
CANSAP																	
Goose	2	2B	2	3		1.19	1.29	.54	1.43	.84	.90	.90	1.0	2.4	2.4	.364	.350
Stephenville	3	3	3	2		1.30	.92	1.17	1.25	1.20	.40		1.2		2.1	.260	.260
Nova Scotia																	
CANSAP																	
Kejimkujik (a)	2	2A	1	3		1.46	1.63	.79	2.03	1.71	.90	.90	1.2	4.0	4.0	.354	.317
Truro	3	3	1	3		1.89	1.79	.76	2.13	1.40	.80	.80	2.0	3.6	3.6	.204	.224
APN																	
Kejimkujik (b)	2	2A	1	18	1	1.66	1.78	1.17	3.10	3.39	.20	.92	1.6	4.3	11.7	.261*	.122

Sulfate

State / Network / Site Name	Overall Rating	Site Rep	Data Comp	N	N BDL	Concentration: Wtd Mean mg/l	Geometric Mean mg/l	Geometric SD mg/l	Arithmetic Mean mg/l	Arithmetic SD mg/l	Percentiles mg/l: Min	25%	50%	75%	Max	K-S D-Statistic: Gau	Log
Ontario																	
CANSAP																	
Dorset (a)	2	1	2	3		2.85	2.99	.50	3.26	1.76	2.20	2.20	2.3	5.3	5.3	.375	.369
ELA (a)	2	2A	2	3		1.85	1.54	.63	1.77	1.17	.90	.90	1.3	3.1	3.1	.321	.271
Harrow	3	3	2	3		4.40	4.44	.12	4.46	.55	3.90	3.90	4.5	5.0	5.0	.191	.207
Kingston	3	3	2	3		3.03	3.56	.64	4.10	2.66	2.00	2.00	3.2	7.1	7.1	.299	.234
Mount Forest (a)	3	3	3	2		2.18	2.14	.33	2.20	.71	1.70		2.2		2.7	.260	.260
Peterborough	3	3	2	3		2.85	3.50	.67	4.10	2.89	2.00	2.00	2.9	7.4	7.4	.327	.277
Pickle Lake	3	2A	3	2		3.94	3.34	.36	3.45	1.20	2.60		3.4		4.3	.260	.260
Simcoe	3	3	1	3		3.31	3.39	.25	3.46	.86	2.70	2.70	3.3	4.4	4.4	.243	.214
APN																	
Chalk River	2	2A	1	38		2.72	3.06	.85	4.29	3.74	.30	1.82	2.8	5.7	14.7	.220*	.078
ELA (b)	2	2A	1	13		1.79	1.17	.87	1.62	1.27	.33	.56	0.9	3.0	3.6	.303*	.216
Long Point	3	3	1	33		4.42	4.05	.57	4.74	2.83	1.30	2.70	3.9	6.3	15.2	.168*	.134
Quebec																	
CANSAP																	
Chibougamau	3	3	3	3		1.30	1.18	.68	1.40	1.04	.80	.80	0.8	2.6	2.6	.385	.385
Maniwaki	2	2B	1	3		2.72	2.64	.67	3.06	2.01	1.40	1.40	2.5	5.3	5.3	.278	.201
Nitchequon	3	2B	3	3		.91	.78	.45	.83	.40	.60	.60	0.6	1.3	1.3	.385	.385
Quebec City	3	3	1	3		3.56	3.52	.31	3.63	1.03	2.50	2.50	3.9	4.5	4.5	.269	.295
Sept Isles	3	3	2	3		1.49	1.37	.35	1.43	.51	1.00	1.00	1.3	2.0	2.0	.269	.230
St. Hubert	3	3	3	2		3.12	3.28	.44	3.45	1.48	2.40		3.4		4.5	.260	.260

Table 4(a)

Summer Quarter 1980 Unified Data Summary
(Jun 1980, Jul 1980, Aug 1980)

28-Jun-1985
Page 1

Sulfate

State / Network / Site Name	Period Summarized First Date	Period Summarized Last Date	Overall Rating	Site Rep	Data Comp	% PCL	% TP	% VSL	% VSMP	% Col Eff	N	N BDL	Wtd Mean mg/l	SO4 Dep g/m2	% Sea Salt Correction	Total Precip cm
Delaware																
MAP3s/PCN																
Lewes	Jun 1 80	Sep 1 80	2	2A	2	100	99	95	75	84	15		3.96	.82		20.7
													3.80	.79	3	
Illinois																
NADP																
Argonne	Jun 3 80	Sep 2 80	3	3	1	100	100	100	100	97	13		4.35	1.65		38.0
Bondville	Jun 3 80	Sep 2 80	2	2A	2	92	100	85	92	97	11		4.33	1.18		27.3
Dixon Springs	Jun 3 80	Sep 2 80	3	2B	3	92	100	69	75	90	9		3.31	.79		23.9
Salem	Jun 3 80	Sep 2 80	1	1	1	100	99	85	85	94	11		3.36	.82		24.4
MAP3s/PCN																
Illinois	Jun 1 80	Sep 1 80	3	2A	3	100	98	89	69	58	22		3.64	1.59		43.6
Indiana																
UAPSP																
Fort Wayne	Jun 1 80	Sep 1 80	2	2A	1	100	99	95	83	99	25		3.34	1.15		34.4
Rockport	Jun 1 80	Sep 1 80	3	3	1	100	100	100	100	100	21		3.31	1.07		32.2
Maine																
NADP																
Caribou	Jun 3 80	Sep 3 80	3	2B	3	93	83	68	82	101	9		2.21	.54		24.3
Michigan																
NADP																
Douglas Lake	Jun 3 80	Sep 2 80	2	1	2	92	100	92	100	103	12		3.83	.50		13.1
Wellston	Jun 3 80	Sep 2 80	3	2A	3	92	73	69	75	99	9		3.28	.93		28.2
Minnesota																
NADP																
Lamberton	Jun 3 80	Sep 2 80	2	1	2	92	100	92	100	94	12		1.54	.38		24.9
Marcell	Jun 3 80	Sep 2 80	2	2B	2	92	100	92	100	91	12		1.13	.35		31.2
Nebraska																
NADP																
Mead	Jun 3 80	Sep 2 80	2	2	2	92	97	85	92	105	11		1.68	.43		25.3
New York																
NADP																
Aurora	Jun 3 80	Sep 2 80	2	2A	2	92	100	85	92	97	11		5.18	1.48		28.5
Jasper	Jun 3 80	Sep 2 80	2	2A	2	92	100	85	92	102	11		3.68	.72		19.5
Stilwell Lake	Jun 3 80	Sep 2 80	2	2B	2	92	100	85	91	91	10		5.00	1.12		22.5
MAP3s/PCN																
Brookhaven	Jun 1 80	Sep 1 80	2	2B	1	100	99	98	87	98	13		3.89	.62		15.8
													3.84	.61	1	
Ithaca	Jun 1 80	Sep 1 80	2	2A	1	100	99	99	95	105	18		4.56	1.00		21.9
Whiteface	Jun 1 80	Sep 1 80	1	1	1	100	97	96	89	114	31		3.24	1.03		31.8
North Carolina																
NADP																
Clinton Station	Jun 3 80	Sep 2 80	2	2A	1	100	100	100	100	92	12		2.59	.71		27.4
Coweeta	Jun 3 80	Sep 2 80	2	2A	1	100	100	92	92	94	12		2.29	.59		25.9
Lewiston	Jun 3 80	Sep 2 80	2	2A	2	92	100	85	92	97	11		3.86	.40		10.3
													3.78	.39	2	
Piedmont Station	Jun 3 80	Sep 2 80	2	2A	2	92	100	77	83	95	10		4.86	.81		16.7
UAPSP																
Raleigh	Jun 1 80	Sep 1 80	3	3	2	100	99	96	79	95	15		2.39	.47		19.7

Sulfate

State / Network / Site Name	Period Summarized First Date	Last Date	Overall Rating	Site Rep	Data Comp	% PCL	% TP	% VSL	% VSMP	% Col Eff	N	N BDL	Wtd Mean mg/l	SO4 Dep g/m2	% Sea Salt Correction	Total Precip cm
Ohio																
NADP																
Caldwell	Jun 3 80	Sep 2 80	2	2B	1	100	100	100	100	101	13		5.19	2.24		43.1
Delaware	Jun 3 80	Sep 2 80	2	2A	1	100	100	100	100	85	13		4.74	2.37		50.1
Wooster	Jun 3 80	Sep 2 80	3	3	1	100	100	100	100	92	12		3.95	1.70		43.1
MAP3s/PCN																
Oxford	Jun 1 80	Sep 1 80	3	2B	3	100	87	89	67	73	20		4.62	1.90		41.2
UAPSP																
Zanesville	Jun 1 80	Sep 1 80	3	3	1	100	100	99	97	105	30		4.05	2.15		53.1
Pennsylvania																
NADP																
Leading Ridge	Jun 3 80	Sep 2 80	2	1	2	92	100	92	100	96	12		4.94	1.17		23.6
MAP3s/PCN																
Penn State	Jun 1 80	Sep 1 80	2	2B	1	100	100	100	100	113	24		5.39	1.37		25.4
UAPSP																
Scranton	Jun 1 80	Sep 1 80	2	2A	1	100	100	100	100	106	26		4.43	.66		14.8
Virginia																
MAP3s/PCN																
Virginia	Jun 1 80	Sep 1 80	3	2A	3	100	64	92	68	98	15		4.03	.92		23.0
West Virginia																
NADP																
Parsons	Jun 3 80	Sep 2 80	2	2A	1	100	100	100	100	92	13		4.17	1.90		45.6
UAPSP																
Lewisburg	Jun 1 80	Sep 1 80	2	2A	1	100	100	99	96	103	26		3.09	.85		27.4
Wisconsin																
NADP																
Spooner	Jun 1 80	Sep 2 80	2	1	2	98	75	83	85	86	11		2.08	.67		32.1
Trout Lake	Jun 3 80	Sep 2 80	1	1	1	100	100	100	100	94	13		1.38	.51		37.2
New Brunswick																
CANSAP																
Acadia Fes	May 31 80	Aug 31 80	3	3	1	100	100	100	100	96	3		2.78	.95		34.3
Charlo	May 31 80	Aug 30 80	3	3	1	100	100	100	100	83	3		2.51	1.01		40.3
													2.43	.98	3	
St. John	May 31 80	Aug 31 80	3	3	1	100	100	100	100	81	3		3.98	1.43		35.9
													3.90	1.40	2	
Newfoundland																
CANSAP																
Goose	May 31 80	Aug 31 80	2	2B	1	100	100	100	100	83	3		.98	.34		35.1
													.95	.33	3	
Nova Scotia																
CANSAP																
Kejimkujik (a)	Jun 2 80	Aug 31 80	2	2A	2	100	100	100	100	76	3		2.22	.41		18.3
													2.17	.40	2	
Shelburne	May 31 80	Aug 31 80	2	2A	1	100	100	100	100	91	3		3.30	.68		20.5
													3.19	.65	3	
Truro	May 31 80	Sep 1 80	3	3	2	100	100	100	100	79	3		4.53	.99		21.8
													4.42	.96	3	
APN																
Kejimkujik (b)	Jun 1 80	Sep 1 80	2	2A	1	99	97	96	85	98	17		2.13	.39		18.5
													2.08	.38	3	

Sulfate

State / Network / Site Name	Period Summarized First Date	Period Summarized Last Date	Overall Rating	Site Rep	Data Comp	% PCL	% TP	% VSL	% VSMP	% Col Eff	N	N BDL	Wtd Mean mg/l	SO4 Dep g/m2	% Sea Salt Correction	Total Precip cm
Ontario																
CANSAP																
Atikokan	May 31 80	Aug 31 80	3	3	1	100	100	100	100	91	3		1.27	.37		28.7
Dorset (a)	May 31 80	Sep 1 80	3	1	3	100	73	66	67	93	2		2.80	1.18		42.2
Harrow	Jun 1 80	Sep 2 80	3	3	1	100	100	100	100	95	3		4.34	1.95		44.9
Kingston	May 31 80	Aug 30 80	3	3	1	100	100	100	100	90	3		5.12	1.28		24.9
Mount Forest (a)	Jun 1 80	Sep 1 80	3	3	1	100	100	100	100	84	3		6.77	1.69		25.0
Simcoe	May 31 80	Aug 31 80	3	3	1	100	100	100	100	90	3		4.94	1.16		23.5
APN																
Chalk River	Jun 1 80	Sep 1 80	2	2A	1	100	99	98	95	95	40		3.22	1.09		34.0
Long Point	Jun 1 80	Sep 1 80	3	3	1	100	99	96	86	96	24		4.10	1.24		30.2
APIOS-C																
Bear Island	May 29 80	Sep 2 80	2	2A	1	100	100	100	100	87	3		3.49	.87		25.0
Dorset (c)	May 31 80	Sep 2 80	1	1	1	100	100	100	100	87	3		3.97	1.60		40.4
Killarney	May 28 80	Sep 2 80	3	2A	3	100	67	62	67	90	2		4.65	1.07		23.1
Ramsey	May 29 80	Sep 2 80	2	2A	2	96	100	96	100	79	3		2.09	.41		19.6
Quebec																
CANSAP																
Chibougamau	May 30 80	Aug 31 80	3	3	1	100	100	100	100	85	3		1.49	.54		36.5
Fort Chimo	May 31 80	Aug 31 80	2	2B	2	100	100	100	100	63	3		.84	.09		10.9
													.78	.08	8	
Maniwaki	May 31 80	Sep 1 80	2	2B	1	100	100	100	100	90	3		3.36	1.18		35.0
Nitchequon	May 31 80	Aug 31 80	2	2B	1	100	100	100	100	92	3		1.30	.46		35.9
Quebec City	May 31 80	Aug 31 80	3	3	1	100	100	100	100	86	3		4.19	1.33		31.8
St. Hubert	May 31 80	Aug 31 80	3	3	1	100	100	100	100	84	3		3.71	1.13		30.5

Table 4(b)

Summer Quarter 1980 Unified Data Summary
(Jun 1980, Jul 1980, Aug 1980)

28-Jun-1985
Page 1

Sulfate

State / Network / Site Name	Overall Rating	Site Rep	Data Comp	N	N BDL	Concentration: Wtd Mean mg/l	Geometric Mean mg/l	Geometric SD mg/l	Arithmetic Mean mg/l	Arithmetic SD mg/l	Percentiles mg/l: Min	25%	50%	75%	Max	K-S D-Statistic: Gau	Log
Delaware																	
MAP3s/PCN																	
Lewes	2	2A	2	15		3.96	4.53	.58	5.25	2.96	1.44	3.17	4.6	6.0	11.5	.212	.140
Illinois																	
NADP																	
Argonne	3	3	1	13		4.35	4.85	.41	5.31	2.92	2.88	3.71	4.4	5.9	14.3	.254*	.166
Bondville	2	2A	2	11		4.33	5.39	.55	6.22	3.73	2.62	3.33	5.3	7.9	14.6	.235	.149
Dixon Springs	3	2B	3	9		3.31	3.43	.48	3.80	1.85	1.61	2.42	3.3	5.0	7.5	.166	.130
Salem	1	1	1	11		3.36	4.05	.52	4.65	2.95	1.70	2.90	3.7	6.1	12.5	.270*	.177
MAP3s/PCN																	
Illinois	3	2A	3	22		3.64	3.73	.59	4.40	2.77	1.44	2.52	3.6	5.5	11.5	.174	.145
Indiana																	
UAPSP																	
Fort Wayne	2	2A	1	25		3.34	3.39	.57	3.95	2.48	.77	2.33	3.1	4.7	12.9	.183*	.099
Rockport	3	3	1	21		3.31	4.58	.69	6.01	6.27	1.47	2.89	4.5	7.1	31.5	.281*	.125
Maine																	
NADP																	
Caribou	3	2B	3	9		2.21	2.36	.79	3.24	3.21	.86	1.32	2.1	4.1	11.0	.301*	.150
Michigan																	
NADP																	
Douglas Lake	2	1	2	12		3.83	4.87	.83	6.87	6.78	1.58	2.49	4.1	7.5	24.3	.296*	.169
Wellston	3	2A	3	9		3.28	3.71	.54	4.34	3.12	2.02	2.62	3.2	5.1	11.9	.354*	.272*
Minnesota																	
NADP																	
Lamberton	2	1	2	12		1.54	1.93	.70	2.40	1.80	.59	1.50	1.8	3.1	7.1	.243*	.186
Marcell	2	2B	2	12		1.13	1.59	.53	1.78	.82	.68	.96	1.8	2.5	3.1	.141	.163
Nebraska																	
NADP																	
Mead	2	2	2	11		1.68	1.86	.75	2.39	1.74	.79	.87	1.7	4.0	5.7	.196	.207
New York																	
NADP																	
Aurora	2	2A	2	11		5.18	5.42	.49	5.99	2.80	1.82	4.73	5.2	7.4	12.6	.227	.208
Jasper	2	2A	2	11		3.68	4.12	.40	4.47	2.17	2.54	2.92	3.9	4.6	10.2	.300*	.216
Stillwell Lake	2	2B	2	10		5.00	6.25	.64	7.54	5.11	2.37	4.22	5.0	11.5	16.9	.280*	.220
MAP3s/PCN																	
Brookhaven	2	2B	1	13		3.89	3.68	.67	4.37	2.39	.79	2.21	4.1	6.0	9.1	.115	.155
Ithaca	2	2A	1	18		4.56	4.26	.58	5.23	4.78	2.11	3.00	3.7	6.0	23.0	.282*	.183
Whiteface	1	1	1	31		3.24	2.88	.78	3.81	2.91	.77	1.44	3.0	4.6	11.5	.173*	.086
North Carolina																	
NADP																	
Clinton Station	2	2A	1	12		2.59	3.23	1.12	4.67	3.30	.18	2.27	4.3	6.4	12.2	.170	.236
Coweeta	2	2A	1	12		2.29	2.61	.49	2.90	1.41	1.21	1.65	2.8	3.6	6.1	.131	.152
Lewiston	2	2A	2	11		3.86	4.85	.81	6.90	8.18	1.03	3.48	5.2	6.2	31.1	.427*	.266*
Piedmont Station	2	2A	2	10		4.86	5.56	.47	6.13	2.86	2.54	4.10	5.4	9.3	11.3	.294*	.218
UAPSP																	
Raleigh	3	3	2	15		2.39	3.18	.72	4.14	3.84	.74	1.94	3.4	5.0	16.9	.253*	.124

Sulfate

State / Network / Site Name	Overall Rating	Site Rep	Data Comp	N	N BDL	Concentration: Wtd Mean mg/l	Geometric Mean mg/l	Geometric SD mg/l	Arithmetic Mean mg/l	Arithmetic SD mg/l	Percentiles mg/l: Min	25%	50%	75%	Max	K-S D-Statistic: Gau	Log
Ohio																	
NADP																	
Caldwell	2	2B	1	13		5.19	5.71	.59	6.96	5.89	2.54	3.46	5.7	7.1	25.4	.329*	.193
Delaware	2	2A	1	13		4.74	4.60	.24	4.72	1.11	2.89	3.87	4.7	5.3	6.8	.203	.162
Wooster	3	3	1	12		3.95	4.70	.39	5.06	2.18	2.22	3.71	4.6	5.3	10.5	.281*	.205
MAP3s/PCN																	
Oxford	3	2B	3	20		4.62	4.69	.39	5.02	1.81	2.11	3.62	4.8	7.0	7.7	.147	.122
UAPSP																	
Zanesville	3	3	1	30		4.05	3.61	.52	4.06	1.82	.70	2.53	3.9	5.3	8.6	.105	.121
Pennsylvania																	
NADP																	
Leading Ridge —	2	1	2	12		4.94	5.99	.51	6.77	3.87	2.32	4.30	6.2	8.0	17.5	.228	.149
MAP3s/PCN																	
Penn State	2	2B	1	24		5.39	5.35	.59	6.23	3.62	1.25	3.84	6.1	7.5	19.2	.159	.123
UAPSP																	
Scranton	2	2A	1	26		4.43	4.81	.47	5.36	2.67	2.42	3.21	4.7	7.2	13.2	.143	.117
Virginia																	
MAP3s/PCN																	
Virginia	3	2A	3	15		4.03	4.91	.63	5.98	4.15	2.21	2.78	3.8	9.6	15.4	.279*	.209
West Virginia																	
NADP																	
Parsons	2	2A	1	13		4.17	4.98	.55	5.83	4.04	2.26	3.39	4.3	6.9	17.4	.248*	.145
UAPSP																	
Lewisburg	2	2A	1	26		3.09	2.93	.57	3.40	1.91	1.00	1.85	2.9	4.8	8.9	.143	.089
Wisconsin																	
NADP																	
Spooner	2	1	2	11		2.08	2.09	.45	2.29	1.04	1.05	1.57	2.1	3.0	4.4	.178	.146
Trout Lake	1	1	1	13		1.38	1.43	.51	1.59	.73	.60	.86	1.6	2.2	2.9	.152	.196
New Brunswick																	
CANSAP																	
Acadia Fes	3	3	1	3		2.78	2.66	.21	2.70	.52	2.10	2.10	3.0	3.0	3.0	.385	.385
Charlo	3	3	1	3		2.51	2.68	.43	2.86	1.33	2.10	2.10	2.1	4.4	4.4	.385	.385
St. John	3	3	1	3		3.98	3.87	.23	3.93	.83	3.00	3.00	4.2	4.6	4.6	.292	.308
Newfoundland																	
CANSAP																	
Goose	2	2B	1	3		.98	1.05	.23	1.07	.23	.80	.80	1.2	1.2	1.2	.385	.385
Nova Scotia																	
CANSAP																	
Kejimkujik (a)	2	2A	2	3		2.22	2.37	.36	2.46	.81	1.60	1.60	2.6	3.2	3.2	.232	.269
Shelburne	2	2A	1	3		3.30	3.76	.68	4.33	2.55	1.80	1.80	4.3	6.9	6.9	.176	.244
Truro	3	3	2	3		4.53	4.53	.03	4.53	.15	4.40	4.40	4.5	4.7	4.7	.253	.249
APN																	
Kejimkujik (b)	2	2A	1	17		2.13	2.38	.90	3.37	2.81	.50	1.25	2.4	5.8	9.9	.231*	.102

Sulfate

State / Network / Site Name	Overall Rating	Site Rep	Data Comp	N	N BDL	Concentration: Wtd Mean mg/l	Geometric Mean mg/l	Geometric SD mg/l	Arithmetic Mean mg/l	Arithmetic SD mg/l	Percentiles mg/l: Min	25%	50%	75%	Max	K-S D-Statistic: Gau	Log
Ontario																	
CANSAP																	
Atikokan	3	3	1	3		1.27	1.26	.12	1.27	.15	1.10	1.10	1.3	1.4	1.4	.253	.266
Dorset (a)	3	1	3	2		2.80	2.78	.40	2.90	1.13	2.10		2.9		3.7	.260	.260
Harrow	3	3	1	3		4.34	4.28	.11	4.30	.46	3.90	3.90	4.2	4.8	4.8	.253	.241
Kingston	3	3	1	3		5.12	5.39	.42	5.69	2.16	3.40	3.40	6.0	7.7	7.7	.222	.267
Mount Forest (a)	3	3	1	3		6.77	6.88	.24	7.03	1.80	5.79	5.79	6.2	9.1	9.1	.345	.335
Simcoe	3	3	1	3		4.94	4.99	.16	5.03	.81	4.30	4.30	4.9	5.9	5.9	.232	.213
APN																	
Chalk River	2	2A	1	40		3.22	3.44	.75	4.52	3.74	.70	1.90	3.6	6.0	20.2	.154*	.091
Long Point	3	3	1	24		4.10	4.36	.64	5.34	4.10	1.00	3.05	4.5	6.5	20.6	.223*	.107
APIOS-C																	
Bear Island	2	2A	1	3		3.49	3.43	.33	3.55	1.04	2.35	2.35	4.0	4.2	4.2	.351	.359
Dorset (c)	1	1	1	3		3.97	3.92	.49	4.22	1.83	2.30	2.30	4.4	5.9	5.9	.207	.261
Killarney	3	2A	3	2		4.65	4.51	.19	4.55	.85	3.95		4.5		5.1	.260	.260
Ramsey	2	2A	2	3		2.09	2.11	.40	2.23	.97	1.60	1.60	1.7	3.3	3.3	.358	.345
Quebec																	
CANSAP																	
Chibougamau	3	3	1	3		1.49	1.38	.68	1.60	1.01	.70	.70	1.4	2.7	2.7	.245	.177
Fort Chimo	2	2B	2	3		.84	.82	.18	.83	.15	.70	.70	0.8	1.0	1.0	.254	.233
Maniwaki	2	2B	1	3		3.36	3.37	.17	3.40	.56	2.80	2.80	3.5	3.9	3.9	.238	.256
Nitchequon	2	2B	1	3		1.30	1.37	.50	1.50	.79	.90	.90	1.2	2.4	2.4	.314	.272
Quebec City	3	3	1	3		4.19	4.24	.30	4.36	1.18	3.00	3.00	5.0	5.1	5.1	.370	.373
St. Hubert	3	3	1	3		3.71	4.18	.49	4.50	1.87	2.40	2.40	5.1	6.0	6.0	.292	.323

Table 5(a)

Autumn Quarter 1980 Unified Data Summary
(Sep 1980, Oct 1980, Nov 1980)

28-Jun-1985
Page 1

Sulfate

State / Network / Site Name	Period Summarized First Date	Last Date	Overall Rating	Site Rep	Data Comp	% PCL	% TP	% VSL	% VSMP	% Col Eff	N	N BDL	Wtd Mean mg/l	SO4 Dep g/m2	% Sea Salt Correction	Total Precip cm
Delaware																
MAP3s/PCN																
Lewes	Sep 1 80	Dec 1 80	2	2A	1	100	100	99	94	112	17		2.22	.48		21.7
												1	1.67	.36	10	
Indiana																
NADP																
Indiana Dunes	Sep 2 80	Dec 2 80	3	3	1	100	100	85	85	99	11		4.36	.64		14.6
UAPSP																
Fort Wayne	Sep 1 80	Dec 1 80	2	2A	1	100	99	97	88	95	22		2.80	.41		14.5
Rockport	Sep 1 80	Dec 1 80	3	3	2	100	100	99	92	75	12		2.44	.54		22.0
Massachusetts																
UAPSP																
Turners Falls	Sep 1 80	Dec 1 80	2	2A	1	100	100	100	100	98	18		2.21	.41		18.4
Michigan																
NADP																
Douglas Lake	Sep 2 80	Dec 2 80	2	1	2	92	100	92	100	95	12		2.85	.35		12.1
Kellogg	Sep 2 80	Dec 2 80	2	2A	2	92	100	92	100	98	12		3.60	.55		15.3
Wellston	Sep 2 80	Dec 2 80	2	2A	1	100	100	100	100	96	13		2.09	.51		24.3
New Hampshire																
NADP																
Hubbard Brook	Sep 2 80	Dec 2 80	2	1	2	92	100	92	100	100	11		2.75	.79		28.9
New York																
NADP																
Aurora	Sep 2 80	Dec 2 80	2	2A	1	100	100	100	100	93	13		3.22	.70		21.6
Chautauqua	Sep 2 80	Dec 2 80	2	2A	1	100	90	85	85	97	11		2.53	.88		34.9
Huntington	Sep 2 80	Dec 2 80	2	2B	2	92	91	85	92	103	11		2.53	.56		22.0
Jasper	Sep 2 80	Dec 2 80	2	2A	1	100	100	100	100	96	13		1.78	.26		14.8
Stillwell Lake	Sep 2 80	Dec 2 80	2	2B	2	92	100	85	92	88	11		2.26	.58		25.6
MAP3s/PCN																
Brookhaven	Sep 1 80	Dec 1 80	2	2B	1	99	97	97	87	83	13		1.43	.30		21.0
													1.24	.26	7	
Ithaca	Sep 1 80	Dec 1 80	2	2A	1	100	92	96	83	97	19		2.99	.80		26.8
Whiteface	Sep 1 80	Dec 1 80	1	1	1	100	100	99	96	105	25		2.38	.77		32.5
North Carolina																
NADP																
Clinton Station	Sep 2 80	Dec 2 80	2	2A	1	100	100	92	92	94	12		1.71	.54		31.7
Coweeta	Sep 2 80	Dec 2 80	2	2A	1	100	100	92	92	92	11		1.64	.56		34.3
Finley (A)	Sep 2 80	Dec 2 80	2	2A	1	100	100	92	92	98	12		2.27	.54		23.7
Lewiston	Sep 2 80	Dec 2 80	2	2A	1	100	100	92	92	96	12		1.59	.37		23.4
												1	1.50	.35	6	
Piedmont Station	Sep 2 80	Dec 2 80	2	2A	1	100	100	85	85	92	11		2.53	.80		31.7
UAPSP																
Raleigh	Sep 1 80	Dec 1 80	3	3	1	100	99	98	91	94	21		2.00	.47		23.7
Ohio																
NADP																
Caldwell	Sep 2 80	Dec 2 80	2	2B	2	92	100	92	100	99	11		3.07	.42		13.6
Delaware	Sep 2 80	Dec 2 80	2	2A	1	100	100	85	85	92	11		3.21	.50		15.7
Wooster	Sep 2 80	Dec 2 80	3	3	2	92	100	85	92	94	11		3.35	.42		12.7
UAPSP																
Zanesville	Sep 1 80	Dec 1 80	3	3	2	100	98	99	95	76	21		2.49	.57		23.0

Sulfate

State / Network / Site Name	Period Summarized First Date	Last Date	Overall Rating	Site Rep	Data Comp	% PCL	% TP	% VSL	% VSMP	% Col Eff	N	N BDL	Wtd Mean mg/l	SO4 Dep g/m2	% Sea Salt Correction	Total Precip cm
Pennsylvania																
NADP																
Leading Ridge	Sep 2 80	Dec 2 80	2	1	2	92	100	92	100	91	12		2.86	.63		22.1
MAP3s/PCN																
Penn State	Sep 1 80	Dec 1 80	2	2B	1	100	100	99	94	102	15		2.01	.36		17.7
UAPSP																
Scranton	Sep 1 80	Dec 1 80	2	2A	1	100	100	100	100	100	20		2.06	.36		17.6
South Carolina																
NADP																
Clemson	Sep 2 80	Dec 2 80	3	3	1	100	100	85	85	98	11		1.86	.62		33.4
Tennessee																
NADP																
Walker Branch	Sep 2 80	Dec 2 80	2	2A	2	92	100	85	92	105	11		3.58	.68		19.1
West Virginia																
NADP																
Parsons	Sep 2 80	Dec 2 80	2	2A	1	100	100	100	100	95	13		3.00	.71		23.6
UAPSP																
Lewisburg	Sep 1 80	Dec 1 80	2	2A	2	100	100	100	100	70	17		1.76	.20		11.6
Wisconsin																
NADP																
Trout Lake	Sep 2 80	Dec 2 80	1	1	1	100	100	92	92	93	12		1.84	.43		23.3
New Brunswick																
CANSAP																
Acadia Fes	Aug 31 80	Nov 30 80	3	3	1	100	100	100	100	88	3		2.29	1.02		44.3
Charlo	Aug 30 80	Nov 30 80	3	3	1	100	100	100	100	81	3		2.82	.89		31.7
													2.62	.83	8	
St. John	Aug 31 80	Nov 30 80	3	3	1	100	100	100	100	86	3		2.43	1.09		45.0
													2.17	.98	10	
Newfoundland																
CANSAP																
Gander	Sep 1 80	Dec 1 80	3	3	2	100	100	100	100	70	3		1.41	.51		36.0
													1.00	.36	23	
Goose	Aug 31 80	Dec 1 80	2	2B	1	100	100	100	100	86	3		.83	.30		36.1
													.78	.28	5	
Nova Scotia																
CANSAP																
Kejimkujik (a)	Aug 31 80	Nov 30 80	2	2A	1	100	100	100	100	102	3		1.83	.72		39.3
													1.60	.63	10	
Shelburne	Aug 31 80	Nov 30 80	2	2A	2	100	100	100	100	95	3		1.55	.63		40.4
													1.02	.41	36	
Truro	Sep 1 80	Nov 30 80	3	3	2	100	100	100	100	79	3		2.62	.84		32.2
													2.44	.79	6	

Sulfate

State / Network / Site Name	Period Summarized First Date	Last Date	Overall Rating	Site Data Rep	Comp	% PCL	% TP	% VSL	% VSMP	% Col Eff	N	N BDL	Wtd Mean mg/l	SO4 Dep g/m2	% Sea Salt Correction	Total Precip cm
Ontario																
CANSAP																
Atikokan	Aug 31 80	Nov 30 80	3	3	1	100	100	100	100	92	3		1.34	.33		25.0
Dorset (a)	Sep 1 80	Nov 27 80	1	1	1	100	100	100	100	82	3		3.11	.87		28.1
ELA (a)	Aug 31 80	Nov 30 80	2	2A	1	100	100	100	100	83	3		.84	.13		15.9
Harrow	Sep 2 80	Nov 30 80	3	3	1	100	100	100	100	84	3		5.49	.78		14.2
Moosonee	Sep 1 80	Nov 30 80	2	2B	1	100	100	100	100	81	3		1.12	.26		23.4
													1.05	.25	6	
Mount Forest (a)	Sep 1 80	Dec 1 80	3	3	1	100	100	100	100	91	3		3.35	.97		28.9
Simcoe	Aug 31 80	Nov 30 80	3	3	1	100	100	100	100	96	3		3.40	.76		22.5
Trout Lake	Aug 31 80	Nov 30 80	3	2B	3	100	69	66	67	83	2		.86	.20		23.5
APIOS-D																
Dorset (b)	Sep 1 80	Dec 1 80	1	1	1	100	100	99	97	98	35		2.46	.68		27.7
Longwoods (b)	Sep 1 80	Dec 1 80	2	2B	1	100	97	97	88	99	22		3.76	.72		19.2
Railton	Sep 1 80	Dec 1 80	2	1	2	100	98	93	79	98	22		2.96	.75		25.5
APN																
Chalk River	Sep 1 80	Dec 1 80	2	2A	1	99	98	93	88	97	35		2.88	.78		27.1
ELA (b)	Sep 1 80	Dec 1 80	2	2A	1	100	99	98	93	85	26	2	.89	.14		15.9
Long Point	Sep 1 80	Dec 1 80	3	3	1	100	99	99	96	98	24		3.62	.78		21.4
APIOS-C																
Alvinston	Sep 1 80	Nov 28 80	2	2A	2	95	100	95	100	73	3		4.90	.86		17.5
Campbellford	Sep 1 80	Nov 28 80	2	2A	2	97	100	97	100	69	3		3.16	.59		18.7
Colchester	Sep 1 80	Nov 28 80	2	2A	1	99	100	99	100	92	3		4.90	.52		10.7
Dalhousie Mills	Sep 1 80	Nov 28 80	3	2B	3	98	100	98	100	57	3		3.40	.96		28.2
Dorion	Sep 1 80	Nov 28 80	1	1	1	99	100	99	100	85	3		1.33	.36		27.4
Dorset (c)	Sep 2 80	Nov 28 80	1	1	1	100	100	100	100	97	3		2.25	.59		26.2
Ear Falls	Sep 1 80	Nov 30 80	3	3	2	99	100	99	100	66	3		.69	.11		15.5
Golden Lake	Sep 1 80	Dec 1 80	2	1	2	99	100	99	100	61	3		2.56	.68		26.6
Gowganda	Sep 2 80	Nov 28 80	2	2A	1	100	100	100	100	94	3		2.30	.45		19.7
Kaladar	Sep 1 80	Nov 28 80	3	1	3	99	100	99	100	59	3		2.86	.81		28.2
Killarney	Sep 2 80	Nov 28 80	2	2A	1	100	100	100	100	93	3		3.02	.62		20.5
Moonbeam	Sep 1 80	Dec 2 80	2	2A	2	99	100	99	100	61	3		2.71	.41		15.2
Nakina	Sep 1 80	Nov 28 80	3	3	3	99	67	64	67	106	2		.98	.14		14.2
Palmerson	Sep 1 80	Nov 28 80	2	2A	2	99	100	99	100	61	3		4.12	1.08		26.3
Port Stanley	Sep 1 80	Nov 28 80	3	2B	3	99	100	99	100	58	3		4.48	.99		22.1
Ramsey	Sep 2 80	Nov 28 80	2	2A	1	100	100	100	100	81	3		2.10	.40		19.0
Smith's Falls	Sep 1 80	Nov 28 80	3	3	3	98	73	66	67	54	2		3.66	.91		24.8
Uxbridge	Sep 1 80	Nov 30 80	2	2B	2	99	100	99	100	63	3		3.41	.72		21.2
Waterloo	Sep 1 80	Nov 28 80	2	2A	2	100	100	100	100	66	3		3.36	.61		18.1
Whitney	Sep 1 80	Nov 28 80	1	1	1	99	100	99	100	87	3		2.18	.52		23.7
Wilkesport	Sep 1 80	Nov 28 80	2	2A	2	98	100	98	100	80	3		5.10	.78		15.3
Quebec																
CANSAP																
Chibougamau	Aug 31 80	Dec 2 80	3	3	2	100	100	100	100	63	3		1.74	.59		33.8
Nitchequon	Aug 31 80	Nov 30 80	2	2B	2	100	100	100	100	61	3	1	.64	.15		22.8
Quebec City	Aug 31 80	Dec 5 80	3	3	1	100	100	100	100	85	3		3.25	1.38		42.6
Sept Isles	Aug 31 80	Nov 30 80	3	3	1	100	100	100	100	81	3		1.63	.63		38.6
													1.39	.53	15	
St. Hubert	Aug 31 80	Nov 30 80	3	3	1	100	100	100	100	86	3		3.60	1.22		33.9

Table 5(b)

Autumn Quarter 1980 Unified Data Summary
(Sep 1980, Oct 1980, Nov 1980)

28-Jun-1985
Page 1

Sulfate

State / Network / Site Name	Overall Rating	Site Rep	Data Comp	N	N BDL	Concentration: Wtd Mean mg/l	Geometric Mean mg/l	Geometric SD mg/l	Arithmetic Mean mg/l	Arithmetic SD mg/l	Percentiles mg/l: Min	25%	50%	75%	Max	K-S D-Statistic: Gau	Log
Delaware																	
MAP3s/PCN																	
Lewes	2	2A	1	17		2.22	2.28	.56	2.63	1.45	1.06	1.39	1.8	3.9	5.7	.240*	.184
Indiana																	
NADP																	
Indiana Dunes	3	3	1	11		4.36	5.35	.61	6.32	3.90	2.04	4.19	5.3	9.8	14.9	.275*	.169
UAPSP																	
Fort Wayne	2	2A	1	22		2.80	2.76	.67	3.40	2.19	.80	1.53	2.8	4.8	8.8	.207*	.208*
Rockport	3	3	2	12		2.44	2.63	.46	2.96	1.77	1.75	1.96	2.2	3.2	7.4	.312*	.281*
Massachusetts																	
UAPSP																	
Turners Falls	2	2A	1	18		2.21	2.41	1.00	3.44	2.64	.17	1.29	2.9	5.1	9.4	.188	.139
Michigan																	
NADP																	
Douglas Lake	2	1	2	12		2.85	2.62	.41	2.81	1.00	1.03	2.02	2.9	3.6	4.2	.179	.179
Kellogg	2	2A	2	12		3.60	3.65	.50	4.08	2.00	1.67	2.58	3.1	5.8	7.3	.237	.201
Wellston	2	2A	1	13		2.09	2.03	.54	2.27	1.01	.79	1.33	2.5	3.0	3.9	.134	.215
New Hampshire																	
NADP																	
Hubbard Brook	2	1	2	11		2.75	2.31	.76	2.93	2.00	.56	1.28	2.7	3.7	6.5	.170	.132
New York																	
NADP																	
Aurora	2	2A	1	13		3.22	3.46	.72	4.10	1.80	.74	3.00	4.6	5.6	6.3	.193	.285*
Chautauqua	2	2A	1	11		2.53	2.62	.42	2.81	.95	1.11	1.97	3.3	3.6	3.8	.230	.244
Huntington	2	2B	2	11		2.53	2.41	.71	2.89	1.52	.48	1.95	2.8	4.0	5.1	.113	.201
Jasper	2	2A	1	13		1.78	2.42	1.07	3.41	2.16	.25	2.12	2.9	5.1	7.6	.136	.271*
Stillwell Lake	2	2B	2	11		2.26	2.45	.73	3.11	2.29	.76	1.23	2.5	3.9	7.7	.223	.120
MAP3s/PCN																	
Brookhaven	2	2B	1	13		1.43	1.85	.66	2.30	1.82	.68	1.10	1.6	2.8	7.6	.220	.113
Ithaca	2	2A	1	19		2.99	2.61	1.15	3.88	3.17	.07	2.50	3.0	5.2	13.4	.237*	.274*
Whiteface	1	1	1	25		2.38	2.06	.67	2.53	1.71	.61	1.20	2.5	3.6	8.4	.143	.133
North Carolina																	
NADP																	
Clinton Station	2	2A	1	12		1.71	1.78	.61	2.04	1.00	.41	1.37	1.8	2.7	4.1	.184	.232
Coweeta	2	2A	1	11		1.64	1.83	.60	2.17	1.45	.99	1.01	1.6	3.2	5.6	.261*	.180
Finley (A)	2	2A	1	12		2.27	2.04	.44	2.21	.86	.79	1.55	2.1	3.0	3.8	.120	.110
Lewiston	2	2A	1	12		1.59	1.96	1.03	2.96	2.95	.19	1.01	2.6	3.4	11.3	.273*	.186
Piedmont Station	2	2A	1	11		2.53	2.53	.64	3.10	2.30	1.06	1.61	2.2	3.7	8.7	.217	.142
UAPSP																	
Raleigh	3	3	1	21		2.00	1.79	.65	2.14	1.23	.47	1.24	1.9	2.9	4.8	.135	.137
Ohio																	
NADP																	
Caldwell	2	2B	2	11		3.07	3.93	.70	4.95	3.63	1.46	2.30	3.5	7.9	12.4	.202	.144
Delaware	2	2A	1	11		3.21	3.56	.46	3.92	1.79	2.03	2.39	3.6	5.9	6.9	.209	.187
Wooster	3	3	2	11		3.35	3.58	.46	3.93	1.79	1.97	2.35	3.3	6.0	6.8	.184	.181
UAPSP																	
Zanesville	3	3	2	21		2.49	3.03	.76	3.92	2.74	.76	1.57	3.1	5.8	9.0	.183	.129

Sulfate

State / Network / Site Name	Overall Rating	Site Rep	Data Comp	N	N BDL	Concentration: Wtd Mean mg/l	Geometric Mean mg/l	Geometric SD mg/l	Arithmetic Mean mg/l	Arithmetic SD mg/l	Percentiles mg/l: Min	25%	50%	75%	Max	K-S D-Statistic: Gau	Log
Pennsylvania																	
NADP																	
Leading Ridge	2	1	2	12		2.86	3.09	.94	4.19	2.69	.48	1.54	3.6	6.9	8.3	.153	.198
MAP3s/PCN																	
Penn State	2	2B	1	15		2.01	3.12	1.14	5.47	7.59	.28	2.30	3.6	5.8	31.7	.342*	.217
UAPSP																	
Scranton	2	2A	1	20		2.06	2.45	.88	3.16	1.82	.21	1.96	3.1	4.7	6.5	.087	.196*
South Carolina																	
NADP																	
Clemson	3	3	1	11		1.86	1.78	.67	2.07	.93	.37	1.61	2.2	2.8	3.4	.136	.257*
Tennessee																	
NADP																	
Walker Branch	2	2A	2	11		3.58	3.97	.47	4.41	2.27	2.38	2.59	3.3	6.7	9.1	.268*	.206
West Virginia																	
NADP																	
Parsons	2	2A	1	13		3.00	3.41	.62	4.02	2.23	1.35	1.77	4.9	5.4	8.3	.199	.263*
UAPSP																	
Lewisburg	2	2A	2	17		1.76	2.27	.72	2.82	1.84	.45	1.28	2.3	3.8	7.5	.150	.116
Wisconsin																	
NADP																	
Trout Lake	1	1	1	12		1.84	1.66	.60	1.93	1.05	.56	1.00	1.9	2.6	3.8	.142	.172
New Brunswick																	
CANSAP																	
Acadia Fes	3	3	1	3		2.29	2.09	.47	2.26	1.16	1.50	1.50	1.7	3.6	3.6	.354	.337
Charlo	3	3	1	3		2.82	2.69	.20	2.73	.58	2.40	2.40	2.4	3.4	3.4	.385	.385
St. John	3	3	1	3		2.43	2.35	.37	2.46	.99	1.80	1.80	2.0	3.6	3.6	.349	.333
Newfoundland																	
CANSAP																	
Gander	3	3	2	3		1.41	1.26	.32	1.30	.40	.90	.90	1.3	1.7	1.7	.175	.208
Goose	2	2B	1	3		.83	.83	.07	.83	.06	.80	.80	0.8	0.9	0.9	.385	.385
Nova Scotia																	
CANSAP																	
Kejimkujik (a)	2	2A	1	3		1.83	1.79	.71	2.06	1.14	.80	.80	2.4	3.0	3.0	.282	.327
Shelburne	2	2A	2	3		1.55	1.60	.25	1.63	.38	1.20	1.20	1.8	1.9	1.9	.337	.346
Truro	3	3	2	3		2.62	2.67	.36	2.80	1.06	2.00	2.00	2.4	4.0	4.0	.314	.286

Sulfate

State / Network / Site Name	Overall Rating	Site Rep	Data Comp	N	N BDL	Concentration: Wtd Mean mg/l	Geometric Mean mg/l	Geometric SD mg/l	Arithmetic Mean mg/l	Arithmetic SD mg/l	Percentiles mg/l: Min	25%	50%	75%	Max	K-S D-Statistic: Gau	Log
Ontario																	
CANSAP																	
Atikokan	3	3	1	3		1.34	1.24	.28	1.27	.32	.90	.90	1.4	1.5	1.5	.328	.340
Dorset (a)	1	1	1	3		3.11	3.19	.45	3.40	1.31	1.90	1.90	4.0	4.3	4.3	.343	.356
ELA (a)	2	2A	1	3		.84	.68	.48	.73	.31	.40	.40	0.8	1.0	1.0	.253	.295
Harrow	3	3	1	3		5.49	5.68	.36	5.93	2.12	4.00	4.00	5.6	8.2	8.2	.229	.183
Moosonee	2	2B	1	3		1.12	1.16	.44	1.23	.47	.70	.70	1.4	1.6	1.6	.305	.330
Mount Forest (a)	3	3	1	3		3.35	3.53	.49	3.83	1.89	2.20	2.20	3.4	5.9	5.9	.257	.198
Simcoe	3	3	1	3		3.40	3.48	.46	3.73	1.66	2.20	2.20	3.5	5.5	5.5	.222	.176
Trout Lake	3	2B	3	2		.86	1.21	.78	1.40	.99	.70		1.4		2.1	.260	.260
APIOS-D																	
Dorset (b)	1	1	1	35		2.46	2.24	.76	2.92	2.22	.40	1.15	2.3	3.7	10.8	.153*	.108
Longwoods (b)	2	2B	1	22		3.76	3.01	.57	3.52	2.11	1.20	1.90	2.9	4.4	8.2	.206*	.104
Railton	2	1	2	22		2.96	3.24	.81	4.15	2.67	.30	1.63	4.1	5.5	11.8	.124	.160
APN																	
Chalk River	2	2A	1	35		2.88	3.11	.74	3.94	2.80	.40	2.10	3.3	5.0	13.4	.178*	.084
ELA (b)	2	2A	1	26	2	.89	.81	.86	1.09	.84	.20	.50	0.8	1.5	3.7	.220*	.115
Long Point	3	3	1	24		3.62	3.78	.61	4.48	2.64	1.20	2.25	3.8	6.6	11.6	.146	.105
APIOS-C																	
Alvinston	2	2A	2	3		4.90	5.01	.35	5.20	1.60	3.35	3.35	6.1	6.1	6.1	.379	.381
Campbellford	2	2A	2	3		3.16	3.53	.43	3.77	1.69	2.40	2.40	3.2	5.6	5.6	.287	.243
Colchester	2	2A	1	3		4.90	4.98	.26	5.10	1.38	4.00	4.00	4.6	6.6	6.6	.294	.271
Dalhousie Mills	3	2B	3	3		3.40	3.33	.21	3.38	.74	2.75	2.75	3.2	4.2	4.2	.264	.241
Dorion	1	1	1	3		1.33	1.12	.57	1.23	.63	.60	.60	1.2	1.8	1.8	.178	.246
Dorset (c)	1	1	1	3		2.25	1.88	.69	2.17	1.30	.90	.90	2.1	3.5	3.5	.187	.232
Ear Falls	3	3	2	3		.69	.61	.18	.62	.12	.55	.55	0.5	0.8	0.8	.385	.385
Golden Lake	2	1	2	3		2.56	2.46	.55	2.72	1.48	1.45	1.45	2.3	4.3	4.3	.264	.199
Gowganda	2	2A	1	3		2.30	2.27	.03	2.27	.08	2.20	2.20	2.2	2.3	2.3	.253	.249
Kaladar	3	1	3	3		2.86	2.36	.61	2.68	1.72	1.45	1.45	1.9	4.6	4.6	.332	.290
Killarney	2	2A	1	3		3.02	2.95	.13	2.97	.38	2.55	2.55	3.0	3.3	3.3	.253	.266
Moonbeam	2	2A	2	3		2.71	2.06	.65	2.33	1.24	1.00	1.00	2.5	3.4	3.4	.236	.295
Nakina	3	3	3	2		.98	1.00	.07	1.00	.07	.95		1.0		1.0	.260	.260
Palmerson	2	2A	2	3		4.12	4.24	.21	4.30	.87	3.35	3.35	4.5	5.0	5.0	.258	.278
Port Stanley	3	2B	3	3		4.48	4.76	.56	5.28	2.98	2.85	2.85	4.4	8.6	8.6	.283	.223
Ramsey	2	2A	1	3		2.10	1.83	.30	1.88	.51	1.30	1.30	2.1	2.2	2.2	.331	.343
Smith's Falls	3	3	3	2		3.66	3.62	.24	3.67	.88	3.05		3.7		4.3	.260	.260
Uxbridge	2	2B	2	3		3.41	3.42	.29	3.52	1.05	2.70	2.70	3.1	4.7	4.7	.303	.279
Waterloo	2	2A	2	3		3.36	3.63	.45	3.88	1.80	2.45	2.45	3.3	5.9	5.9	.294	.250
Whitney	1	1	1	3		2.18	1.79	.70	2.10	1.41	.90	.90	1.7	3.6	3.6	.265	.180
Wilkesport	2	2A	2	3		5.10	5.50	.26	5.63	1.56	4.45	4.45	5.0	7.4	7.4	.313	.293
Quebec																	
CANSAP																	
Chibougamau	3	3	2	3		1.74	1.79	.14	1.80	.26	1.60	1.60	1.7	2.1	2.1	.314	.304
Nitchequon	2	2B	2	3	1	.64	.48	1.36	.73	.57	.20	.20	0.9	1.2	1.2	.269	.330
Quebec City	3	3	1	3		3.25	3.28	.10	3.30	.35	3.10	3.10	3.1	3.7	3.7	.385	.385
Sept Isles	3	3	1	3		1.63	1.63	.41	1.73	.76	1.20	1.20	1.4	2.6	2.6	.337	.314
St. Hubert	3	3	1	3		3.60	3.48	.13	3.50	.44	3.00	3.00	3.7	3.8	3.8	.343	.348

Table 6(a)

1980 Annual Unified Data Summary

30-Jun-1985
Page 1

Nitrate

State / Network / Site Name	Period Summarized First Date	Last Date	Overall Rating	Site Rep	Data Comp	% PCL	% TP	% VSL	% VSMP	% Col Eff	N	N BDL	Wtd Mean mg/l	NO3 Dep g/m2	Total Precip cm
Delaware															
MAP3s/PCN															
Lewes	Jan 1 80	Jan 1 81	2	2A	2	100	99	97	84	87	62		1.46	1.33	91.6
Illinois															
NADP															
Dixon Springs	Jan 2 80	Dec 30 80	3	2B	3	93	100	71	77	91	37		1.58	1.34	84.6
Indiana															
UAPSP															
Roanoke	Jan 1 80	Jan 1 81	2	2A	2	100	97	93	79	92	90		1.94	1.70	88.0
Rockport	Jan 1 80	Jan 1 81	3	3	1	100	100	99	97	94	76		1.20	1.11	92.5
New Hampshire															
NADP															
Hubbard Brook	Jan 2 80	Dec 30 80	2	1	2	90	99	85	93	99	43		1.84	1.59	86.8
New York															
NADP															
Aurora	Jan 3 80	Dec 30 80	2	2A	2	90	100	85	94	93	44		2.46	1.96	79.6
Knobit	Jan 1 80	Dec 30 80	2	2A	2	90	89	77	87	96	40		2.03	1.32	64.8
MAP3s/PCN															
Brookhaven	Jan 1 80	Jan 1 81	2	2B	1	100	99	98	88	91	57		1.63	1.32	81.1
Ithaca	Jan 1 80	Jan 1 81	2	2A	1	100	98	98	94	94	74		1.92	1.82	94.9
Whiteface	Jan 1 80	Jan 1 81	1	1	1	100	98	97	90	113	81	1	1.59	1.51	94.5
North Carolina															
NADP															
Clinton Station	Jan 2 80	Dec 30 80	2	2A	2	98	100	88	90	89	45		.99	1.15	116.5
Coweeta	Jan 2 80	Dec 30 80	2	2A	2	94	99	87	94	93	44		.84	1.32	157.5
Lewiston	Jan 2 80	Dec 30 80	2	2A	2	94	95	85	90	86	44	1	1.28	1.12	87.3
Piedmont Station	Jan 2 80	Dec 30 80	2	2A	1	96	99	81	84	94	42		1.43	1.43	99.9
UAPSP															
Raleigh	Jan 1 80	Jan 1 81	3	3	1	100	95	96	82	87	68		1.12	1.06	94.1
Ohio															
NADP															
Caldwell	Jan 2 80	Dec 30 80	2	2B	2	94	97	88	94	103	45		2.01	1.96	97.4
Delaware	Jan 2 80	Dec 30 80	2	2A	1	96	100	88	92	93	46		2.21	2.40	108.6
Wooster	Jan 2 80	Dec 30 80	3	3	1	96	97	87	90	95	44		1.86	1.69	90.6
UAPSP															
Zanesville	Jan 1 80	Jan 1 81	3	3	2	100	99	99	95	88	95		1.75	2.33	133.2
Pennsylvania															
NADP															
Leading Ridge	Jan 2 80	Dec 30 80	2	1	2	92	100	90	98	92	47		2.06	1.90	92.5
MAP3s/PCN															
Penn State	Jan 1 80	Jan 1 81	2	2B	1	100	100	99	95	122	75		1.92	1.65	86.0
UAPSP															
Scranton	Jan 1 80	Jan 1 81	2	2A	1	100	100	100	100	99	81		1.74	1.12	64.2

Note: The annual data completeness level also depends on the quarterly data completeness levels

Nitrate

State / Network / Site Name	Period Summarized First Date	Period Summarized Last Date	Overall Rating	Site Rep	Data Comp	% PCL	% TP	% VSL	% VSMP	% Col Eff	N	N BDL	Wtd Mean mg/l	NO3 Dep g/m2	Total Precip cm
South Carolina															
NADP															
Clemson	Jan 2 80	Dec 30 80	3	3	2	90	100	79	87	99	40		.96	1.19	123.3
Virginia															
MAP3s/PCN															
Virginia	Jan 1 80	Jan 1 81	3	2A	3	99	83	93	74	93	60		1.70	1.44	84.5
West Virginia															
NADP															
Parsons	Jan 2 80	Dec 30 80	2	2A	1	96	100	96	100	92	50		2.03	2.49	122.3
UAPSP															
Lewisburg	Jan 1 80	Jan 1 81	2	2A	2	100	97	98	94	96	78		1.17	.87	74.2
New Brunswick															
CANSAP															
Acadia Fes	Dec 31 79	Jan 1 81	3	3	1	100	100	100	100	88	12		1.15	1.45	126.5
Charlo	Dec 31 79	Dec 31 80	3	3	3	100	100	100	100	72	12		.78	1.01	130.5
St. John	Dec 31 79	Jan 1 81	3	3	2	100	100	100	100	80	12	1	1.26	1.76	139.2
Newfoundland															
CANSAP															
Goose	Dec 31 79	Jan 1 81	2	2B	2	100	92	92	92	76	11	3	.19	.21	114.6
Nova Scotia															
CANSAP															
Kejimkujik (a)	Dec 31 79	Jan 1 81	2	2A	2	100	92	91	92	100	11		.71	.82	115.1
Truro	Dec 31 79	Dec 31 80	3	3	2	100	100	100	100	75	12		1.09	1.17	107.2
Ontario															
CANSAP															
Dorset (a)	Jan 2 80	Dec 31 80	3	1	3	100	87	82	77	78	10		1.89	2.39	126.4
Harrow	Dec 31 79	Dec 31 80	3	3	3	100	100	100	100	79	12		2.68	2.62	97.7
Kingston	Dec 31 79	Dec 31 80	3	3	3	100	78	83	77	79	10		3.34	3.45	103.3
Mount Forest (a)	Dec 31 79	Jan 1 81	3	3	2	100	93	92	92	77	11		3.18	3.08	96.8
Simcoe	Dec 31 79	Jan 1 81	3	3	2	100	92	91	92	89	11		2.86	2.49	87.0
APN															
Chalk River	Jan 1 80	Jan 1 81	3	2A	3	100	92	85	67	94	103	1	1.92	1.84	95.8
Long Point	Jan 1 80	Jan 1 81	3	3	3	100	94	92	75	95	85		2.91	2.55	87.5
Quebec															
CANSAP															
Chibougamau	Dec 31 79	Dec 31 80	3	3	3	100	100	100	100	66	12		.92	.91	99.2
Nitchequon	Dec 31 79	Jan 1 81	3	2B	3	100	97	91	92	70	11	3	.14	.12	84.7
Quebec City	Dec 31 79	Jan 1 81	3	3	2	100	100	100	100	83	12		1.94	2.24	115.7

Note: The annual data completeness level also depends on the quarterly data completeness levels

Table 6(b)

1980 Annual Unified Data Summary

30-Jun-1985
Page 1

Nitrate

State / Network / Site Name	Overall Rating	Site Rep	Data Comp	N	N BDL	Wtd Mean mg/l	Geometric Mean mg/l	Geometric SD mg/l	Arithmetic Mean mg/l	Arithmetic SD mg/l	Concentration Percentiles mg/l Min	25%	50%	75%	Max	K-S D-Statistic Gau	K-S D-Statistic Log
Delaware																	
MAP3s/PCN																	
Lewes	2	2A	2	62		1.46	1.48	1.01	2.22	1.93	.07	.79	1.8	3.0	9.3	.154*	.097
Illinois																	
NADP																	
Dixon Springs	3	2B	3	37		1.58	1.87	.77	2.59	2.63	.55	1.09	1.8	3.1	12.6	.282*	.135
Indiana																	
UAPSP																	
Roanoke	2	2A	2	90		1.94	2.13	.65	2.59	1.65	.27	1.43	2.2	3.3	8.3	.130*	.040
Rockport	3	3	1	76		1.20	1.52	.69	1.96	1.93	.17	1.01	1.5	2.2	15.3	.218*	.075
New Hampshire																	
NADP																	
Hubbard Brook	2	1	2	43		1.84	1.88	.68	2.37	1.95	.37	1.27	1.9	2.7	12.0	.203*	.068
New York																	
NADP																	
Aurora	2	2A	2	44		2.46	2.70	.61	3.18	1.76	.56	1.88	2.7	4.2	9.3	.124	.102
Knobit	2	2A	2	40		2.03	2.21	.96	3.21	2.99	.09	1.31	2.5	3.9	14.2	.233*	.119
MAP3s/PCN																	
Brookhaven	2	2B	1	57		1.63	1.82	.99	2.86	3.10	.14	.90	2.0	3.2	16.1	.243*	.071
Ithaca	2	2A	1	74		1.92	2.02	.78	2.61	1.88	.18	1.24	2.4	3.2	9.9	.157*	.092
Whiteface	1	1	1	81	1	1.59	1.48	.88	1.97	1.64	.02	.93	1.6	2.4	9.9	.176*	.106*
North Carolina																	
NADP																	
Clinton Station	2	2A	2	45		.99	1.15	.89	1.66	1.73	.09	.68	1.1	2.2	10.5	.183*	.066
Coweeta	2	2A	2	44		.84	1.09	.75	1.41	1.01	.15	.59	1.2	1.9	4.6	.145*	.106
Lewiston	2	2A	2	44	1	1.28	1.27	1.08	1.95	1.72	.05	.65	1.6	3.1	7.7	.183*	.116
Piedmont Station	2	2A	1	42		1.43	1.86	.75	2.43	1.83	.36	1.03	1.6	3.5	8.2	.193*	.095
UAPSP																	
Raleigh	3	3	1	68		1.12	1.32	.75	1.73	1.49	.26	.80	1.6	2.0	10.3	.187*	.125*
Ohio																	
NADP																	
Caldwell	2	2B	2	45		2.01	2.41	.69	3.09	2.62	.52	1.29	2.7	3.9	13.6	.198*	.103
Delaware	2	2A	1	46		2.21	2.32	.70	2.95	2.85	.14	1.67	2.3	3.3	19.8	.242*	.124
Wooster	3	3	1	44		1.86	2.21	.57	2.56	1.39	.52	1.63	2.3	3.2	6.8	.115	.100
UAPSP																	
Zanesville	3	3	2	95		1.75	1.94	.65	2.38	1.68	.29	1.28	2.1	2.9	11.1	.132*	.054
Pennsylvania																	
NADP																	
Leading Ridge	2	1	2	47		2.06	2.50	.70	3.02	1.66	.27	1.89	2.8	3.9	7.0	.103	.109
MAP3s/PCN																	
Penn State	2	2B	1	75		1.92	2.37	.72	3.00	2.13	.44	1.55	2.6	3.8	10.5	.131*	.085
UAPSP																	
Scranton	2	2A	1	81		1.74	2.11	.67	2.61	1.83	.30	1.44	2.2	3.4	10.9	.114*	.056

Note: The annual data completeness level also depends on the quarterly data completeness levels

Nitrate

State / Network / Site Name	Overall Rating	Site Rep	Data Comp	N	N BDL	Concentration: Wtd Mean mg/l	Geometric Mean mg/l	Geometric SD mg/l	Arithmetic Mean mg/l	Arithmetic SD mg/l	Percentiles mg/l: Min	25%	50%	75%	Max	K-S D-Statistic: Gau	Log
South Carolina																	
NADP																	
Clemson	3	3	2	40		.96	1.21	.75	1.55	1.10	.16	.75	1.2	2.1	4.6	.179*	.075
Virginia																	
MAP3s/PCN																	
Virginia	3	2A	3	60		1.70	1.91	.82	2.59	1.99	.35	1.01	1.9	3.5	9.3	.173*	.086
West Virginia																	
NADP																	
Parsons	2	2A	1	50		2.03	2.29	.63	2.78	1.91	.60	1.54	2.3	3.7	11.1	.164*	.063
UAPSP																	
Lewisburg	2	2A	2	78		1.17	1.30	.67	1.61	1.07	.29	.75	1.4	2.0	5.0	.122*	.066
New Brunswick																	
CANSAP																	
Acadia Fes	3	3	1	12		1.15	.99	.56	1.14	.61	.35	.62	1.1	1.5	2.6	.165	.162
Charlo	3	3	3	12		.78	.83	.58	.96	.58	.35	.50	0.8	1.3	2.3	.196	.110
St. John	3	3	2	12	1	1.26	.89	1.73	1.62	1.72	.01	.90	1.3	1.5	6.9	.370*	.372*
Newfoundland																	
CANSAP																	
Goose	2	2B	2	11	3	.19	.07	2.03	.26	.37	.01	.01	0.1	0.4	1.3	.267*	.201
Nova Scotia																	
CANSAP																	
Kejimkujik (a)	2	2A	2	11		.71	.69	.91	.92	.60	.09	.58	0.8	1.3	2.2	.159	.239
Truro	3	3	2	12		1.09	1.03	.37	1.09	.37	.49	.78	1.1	1.4	1.7	.138	.126
Ontario																	
CANSAP																	
Dorset (a)	3	1	3	10		1.89	1.88	.49	2.09	.96	1.02	1.12	2.1	2.8	3.6	.198	.213
Harrow	3	3	3	12		2.68	2.77	.43	3.04	1.47	1.37	2.17	2.5	3.8	6.6	.209	.152
Kingston	3	3	3	10		3.34	3.61	.41	3.92	1.87	1.86	2.78	3.6	4.4	8.6	.238	.154
Mount Forest (a)	3	3	2	11		3.18	3.31	.42	3.59	1.60	1.86	2.44	3.2	4.5	7.1	.215	.146
Simcoe	3	3	2	11		2.86	2.97	.41	3.27	1.92	1.99	2.17	2.9	3.3	8.9	.363*	.256*
APN																	
Chalk River	3	2A	3	103	1	1.92	1.79	.97	2.50	2.01	.01	1.02	1.8	3.5	11.2	.138*	.069
Long Point	3	3	3	85		2.91	3.06	.65	3.74	2.46	.71	1.91	3.2	4.9	13.1	.116*	.058
Quebec																	
CANSAP																	
Chibougamau	3	3	3	12		.92	.94	.78	1.14	.57	.13	.76	1.3	1.6	1.9	.150	.223
Nitchequon	3	2B	3	11	3	.14	.06	1.95	.19	.24	.00	.01	0.1	0.3	0.8	.245	.188
Quebec City	3	3	2	12		1.94	2.07	.41	2.24	1.00	1.15	1.38	2.1	2.7	4.7	.173	.108

Note: The annual data completeness level also depends on the quarterly data completeness levels

Table 7(a)

Winter Quarter 1980 Unified Data Summary
(Dec 1979, Jan 1980, Feb 1980)

Nitrate

State / Network / Site Name	Period Summarized First Date	Last Date	Overall Rating	Site Rep	Data Comp	% PCL	% TP	% VSL	% VSMP	% Col Eff	N	N BDL	Wtd Mean mg/l	NO3 Dep g/m2	Total Precip cm
Delaware															
MAP3s/PCN															
Lewes	Dec 1 79	Mar 1 80	2	2A	2	100	97	96	78	79	14		1.77	.29	16.5
UAPSP															
Indian River	Dec 1 79	Mar 1 80	3	3	2	100	96	95	75	96	15		1.29	.24	18.4
Georgia															
NADP															
Georgia Station	Dec 4 79	Mar 4 80	2	2A	1	100	100	100	100	123	13	1	.80	.18	22.0
Illinois															
NADP															
Bondville	Dec 4 79	Mar 4 80	2	2A	2	92	99	85	92	70	11		2.93	.27	9.3
Dixon Springs	Nov 27 79	Mar 4 80	2	2B	2	100	94	70	71	90	10		1.84	.33	18.1
Indiana															
UAPSP															
Fort Wayne	Dec 1 79	Mar 1 80	2	2A	2	100	95	96	76	60	13		2.37	.27	11.3
Rockport	Dec 1 79	Mar 1 80	3	3	1	100	99	99	94	98	17		1.49	.19	12.6
Massachusetts															
UAPSP															
Montague	Dec 1 79	Mar 1 80	2	2A	1	100	100	100	100	98	7		1.37	.14	10.2
Minnesota															
NADP															
Marcell	Dec 4 79	Mar 4 80	2	2B	2	100	99	77	75	62	9		1.37	.10	7.2
New York															
NADP															
Huntington	Dec 4 79	Mar 4 80	2	2B	2	92	100	85	92	133	11		2.32	.25	10.7
MAP3s/PCN															
Brookhaven	Dec 1 79	Mar 1 80	2	2B	1	100	99	99	91	89	10		1.81	.28	15.2
Ithaca	Dec 1 79	Mar 1 80	2	2A	2	100	100	100	100	71	15		2.56	.36	14.1
Whiteface	Dec 1 79	Mar 1 80	2	1	2	100	86	96	71	155	10		2.09	.28	13.2
North Carolina															
NADP															
Clinton Station	Dec 4 79	Mar 4 80	2	2A	2	100	100	100	100	70	13		1.10	.25	23.1
Coweeta	Dec 4 79	Mar 4 80	2	2A	1	100	100	100	100	89	13		.86	.26	29.9
Lewiston	Dec 4 79	Mar 4 80	2	2A	1	100	83	85	85	87	11		1.06	.28	25.9
Piedmont Station	Dec 4 79	Mar 4 80	2	2A	1	100	93	85	85	93	11		.96	.17	17.4
UAPSP															
Raleigh	Dec 1 79	Mar 1 80	3	3	2	100	78	93	70	88	14		1.32	.27	20.3
Ohio															
NADP															
Delaware	Dec 4 79	Mar 4 80	2	2A	2	92	100	85	92	84	11		1.90	.26	13.6
Wooster	Dec 4 79	Mar 4 80	3	3	2	92	99	85	92	100	11		1.57	.16	10.0
UAPSP															
Zanesville	Dec 1 79	Mar 1 80	3	3	1	100	98	98	86	91	12		1.99	.25	12.8
Pennsylvania															
NADP															
Leading Ridge	Dec 4 79	Mar 4 80	2	1	2	92	100	85	92	90	11		2.00	.24	11.9
MAP3s/PCN															
Penn State	Dec 1 79	Mar 1 80	2	2B	1	100	100	99	95	94	18		1.66	.20	11.9
UAPSP															
Scranton	Dec 1 79	Mar 1 80	2	2A	1	100	100	100	100	97	11		2.33	.15	6.6

Nitrate

State / Network / Site Name	Period Summarized First Date	Last Date	Overall Rating	Site Rep	Data Comp	% PCL	% TP	% VSL	% VSMP	% Col Eff	N	N BDL	Wtd Mean mg/l	NO3 Dep g/m2	Total Precip cm
South Carolina															
NADP															
Clemson	Dec 4 79	Mar 4 80	3	3	1	100	89	82	85	94	11		1.32	.29	22.2
Tennessee															
UAPSP															
Giles County	Dec 1 79	Mar 1 80	2	2A	1	100	99	97	88	99	22		1.34	.33	24.4
Virginia															
MAP3s/PCN															
Virginia	Dec 1 79	Mar 1 80	2	2A	2	100	96	93	70	87	14		1.88	.32	17.3
West Virginia															
NADP															
Parsons	Dec 4 79	Mar 4 80	2	2A	1	100	100	92	92	88	12		2.14	.37	17.2
UAPSP															
Lewisburg	Dec 1 79	Mar 1 80	2	2A	2	100	88	95	78	95	14		.95	.16	16.5
New Brunswick															
CANSAP															
Acadia Fes	Dec 1 79	Feb 29 80	3	3	1	100	100	100	100	80	3		.67	.13	19.6
Charlo	Dec 1 79	Feb 29 80	3	3	3	100	100	100	100	33	3		3.12	.56	18.0
St. John	Nov 30 79	Feb 29 80	3	3	1	100	100	100	100	61	3		2.78	.52	18.9
Newfoundland															
CANSAP															
Gander	Nov 30 79	Mar 1 80	3	3	3	100	100	100	100	32	3		.31	.09	30.4
Goose	Nov 30 79	Feb 29 80	3	2B	3	100	100	100	100	40	3		.17	.04	25.7
Nova Scotia															
CANSAP															
Truro	Dec 1 79	Feb 29 80	3	3	1	100	100	100	100	78	3		.73	.19	26.1
APN															
Kejimkujik (b)	Dec 1 79	Mar 1 80	2	2A	1	100	99	98	91	104	21	1	1.17	.21	17.9
Ontario															
CANSAP															
Atikokan	Nov 30 79	Feb 29 80	3	3	3	100	77	68	67	59	2		2.62	.18	6.8
Kingston	Nov 30 79	Feb 29 80	3	3	1	100	100	100	100	72	3		5.07	.75	14.8
Moosonee	Dec 1 79	Feb 29 80	3	2B	3	100	95	68	67	34	2		1.24	.11	9.0
Mount Forest (a)	Dec 1 79	Mar 3 80	3	3	1	100	100	100	100	59	3		3.40	.51	15.1
Peterborough	Nov 30 79	Feb 29 80	3	3	3	100	87	68	67	75	2		3.33	.53	15.8
Simcoe	Dec 1 79	Feb 29 80	3	3	1	100	100	100	100	68	3		3.64	.68	18.6
Quebec															
CANSAP															
Chibougamau	Nov 30 79	Feb 29 80	3	3	3	100	100	100	100	31	3		2.11	.30	14.2
Maniwaki	Nov 30 79	Feb 29 80	3	2B	3	100	88	69	67	42	2		5.24	.50	9.6
Nitchequon	Dec 1 79	Feb 29 80	3	2B	3	100	100	100	100	34	3		.66	.07	11.3
Quebec City	Nov 30 79	Feb 29 80	3	3	1	100	100	100	100	52	3		3.40	.40	11.9
St. Hubert	Nov 30 79	Feb 29 80	3	3	1	100	100	100	100	88	3		3.94	.42	10.6

Table 7(b)

Winter Quarter 1980 Unified Data Summary
(Dec 1979, Jan 1980, Feb 1980)

28-Jun-1985
Page 1

Nitrate

State / Network / Site Name	Overall Rating	Site Rep	Data Comp	N	N BDL	Concentration: Wtd Mean mg/l	Geometric Mean mg/l	Geometric SD mg/l	Arithmetic Mean mg/l	Arithmetic SD mg/l	Percentiles mg/l: Min	25%	50%	75%	Max	K-S D-Statistic: Gau	Log
Delaware																	
MAP3s/PCN																	
Lewes	2	2A	2	14		1.77	1.50	1.14	2.53	2.46	.28	.46	1.7	3.9	7.4	.250*	.154
UAPSP																	
Indian River	3	3	2	15		1.29	.96	1.36	1.96	2.18	.09	.31	1.2	3.2	7.6	.230*	.116
Georgia																	
NADP																	
Georgia Station	2	2A	1	13	1	.80	.59	1.36	.90	.64	.02	.45	0.9	1.2	2.6	.189	.204
Illinois																	
NADP																	
Bondville	2	2A	2	11		2.93	2.88	.88	4.05	3.61	.72	1.25	2.6	5.5	12.8	.202	.120
Dixon Springs	2	2B	2	10		1.84	2.20	.68	2.68	1.77	.68	1.54	2.2	3.8	6.3	.286*	.176
Indiana																	
UAPSP																	
Fort Wayne	2	2A	2	13		2.37	2.23	.69	2.76	1.84	.77	1.20	2.2	4.1	6.4	.188	.121
Rockport	3	3	1	17		1.49	1.67	.49	1.88	.98	.85	1.04	1.7	2.2	4.4	.168	.107
Massachusetts																	
UAPSP																	
Montague	2	2A	1	7		1.37	1.62	.71	1.99	1.33	.69	.71	2.1	2.7	4.4	.184	.216
Minnesota																	
NADP																	
Marcell	2	2B	2	9		1.37	1.16	.96	1.47	.68	.10	1.13	1.4	2.1	2.3	.146	.337*
New York																	
NADP																	
Huntington	2	2B	2	11		2.32	2.67	.59	3.08	1.71	.78	2.00	2.9	3.3	7.1	.257*	.208
MAP3s/PCN																	
Brookhaven	2	2B	1	10		1.81	1.49	.78	1.93	1.40	.48	.71	1.5	3.1	4.8	.205	.142
Ithaca	2	2A	2	15		2.56	2.33	.73	2.81	1.51	.30	1.55	3.0	3.4	6.2	.144	.178
Whiteface	2	1	2	10		2.09	2.34	.69	2.82	1.66	.68	1.35	2.8	3.8	5.8	.176	.157
North Carolina																	
NADP																	
Clinton Station	2	2A	2	13		1.10	.97	.82	1.26	.83	.20	.58	1.2	1.7	3.0	.110	.158
Coweeta	2	2A	1	13		.86	.79	.82	1.04	.74	.15	.49	0.9	1.6	2.6	.196	.124
Lewiston	2	2A	1	11		1.06	.78	.91	1.13	.99	.25	.30	0.6	1.7	3.4	.255*	.233
Piedmont Station	2	2A	1	11		.96	1.43	.74	1.85	1.48	.48	.75	1.2	3.2	4.8	.301*	.174
UAPSP																	
Raleigh	3	3	2	14		1.32	1.21	.84	1.57	1.00	.17	.62	1.6	2.1	3.7	.122	.159
Ohio																	
NADP																	
Delaware	2	2A	2	11		1.90	2.07	1.16	3.14	2.38	.14	1.10	2.8	4.0	7.3	.170	.220
Wooster	3	3	2	11		1.57	2.36	.67	2.79	1.52	.52	1.82	2.6	3.2	6.2	.205	.261*
UAPSP																	
Zanesville	3	3	1	12		1.99	1.75	.70	2.15	1.29	.69	.79	2.4	3.4	4.3	.198	.215
Pennsylvania																	
NADP																	
Leading Ridge	2	1	2	11		2.00	2.71	.78	3.34	1.74	.53	1.22	3.6	4.7	5.4	.182	.270*
MAP3s/PCN																	
Penn State	2	2B	1	18		1.66	2.63	1.03	3.63	2.30	.12	1.64	3.7	5.1	7.4	.118	.182
UAPSP																	
Scranton	2	2A	1	11		2.33	2.09	.63	2.48	1.47	.74	1.32	2.3	3.3	5.6	.142	.139

Nitrate

State / Network / Site Name	Overall Rating	Site Rep	Data Comp	N	N BDL	Wtd Mean mg/l	Geometric Mean mg/l	Geometric SD mg/l	Arithmetic Mean mg/l	Arithmetic SD mg/l	Percentiles mg/l Min	25%	50%	75%	Max	K-S D-Statistic Gau	K-S D-Statistic Log
Concentration																	
South Carolina																	
NADP																	
Clemson	3	3	1	11		1.32	1.40	.68	1.72	1.19	.42	.80	1.5	2.0	4.6	.208	.144
Tennessee																	
UAPSP																	
Giles County	2	2A	1	22		1.34	1.41	.86	1.96	1.63	.29	.67	1.4	2.8	6.1	.189*	.085
Virginia																	
MAP3s/PCN																	
Virginia	2	2A	2	14		1.88	1.82	.89	2.49	1.78	.46	.74	2.3	3.9	6.0	.152	.183
West Virginia																	
NADP																	
Parsons	2	2A	1	12		2.14	2.34	.52	2.59	1.03	.75	1.75	2.8	3.1	4.2	.161	.240
UAPSP																	
Lewisburg	2	2A	2	14		.95	1.07	.74	1.38	1.04	.34	.59	0.9	2.7	3.5	.228*	.176
New Brunswick																	
CANSAP																	
Acadia Fes	3	3	1	3		.67	.54	.44	.58	.25	.35	.35	0.5	0.8	0.8	.239	.184
Charlo	3	3	3	3		3.12	2.55	.52	2.79	1.47	1.60	1.60	2.3	4.4	4.4	.285	.231
St. John	3	3	1	3		2.78	2.65	.88	3.44	3.01	1.20	1.20	2.3	6.9	6.9	.319	.237
Newfoundland																	
CANSAP																	
Gander	3	3	3	3		.31	.19	1.35	.31	.29	.04	.04	0.3	0.6	0.6	.228	.259
Goose	3	2B	3	3		.17	.09	1.40	.16	.18	.02	.02	0.1	0.4	0.4	.313	.175
Nova Scotia																	
CANSAP																	
Truro	3	3	1	3		.73	.70	.32	.72	.21	.49	.49	0.8	0.9	0.9	.307	.326
APN																	
Kejimkujik (b)	2	2A	1	21	1	1.17	.71	1.61	1.50	1.86	.01	.49	0.9	1.7	8.1	.243*	.201*
Ontario																	
CANSAP																	
Atikokan	3	3	3	2		2.62	2.67	.35	2.75	.94	2.08		2.7		3.4	.260	.260
Kingston	3	3	1	3		5.07	5.64	.37	5.92	2.36	4.34	4.34	4.8	8.6	8.6	.352	.338
Moosonee	3	2B	3	2		1.24	1.30	.29	1.33	.38	1.06		1.3		1.6	.260	.260
Mount Forest (a)	3	3	1	3		3.40	3.61	.38	3.80	1.55	2.84	2.84	3.0	5.6	5.6	.370	.364
Peterborough	3	3	3	2		3.33	2.77	.59	3.01	1.69	1.82		3.0		4.2	.260	.260
Simcoe	3	3	1	3		3.64	4.08	.67	4.80	3.52	2.66	2.66	2.9	8.9	8.9	.374	.364
Quebec																	
CANSAP																	
Chibougamau	3	3	3	3		2.11	2.12	.30	2.19	.69	1.68	1.68	1.9	3.0	3.0	.325	.306
Maniwaki	3	2B	3	2		5.24	5.25	.03	5.25	.15	5.14		5.3		5.4	.260	.260
Nitchequon	3	2B	3	3		.66	.37	1.51	.80	1.11	.13	.13	0.2	2.1	2.1	.378	.352
Quebec City	3	3	1	3		3.40	3.45	.33	3.57	1.15	2.44	2.44	3.5	4.7	4.7	.178	.201
St. Hubert	3	3	1	3		3.94	4.13	.49	4.49	2.34	2.88	2.88	3.4	7.2	7.2	.344	.320

Table 8(a)

Spring Quarter 1980 Unified Data Summary
(Mar 1980, Apr 1980, May 1980)

28-Jun-1985
Page 1

Nitrate

State / Network / Site Name	Period Summarized First Date	Last Date	Overall Rating	Site Rep	Data Comp	% PCL	% TP	% VSL	% VSMP	% Col Eff	N	N BDL	Wtd Mean mg/l	NO3 Dep g/m2	Total Precip cm
Delaware															
MAP3s/PCN															
Lewes	Mar 1 80	Jun 1 80	2	2A	2	100	100	98	88	77	15		1.20	.41	34.0
UAPSP															
Indian River	Mar 1 80	Jun 1 80	3	3	1	100	99	98	92	98	23		.90	.31	34.0
Georgia															
NADP															
Georgia Station	Mar 4 80	Jun 3 80	2	2A	1	100	100	100	100	107	12	1	.59	.29	50.0
Illinois															
NADP															
Dixon Springs	Mar 4 80	Jun 3 80	2	2B	1	100	100	86	85	91	11		1.41	.43	30.6
MAP3s/PCN															
Illinois	Mar 1 80	Jun 1 80	3	2A	3	100	90	86	63	74	22		1.96	.55	28.0
Indiana															
UAPSP															
Fort Wayne	Mar 1 80	Jun 1 80	2	2A	2	100	96	92	79	88	27		2.01	.52	26.0
Rockport	Mar 1 80	Jun 1 80	3	3	1	100	100	100	100	99	30		1.38	.40	28.9
Massachusetts															
UAPSP															
Montague	Mar 1 80	Jun 1 80	2	2A	1	100	100	100	100	96	18		1.59	.50	31.4
Michigan															
NADP															
Wellston	Mar 4 80	Jun 3 80	2	2A	2	92	86	77	82	97	9		2.29	.36	15.9
Minnesota															
NADP															
Lamberton	Mar 4 80	Jun 3 80	2	1	2	92	100	85	91	96	10		1.63	.28	17.2
New Hampshire															
NADP															
Hubbard Brook	Mar 4 80	Jun 3 80	1	1	1	100	100	92	92	98	12		1.57	.49	31.1
New York															
NADP															
Aurora	Mar 4 80	Jun 3 80	2	2A	2	92	100	92	100	94	12		2.40	.56	23.5
Huntington	Mar 4 80	Jun 3 80	2	2B	2	92	100	92	100	149	12		1.81	.48	26.8
Jasper	Mar 4 80	Jun 3 80	2	2A	1	100	99	85	85	91	11		1.96	.46	23.3
Knobit	Feb 26 80	Jun 3 80	2	2A	1	100	92	86	92	89	12		1.89	.44	23.1
Stilwell Lake	Mar 4 80	Jun 3 80	2	2B	1	100	100	100	100	87	13		1.13	.57	50.0
MAP3s/PCN															
Brookhaven	Mar 1 80	Jun 1 80	2	2B	1	100	99	97	88	93	21		1.35	.46	33.9
Ithaca	Mar 1 80	Jun 1 80	2	2A	1	99	100	98	94	95	17		1.71	.50	29.0
Whiteface	Mar 1 80	Jun 1 80	1	1	1	99	100	99	100	124	15		2.01	.41	20.5
North Carolina															
NADP															
Clinton Station	Mar 4 80	Jun 3 80	3	2A	3	100	100	69	69	95	9		.59	.18	29.7
Piedmont Station	Mar 4 80	Jun 3 80	2	2A	2	92	100	85	92	97	11		1.21	.42	34.6
UAPSP															
Raleigh	Mar 1 80	Jun 1 80	3	3	2	100	99	98	90	76	18		.75	.22	29.1

Nitrate

State / Network / Site Name	Period Summarized First Date	Last Date	Overall Rating	Site Rep	Data Comp	% PCL	% TP	% VSL	% VSMP	% Col Eff	N	N BDL	Wtd Mean mg/l	NO3 Dep g/m2	Total Precip cm
Ohio															
NADP															
Caldwell	Mar 4 80	Jun 3 80	2	2B	1	100	91	85	85	107	11		1.61	.52	32.4
Wooster	Mar 4 80	Jun 3 80	3	3	2	92	91	77	83	99	10		1.74	.45	25.8
MAP3s/PCN															
Oxford	Mar 1 80	Jun 1 80	2	2B	2	100	91	93	77	103	20		1.86	.60	32.4
UAPSP															
Zanesville	Mar 1 80	Jun 1 80	3	3	2	100	100	99	97	78	29		1.66	.69	41.5
Pennsylvania															
NADP															
Kane	Mar 4 80	Jun 3 80	2	2A	1	100	100	100	100	97	13	1	1.95	.74	38.2
Leading Ridge	Mar 4 80	Jun 3 80	2	1	2	92	100	92	100	92	12		1.96	.73	37.4
MAP3s/PCN															
Penn State	Mar 1 80	Jun 1 80	2	2B	1	100	100	100	100	137	19		1.74	.60	34.7
UAPSP															
Scranton	Mar 1 80	Jun 1 80	2	2A	1	100	100	100	100	98	24		1.57	.40	25.8
South Carolina															
NADP															
Clemson	Mar 4 80	Jun 3 80	3	3	2	92	100	85	91	101	10		.79	.44	56.0
Tennessee															
UAPSP															
Giles County	Mar 1 80	Jun 1 80	2	2A	1	100	99	97	88	84	22		.73	.48	65.7
Virginia															
MAP3s/PCN															
Virginia	Mar 1 80	Jun 1 80	2	2A	1	98	96	95	86	96	18		1.55	.47	30.3
West Virginia															
NADP															
Parsons	Mar 4 80	Jun 3 80	2	2A	2	92	100	92	100	92	12		2.11	.80	38.0
UAPSP															
Lewisburg	Mar 1 80	Jun 1 80	2	2A	1	100	100	100	100	102	20		.94	.20	20.8
New Brunswick															
CANSAP															
Acadia Fes	Feb 29 80	May 31 80	3	3	1	100	100	100	100	91	3		1.21	.32	26.5
Charlo	Feb 29 80	May 31 80	3	3	2	100	100	100	100	67	3		.66	.26	38.9
St. John	Feb 29 80	May 31 80	3	3	2	100	100	100	100	77	3		.92	.30	33.0
Newfoundland															
CANSAP															
Goose	Feb 29 80	May 31 80	2	2B	2	100	100	100	100	75	3	1	.33	.06	18.8
Stephenville	Feb 29 80	May 31 80	3	3	3	100	66	66	67	90	2		.04	.01	19.4
Nova Scotia															
CANSAP															
Kejimkujik (a)	Feb 29 80	Jun 2 80	2	2A	1	100	100	100	100	126	3		.87	.23	26.9
Truro	Feb 29 80	May 31 80	3	3	1	100	100	100	100	89	3		.89	.27	30.3
APN															
Kejimkujik (b)	Mar 1 80	Jun 1 80	2	2A	1	99	82	96	85	102	17	1	.89	.29	32.3

Nitrate

State / Network / Site Name	Period Summarized First Date	Last Date	Overall Rating	Site Rep	Data Comp	% PCL	% TP	% VSL	% VSMP	% Col Eff	N	N BDL	Wtd Mean mg/l	NO3 Dep g/m2	Total Precip cm
Ontario															
CANSAP															
Dorset (a)	Feb 29 80	May 31 80	2	1	2	100	100	100	100	72	3		2.78	.74	26.6
ELA (a)	Feb 29 80	May 31 80	2	2A	2	100	100	100	100	74	3		2.09	.11	5.1
Harrow	Feb 29 80	Jun 1 80	3	3	2	100	100	100	100	68	3		3.27	.88	27.1
Kingston	Feb 29 80	May 31 80	3	3	2	100	100	100	100	78	3		3.40	1.11	32.5
Mount Forest (a)	Mar 3 80	Jun 1 80	3	3	3	100	74	66	67	66	2		2.82	.71	25.1
Peterborough	Feb 29 80	May 31 80	3	3	2	100	97	96	75	68	3		3.39	.81	23.8
Pickle Lake	Feb 29 80	Jun 1 80	3	2A	3	100	78	67	67	58	2		2.33	.17	7.3
Simcoe	Feb 29 80	May 31 80	3	3	1	100	100	100	100	91	3		2.88	.76	26.3
APN															
Chalk River	Mar 1 80	Jun 1 80	3	2A	3	100	93	87	69	97	27		2.47	.54	22.1
ELA (b)	Mar 1 80	Jun 1 80	3	2A	3	100	86	95	62	83	8		2.20	.12	5.6
Long Point	Mar 1 80	Jun 1 80	3	3	1	100	90	95	86	93	30		3.62	.96	26.6
Quebec															
CANSAP															
Chibougamau	Feb 29 80	May 30 80	3	3	3	100	100	100	100	60	3		1.34	.20	14.6
Maniwaki	Feb 29 80	May 31 80	2	2B	1	100	100	100	100	86	3		2.68	.58	21.4
Nitchequon	Feb 29 80	May 31 80	3	2B	3	100	100	100	100	52	3	1	.12	.02	14.9
Quebec City	Feb 29 80	May 31 80	3	3	1	100	100	100	100	88	3		2.14	.59	27.8
Sept Isles	Feb 29 80	May 31 80	3	3	2	100	100	100	100	62	3		.67	.22	33.1
St. Hubert	Feb 29 80	May 31 80	3	3	3	100	69	66	67	77	2		2.45	.56	22.8

Table 8(b)

Spring Quarter 1980 Unified Data Summary
(Mar 1980, Apr 1980, May 1980)

28-Jun-1985
Page 1

Nitrate

State / Network / Site Name	Overall Rating	Site Rep	Data Comp	N	N BDL	Concentration: Wtd Mean mg/l	Geometric Mean mg/l	Geometric SD mg/l	Arithmetic Mean mg/l	Arithmetic SD mg/l	Percentiles mg/l: Min	25%	50%	75%	Max	K-S D-Statistic: Gau	Log
Delaware																	
MAP3s/PCN																	
Lewes	2	2A	2	15		1.20	1.14	.89	1.61	1.39	.25	.55	1.3	2.5	5.5	.165	.149
UAPSP																	
Indian River	3	3	1	23		.90	1.02	.94	1.47	1.23	.14	.63	1.0	2.1	4.7	.233*	.114
Georgia																	
NADP																	
Georgia Station	2	2A	1	12	1	.59	.56	1.38	.87	.68	.02	.48	0.7	1.1	2.6	.247*	.297*
Illinois																	
NADP																	
Dixon Springs	2	2B	1	11		1.41	1.50	.52	1.73	1.16	.65	1.11	1.3	2.0	5.0	.309*	.192
MAP3s/PCN																	
Illinois	3	2A	3	22		1.96	2.00	.62	2.40	1.63	.62	1.24	2.2	3.2	8.1	.137	.095
Indiana																	
UAPSP																	
Fort Wayne	2	2A	2	27		2.01	2.22	.60	2.63	1.63	.83	1.41	2.3	3.2	7.1	.155	.081
Rockport	3	3	1	30		1.38	1.51	.59	1.80	1.19	.47	1.02	1.5	2.2	5.6	.157	.096
Massachusetts																	
UAPSP																	
Montague	2	2A	1	18		1.59	1.80	1.22	3.49	4.56	.25	.56	1.7	5.3	18.9	.262*	.112
Michigan																	
NADP																	
Wellston	2	2A	2	9		2.29	1.91	.62	2.26	1.38	.84	1.13	1.6	3.4	4.8	.226	.151
Minnesota																	
NADP																	
Lamberton	2	1	2	10		1.63	1.91	.44	2.09	.97	.98	1.33	2.0	2.6	4.3	.200	.142
New Hampshire																	
NADP																	
Hubbard Brook	1	1	1	12		1.57	1.76	.84	2.56	3.06	.38	1.03	2.0	2.6	12.0	.410*	.237
New York																	
NADP																	
Aurora	2	2A	2	12		2.40	2.81	.67	3.47	2.51	.98	1.78	2.4	5.0	9.3	.249*	.165
Huntington	2	2B	2	12		1.81	1.93	.61	2.26	1.23	.74	1.13	2.1	3.7	4.0	.195	.181
Jasper	2	2A	1	11		1.96	2.34	.64	2.86	2.06	1.05	1.28	2.2	3.4	7.1	.230	.158
Knobit	2	2A	1	12		1.89	2.22	1.16	3.99	4.64	.40	.96	2.2	5.2	14.2	.297*	.102
Stilwell Lake	2	2B	1	13		1.13	1.98	1.06	4.15	7.98	.57	.93	1.6	3.5	30.4	.426*	.170
MAP3s/PCN																	
Brookhaven	2	2B	1	21		1.35	1.86	1.14	3.46	4.32	.25	.81	2.0	4.0	16.1	.284*	.150
Ithaca	2	2A	1	17		1.71	2.19	.83	3.02	2.69	.55	1.05	2.5	2.9	9.9	.330*	.178
Whiteface	1	1	1	15		2.01	1.78	.75	2.20	1.32	.31	1.12	2.2	2.9	4.8	.145	.204
North Carolina																	
NADP																	
Clinton Station	3	2A	3	9		.59	.84	.79	1.09	.86	.24	.44	1.1	1.3	3.1	.288*	.178
Piedmont Station	2	2A	2	11		1.21	1.67	.87	2.36	2.29	.36	1.02	1.4	2.8	8.2	.262*	.147
UAPSP																	
Raleigh	3	3	2	18		.75	1.12	.84	1.59	1.58	.30	.66	1.1	2.1	6.6	.234*	.120

Nitrate

State / Network / Site Name	Overall Rating	Site Rep	Data Comp	N	N BDL	Concentration: Wtd Mean mg/l	Geometric Mean mg/l	Geometric SD mg/l	Arithmetic Mean mg/l	Arithmetic SD mg/l	Percentiles mg/l: Min	25%	50%	75%	Max	K-S D-Statistic: Gau	Log
Ohio																	
NADP																	
Caldwell	2	2B	1	11		1.61	2.00	.62	2.43	1.72	.99	1.22	1.5	3.9	6.1	.273*	.206
Wooster	3	3	2	10		1.74	2.09	.73	2.63	1.91	.61	1.30	2.0	3.6	6.8	.208	.104
MAP3s/PCN																	
Oxford	2	2B	2	20		1.86	1.96	.63	2.44	1.89	.87	1.30	1.8	2.6	6.8	.294*	.192*
UAPSP																	
Zanesville	3	3	2	29		1.66	1.75	.65	2.23	2.06	.66	1.02	1.6	2.7	11.1	.224*	.081
Pennsylvania																	
NADP																	
Kane	2	2A	1	13	1	1.95	1.68	1.30	2.55	1.97	.07	1.23	2.4	3.2	7.9	.206	.258*
Leading Ridge	2	1	2	12		1.96	2.30	.59	2.69	1.65	.94	1.42	2.4	3.4	6.7	.160	.105
MAP3s/PCN																	
Penn State	2	2B	1	19		1.74	1.85	.53	2.10	1.08	.62	1.18	1.7	2.7	4.3	.190	.113
UAPSP																	
Scranton	2	2A	1	24		1.57	2.00	.75	2.70	2.59	.59	1.28	1.8	2.9	10.9	.258*	.150
South Carolina																	
NADP																	
Clemson	3	3	2	10		.79	.98	.66	1.24	1.10	.56	.58	0.8	1.5	4.1	.271*	.197
Tennessee																	
UAPSP																	
Giles County	2	2A	1	22		.73	.79	.81	1.08	.96	.16	.47	0.7	1.3	3.5	.226*	.114
Virginia																	
MAP3s/PCN																	
Virginia	2	2A	1	18		1.55	1.70	.85	2.33	1.94	.35	.85	1.9	3.1	6.8	.251*	.139
West Virginia																	
NADP																	
Parsons	2	2A	2	12		2.11	2.10	.63	2.54	1.83	.88	1.20	2.0	3.6	7.2	.286*	.170
UAPSP																	
Lewisburg	2	2A	1	20		.94	1.05	.81	1.46	1.33	.29	.49	1.0	2.0	5.0	.221*	.101
New Brunswick																	
CANSAP																	
Acadia Fes	3	3	1	3		1.21	1.36	.58	1.52	.92	.84	.84	1.2	2.6	2.6	.322	.278
Charlo	3	3	2	3		.66	.67	.57	.74	.36	.35	.35	0.8	1.1	1.1	.232	.287
St. John	3	3	2	3		.92	.98	.32	1.02	.35	.80	.80	0.8	1.4	1.4	.362	.354
Newfoundland																	
CANSAP																	
Goose	2	2B	2	3	1	.33	.14	2.93	.56	.66	.01	.01	0.4	1.3	1.3	.267	.297
Stephenville	3	3	3	2		.04	.04	.00	.04	.00	.04		0.0		0.0		
Nova Scotia																	
CANSAP																	
Kejimkujik (a)	2	2A	1	3		.87	.98	.69	1.17	.87	.62	.62	0.7	2.2	2.2	.367	.350
Truro	3	3	1	3		.89	.90	.29	.93	.27	.67	.67	0.9	1.2	1.2	.175	.204
APN																	
Kejimkujik (b)	2	2A	1	17	1	.89	.70	1.79	1.71	2.12	.01	.33	0.9	2.4	8.5	.223*	.156

Nitrate

State / Network / Site Name	Overall Rating	Site Rep	Data Comp	N	N BDL	Concentration: Wtd Mean mg/l	Geometric Mean mg/l	Geometric SD mg/l	Arithmetic Mean mg/l	Arithmetic SD mg/l	Percentiles mg/l: Min	25%	50%	75%	Max	K-S D-Statistic: Gau	Log
Ontario																	
CANSAP																	
Dorset (a)	2	1	2	3		2.78	2.88	.20	2.92	.62	2.48	2.48	2.7	3.6	3.6	.333	.322
ELA (a)	2	2A	2	3		2.09	1.66	.59	1.83	.86	.84	.84	2.2	2.4	2.4	.338	.356
Harrow	3	3	2	3		3.27	3.28	.37	3.43	1.26	2.30	2.30	3.2	4.8	4.8	.241	.196
Kingston	3	3	2	3		3.40	3.48	.21	3.53	.69	2.75	2.75	3.8	4.0	4.0	.325	.335
Mount Forest (a)	3	3	3	2		2.82	2.81	.20	2.84	.56	2.44		2.8		3.2	.260	.260
Peterborough	3	3	2	3		3.39	4.29	.82	5.48	4.85	2.48	2.48	2.9	11.1	11.1	.371	.353
Pickle Lake	3	2A	3	2		2.33	1.83	.50	1.95	.94	1.29		1.9		2.6	.260	.260
Simcoe	3	3	1	3		2.88	2.88	.14	2.89	.40	2.48	2.48	2.9	3.3	3.3	.196	.214
APN																	
Chalk River	3	2A	3	27		2.47	2.45	.83	3.36	2.80	.58	1.15	2.5	4.7	11.2	.160	.082
ELA (b)	3	2A	3	8		2.20	.95	1.55	1.89	1.79	.04	.42	1.1	3.6	4.7	.267	.190
Long Point	3	3	1	30		3.62	3.67	.68	4.47	2.76	.93	2.50	4.3	5.5	13.1	.135	.141
Quebec																	
CANSAP																	
Chibougamau	3	3	3	3		1.34	1.33	.07	1.33	.09	1.24	1.24	1.3	1.4	1.4	.175	.178
Maniwaki	2	2B	1	3		2.68	2.63	.14	2.64	.38	2.30	2.30	2.6	3.1	3.1	.244	.227
Nitchequon	3	2B	3	3	1	.12	.04	2.55	.15	.22	.00	.00	0.0	0.4	0.4	.353	.175
Quebec City	3	3	1	3		2.14	2.00	.46	2.14	.97	1.29	1.29	1.9	3.2	3.2	.245	.189
Sept Isles	3	3	2	3		.67	.65	.27	.66	.18	.49	.49	0.7	0.8	0.8	.175	.204
St. Hubert	3	3	3	2		2.45	2.46	.01	2.46	.03	2.44		2.5		2.5	.260	.260

Table 9(a)

Summer Quarter 1980 Unified Data Summary
(Jun 1980, Jul 1980, Aug 1980)

Nitrate

State / Network / Site Name	Period Summarized First Date	Last Date	Overall Rating	Site Data Rep	Site Data Comp	% PCL	% TP	% VSL	% VSMP	% Col Eff	N	N BDL	Wtd Mean mg/l	NO3 Dep g/m2	Total Precip cm
Delaware															
MAP3s/PCN															
Lewes	Jun 1 80	Sep 1 80	2	2A	2	100	99	95	75	84	15		1.93	.40	20.7
Illinois															
NADP															
Argonne	Jun 3 80	Sep 2 80	3	3	1	100	100	100	100	97	13		2.33	.88	38.0
Bondville	Jun 3 80	Sep 2 80	2	2A	2	92	100	85	92	97	11		2.22	.61	27.3
Dixon Springs	Jun 3 80	Sep 2 80	3	2B	3	92	100	69	75	90	9		1.75	.42	23.9
Salem	Jun 3 80	Sep 2 80	1	1	1	100	99	85	85	94	11		1.90	.46	24.4
MAP3s/PCN															
Illinois	Jun 1 80	Sep 1 80	3	2A	3	100	98	89	69	58	22		1.66	.72	43.6
Indiana															
UAPSP															
Fort Wayne	Jun 1 80	Sep 1 80	2	2A	1	100	99	95	83	99	25		1.71	.59	34.4
Rockport	Jun 1 80	Sep 1 80	3	3	1	100	100	100	100	100	21		1.25	.40	32.2
Maine															
NADP															
Caribou	Jun 3 80	Sep 3 80	3	2B	3	93	83	68	82	101	9		1.04	.25	24.3
Michigan															
NADP															
Douglas Lake	Jun 3 80	Sep 2 80	2	1	2	92	100	92	100	103	12		2.43	.32	13.1
Wellston	Jun 3 80	Sep 2 80	3	2A	3	92	73	69	75	99	9		2.29	.65	28.2
Minnesota															
NADP															
Lamberton	Jun 3 80	Sep 2 80	2	1	2	92	100	92	100	94	12		1.83	.46	24.9
Marcell	Jun 3 80	Sep 2 80	2	2B	2	92	100	92	100	91	12		1.00	.31	31.2
Nebraska															
NADP															
Mead	Jun 3 80	Sep 2 80	2	2	2	92	97	85	92	105	11		1.82	.46	25.3
New York															
NADP															
Aurora	Jun 3 80	Sep 2 80	2	2A	2	92	100	85	92	97	11		2.48	.71	28.5
Jasper	Jun 3 80	Sep 2 80	2	2A	2	92	100	85	92	102	11		1.96	.38	19.5
Stilwell Lake	Jun 3 80	Sep 2 80	2	2B	2	92	100	85	91	91	10		2.91	.66	22.5
MAP3s/PCN															
Brookhaven	Jun 1 80	Sep 1 80	2	2B	1	100	99	98	87	98	13		2.62	.42	15.8
Ithaca	Jun 1 80	Sep 1 80	2	2A	1	100	99	99	95	105	18		2.00	.44	21.9
Whiteface	Jun 1 80	Sep 1 80	1	1	1	100	97	96	89	114	31	1	1.38	.44	31.8
North Carolina															
NADP															
Clinton Station	Jun 3 80	Sep 2 80	2	2A	1	100	100	100	100	92	12		1.53	.42	27.4
Coweeta	Jun 3 80	Sep 2 80	2	2A	1	100	100	92	92	94	12		1.29	.33	25.9
Lewiston	Jun 3 80	Sep 2 80	2	2A	2	92	100	85	92	97	11		2.38	.25	10.3
Piedmont Station	Jun 3 80	Sep 2 80	2	2A	2	92	100	77	83	95	10		2.35	.39	16.7
UAPSP															
Raleigh	Jun 1 80	Sep 1 80	3	3	2	100	99	96	79	95	15		1.28	.25	19.7

Nitrate

State / Network / Site Name	Period Summarized First Date	Last Date	Overall Rating	Site Rep	Data Comp	% PCL	% TP	% VSL	% VSMP	% Col Eff	N	N BDL	Wtd Mean mg/l	NO3 Dep g/m2	Total Precip cm
Ohio															
NADP															
Caldwell	Jun 3 80	Sep 2 80	2	2B	1	100	100	100	100	101	13		2.20	.95	43.1
Delaware	Jun 3 80	Sep 2 80	2	2A	1	100	100	100	100	85	13		2.43	1.22	50.1
Wooster	Jun 3 80	Sep 2 80	3	3	1	100	100	100	100	92	12		1.95	.84	43.1
MAP3s/PCN															
Oxford	Jun 1 80	Sep 1 80	3	2B	3	100	87	89	67	73	20		2.06	.85	41.2
UAPSP															
Zanesville	Jun 1 80	Sep 1 80	3	3	1	100	100	99	97	105	30		1.65	.88	53.1
Pennsylvania															
NADP															
Leading Ridge	Jun 3 80	Sep 2 80	2	1	2	92	100	92	100	96	12		2.35	.56	23.6
MAP3s/PCN															
Penn State	Jun 1 80	Sep 1 80	2	2B	1	100	100	100	100	113	24		2.36	.60	25.4
UAPSP															
Scranton	Jun 1 80	Sep 1 80	2	2A	1	100	100	100	100	106	26		1.96	.29	14.8
Virginia															
MAP3s/PCN															
Virginia	Jun 1 80	Sep 1 80	3	2A	3	100	64	92	68	98	15		2.01	.46	23.0
West Virginia															
NADP															
Parsons	Jun 3 80	Sep 2 80	2	2A	1	100	100	100	100	92	13		1.95	.89	45.6
UAPSP															
Lewisburg	Jun 1 80	Sep 1 80	2	2A	1	100	100	99	96	103	26		1.47	.40	27.4
Wisconsin															
NADP															
Spooner	Jun 1 80	Sep 2 80	2	1	2	98	75	83	85	86	11		1.98	.64	32.1
Trout Lake	Jun 3 80	Sep 2 80	1	1	1	100	100	100	100	94	13		1.26	.47	37.2
New Brunswick															
CANSAP															
Acadia Fes	May 31 80	Aug 31 80	3	3	1	100	100	100	100	96	3		1.08	.37	34.3
Charlo	May 31 80	Aug 30 80	3	3	1	100	100	100	100	83	3		.62	.25	40.3
St. John	May 31 80	Aug 31 80	3	3	1	100	100	100	100	81	3		1.64	.59	35.9
Newfoundland															
CANSAP															
Goose	May 31 80	Aug 31 80	2	2B	1	100	100	100	100	83	3	1	.15	.05	35.1
Nova Scotia															
CANSAP															
Kejimkujik (a)	Jun 2 80	Aug 31 80	2	2A	2	100	100	100	100	76	3		1.13	.21	18.3
Shelburne	May 31 80	Aug 31 80	2	2A	1	100	100	100	100	91	3		1.87	.38	20.5
Truro	May 31 80	Sep 1 80	3	3	2	100	100	100	100	79	3		1.53	.33	21.8
APN															
Kejimkujik (b)	Jun 1 80	Sep 1 80	2	2A	2	99	95	92	70	98	14	1	1.07	.20	18.5

Nitrate

State / Network / Site Name	Period Summarized First Date	Period Summarized Last Date	Overall Rating	Site Rep	Data Comp	% PCL	% TP	% VSL	% VSMP	% Col Eff	N	N BDL	Wtd Mean mg/l	NO3 Dep g/m2	Total Precip cm
Ontario															
CANSAP															
Atikokan	May 31 80	Aug 31 80	3	3	1	100	100	100	100	91	3		.96	.28	28.7
Dorset (a)	May 31 80	Sep 1 80	3	1	3	100	73	66	67	93	2		1.74	.73	42.2
Harrow	Jun 1 80	Sep 2 80	3	3	1	100	100	100	100	95	3		2.16	.97	44.9
Kingston	May 31 80	Aug 30 80	3	3	1	100	100	100	100	90	3		2.71	.68	24.9
Mount Forest (a)	Jun 1 80	Sep 1 80	3	3	1	100	100	100	100	84	3		4.32	1.08	25.0
Simcoe	May 31 80	Aug 31 80	3	3	1	100	100	100	100	90	3		2.66	.63	23.5
APN															
Chalk River	Jun 1 80	Sep 1 80	2	2A	2	100	94	87	71	96	30		1.63	.56	34.0
Long Point	Jun 1 80	Sep 1 80	3	3	2	100	97	92	75	97	21		2.44	.74	30.2
APIOS-C															
Bear Island	May 29 80	Sep 2 80	2	2A	1	100	100	100	100	87	3		1.38	.34	25.0
Dorset (c)	May 31 80	Sep 2 80	1	1	1	100	100	100	100	87	3		1.94	.79	40.4
Killarney	May 28 80	Sep 2 80	3	2A	3	100	67	62	67	90	2		2.78	.64	23.1
Ramsey	May 29 80	Sep 2 80	2	2A	2	96	100	96	100	79	3		1.06	.21	19.6
Quebec															
CANSAP															
Chibougamau	May 30 80	Aug 31 80	3	3	1	100	100	100	100	85	3		.38	.14	36.5
Fort Chimo	May 31 80	Aug 31 80	2	2B	2	100	100	100	100	63	3	1	.24	.03	10.9
Maniwaki	May 31 80	Sep 1 80	2	2B	1	100	100	100	100	90	3		1.51	.53	35.0
Nitchequon	May 31 80	Aug 31 80	2	2B	1	100	100	100	100	92	3	1	.06	.02	35.9
Quebec City	May 31 80	Aug 31 80	3	3	1	100	100	100	100	86	3		1.58	.50	31.8
St. Hubert	May 31 80	Aug 31 80	3	3	1	100	100	100	100	84	3		1.82	.55	30.5

Table 9(b)

Summer Quarter 1980 Unified Data Summary
(Jun 1980, Jul 1980, Aug 1980)

28-Jun-1985
Page 1

Nitrate

State / Network / Site Name	Overall Rating	Site Rep	Data Comp	N	N BDL	Concentration: Wtd Mean mg/l	Geometric Mean mg/l	Geometric SD mg/l	Arithmetic Mean mg/l	Arithmetic SD mg/l	Percentiles mg/l: Min	25%	50%	75%	Max	K-S D-Statistic: Gau	Log
Delaware																	
MAP3s/PCN																	
Lewes	2	2A	2	15		1.93	2.43	.64	2.96	2.14	.87	1.43	2.4	3.9	9.3	.185	.116
Illinois																	
NADP																	
Argonne	3	3	1	13		2.33	2.55	.35	2.70	.98	1.37	2.01	2.5	3.2	5.0	.184	.149
Bondville	2	2A	2	11		2.22	3.07	.64	3.89	3.68	1.72	1.94	2.5	4.0	14.4	.303*	.182
Dixon Springs	3	2B	3	9		1.75	1.96	.41	2.13	1.01	1.16	1.46	1.8	2.7	4.3	.263	.204
Salem	1	1	1	11		1.90	2.41	.55	2.78	1.71	1.01	1.60	2.1	3.8	7.0	.265*	.195
MAP3s/PCN																	
Illinois	3	2A	3	22		1.66	1.83	.63	2.17	1.29	.41	1.41	1.7	2.8	4.7	.183	.139
Indiana																	
UAPSP																	
Fort Wayne	2	2A	1	25		1.71	1.97	.68	2.41	1.62	.27	1.37	1.8	3.2	7.2	.191*	.087
Rockport	3	3	1	21		1.25	1.76	.77	2.48	3.07	.36	1.11	1.8	2.8	15.3	.337*	.152
Maine																	
NADP																	
Caribou	3	2B	3	9		1.04	1.21	.61	1.49	1.27	.65	.76	1.1	1.6	4.7	.289*	.174
Michigan																	
NADP																	
Douglas Lake	2	1	2	12		2.43	3.04	.96	4.52	4.67	.36	2.10	2.6	4.5	17.1	.321*	.218
Wellston	3	2A	3	9		2.29	2.63	.48	2.97	1.94	1.63	1.86	2.3	3.2	7.9	.281*	.180
Minnesota																	
NADP																	
Lamberton	2	1	2	12		1.83	2.35	.67	3.06	3.09	1.10	1.34	2.2	2.9	12.4	.339*	.198
Marcell	2	2B	2	12		1.00	1.50	.57	1.73	1.02	.50	.97	1.7	2.1	4.4	.167	.137
Nebraska																	
NADP																	
Mead	2	2	2	11		1.82	2.01	.78	2.69	2.30	.76	1.09	2.0	3.4	7.5	.216	.148
New York																	
NADP																	
Aurora	2	2A	2	11		2.48	2.60	.52	2.90	1.29	.95	2.32	2.6	3.7	5.3	.158	.230
Jasper	2	2A	2	11		1.96	2.22	.46	2.46	1.26	1.16	1.60	2.0	3.1	5.5	.192	.142
Stilwell Lake	2	2B	2	10		2.91	3.62	.59	4.25	2.70	1.43	2.34	3.5	6.1	10.4	.244	.141
MAP3s/PCN																	
Brookhaven	2	2B	1	13		2.62	2.50	.90	3.43	2.78	.29	1.74	2.3	4.9	10.5	.230	.169
Ithaca	2	2A	1	18		2.00	1.99	.55	2.35	1.62	1.12	1.29	1.6	3.0	6.8	.244*	.230*
Whiteface	1	1	1	31	1	1.38	1.24	1.15	1.86	1.84	.02	.87	1.5	2.4	9.9	.243*	.163*
North Carolina																	
NADP																	
Clinton Station	2	2A	1	12		1.53	2.01	1.17	3.06	2.72	.09	1.46	2.6	3.8	10.5	.270*	.240
Coweeta	2	2A	1	12		1.29	1.55	.37	1.64	.57	.85	1.08	1.8	1.9	2.8	.148	.190
Lewiston	2	2A	2	11		2.38	2.83	.58	3.24	1.71	.76	1.95	3.2	3.7	7.5	.244	.233
Piedmont Station	2	2A	2	10		2.35	3.07	.47	3.35	1.37	1.53	1.75	3.6	4.2	5.7	.170	.227
UAPSP																	
Raleigh	3	3	2	15		1.28	1.76	.68	2.26	2.29	.40	1.26	1.7	2.3	10.3	.385*	.227*

Nitrate

State / Network / Site Name	Overall Rating	Site Rep	Data Comp	N	N BDL	Wtd Mean mg/l	Geometric Mean mg/l	Geometric SD mg/l	Arithmetic Mean mg/l	Arithmetic SD mg/l	Concentration mg/l Percentiles Min	25%	50%	75%	Max	K-S D-Statistic Gau	K-S D-Statistic Log
Ohio																	
NADP																	
Caldwell	2	2B	1	13		2.20	2.66	.64	3.36	3.20	1.06	1.96	2.8	3.0	13.6	.388*	.267*
Delaware	2	2A	1	13		2.43	2.46	.20	2.51	.52	1.79	2.08	2.3	2.9	3.4	.202	.177
Wooster	3	3	1	12		1.95	2.35	.44	2.56	1.07	1.00	1.68	2.5	3.3	4.5	.147	.133
MAP3s/PCN																	
Oxford	3	2B	3	20		2.06	2.20	.46	2.44	1.14	1.05	1.47	2.0	3.3	5.0	.194*	.143
UAPSP																	
Zanesville	3	3	1	30		1.65	1.72	.57	1.96	.92	.29	1.27	1.8	2.6	4.4	.077	.126
Pennsylvania																	
NADP																	
Leading Ridge	2	1	2	12		2.35	2.96	.42	3.22	1.49	1.75	2.02	3.0	4.0	7.0	.163	.148
MAP3s/PCN																	
Penn State	2	2B	1	24		2.36	2.56	.55	2.98	1.89	.81	1.74	2.6	3.7	9.9	.187*	.097
UAPSP																	
Scranton	2	2A	1	26		1.96	2.30	.49	2.58	1.29	1.02	1.60	2.1	3.6	5.8	.162	.099
Virginia																	
MAP3s/PCN																	
Virginia	3	2A	3	15		2.01	2.23	.62	2.79	2.34	.99	1.43	1.9	2.5	9.3	.341*	.223*
West Virginia																	
NADP																	
Parsons	2	2A	1	13		1.95	2.44	.53	2.79	1.60	1.06	1.57	2.3	3.5	6.5	.213	.114
UAPSP																	
Lewisburg	2	2A	1	26		1.47	1.61	.46	1.79	.89	.62	1.17	1.6	2.0	4.4	.210*	.129
Wisconsin																	
NADP																	
Spooner	2	1	2	11		1.98	1.96	.37	2.08	.75	1.18	1.38	2.1	2.7	3.4	.161	.138
Trout Lake	1	1	1	13		1.26	1.24	.41	1.33	.52	.60	.86	1.3	1.9	2.1	.143	.134
New Brunswick																	
CANSAP																	
Acadia Fes	3	3	1	3		1.08	1.00	.44	1.06	.42	.62	.62	1.1	1.5	1.5	.211	.259
Charlo	3	3	1	3		.62	.65	.67	.76	.55	.40	.40	0.5	1.4	1.4	.357	.331
St. John	3	3	1	3		1.64	1.59	.14	1.60	.23	1.46	1.46	1.5	1.9	1.9	.382	.381
Newfoundland																	
CANSAP																	
Goose	2	2B	1	3	1	.15	.05	2.16	.14	.18	.01	.01	0.1	0.4	0.4	.318	.202
Nova Scotia																	
CANSAP																	
Kejimkujik (a)	2	2A	2	3		1.13	1.19	.33	1.23	.37	.82	.82	1.3	1.6	1.6	.267	.295
Shelburne	2	2A	1	3		1.87	2.13	.74	2.52	1.65	.97	.97	2.3	4.3	4.3	.209	.218
Truro	3	3	2	3		1.53	1.46	.21	1.48	.30	1.15	1.15	1.6	1.7	1.7	.277	.294
APN																	
Kejimkujik (b)	2	2A	2	14	1	1.07	.75	1.63	1.33	1.07	.01	.53	1.1	1.8	3.5	.200	.241*

Nitrate

State / Network / Site Name	Overall Rating	Site Rep	Data Comp	N	N BDL	Concentration: Wtd Mean mg/l	Geometric Mean mg/l	Geometric SD mg/l	Arithmetic Mean mg/l	Arithmetic SD mg/l	Percentiles mg/l: Min	25%	50%	75%	Max	K-S D-Statistic: Gau	Log
Ontario																	
CANSAP																	
Atikokan	3	3	1	3		.96	.96	.12	.96	.11	.84	.84	1.0	1.1	1.1	.221	.235
Dorset (a)	3	1	3	2		1.74	1.65	.68	1.84	1.16	1.02		1.8		2.7	.260	.260
Harrow	3	3	1	3		2.16	2.20	.26	2.24	.59	1.73	1.73	2.1	2.9	2.9	.247	.216
Kingston	3	3	1	3		2.71	2.81	.41	2.97	1.18	1.86	1.86	2.8	4.2	4.2	.212	.177
Mount Forest (a)	3	3	1	3		4.32	4.44	.41	4.71	2.07	3.28	3.28	3.8	7.1	7.1	.342	.322
Simcoe	3	3	1	3		2.66	2.65	.17	2.67	.44	2.17	2.17	2.9	3.0	3.0	.349	.354
APN																	
Chalk River	2	2A	2	30		1.63	1.53	.76	2.03	1.59	.40	.87	1.4	2.9	5.7	.240*	.125
Long Point	3	3	2	21		2.44	2.46	.42	2.67	1.04	1.01	1.97	2.6	3.3	5.0	.096	.101
APIOS-C																	
Bear Island	2	2A	1	3		1.38	1.36	.37	1.42	.47	.89	.89	1.6	1.8	1.8	.314	.333
Dorset (c)	1	1	1	3		1.94	1.94	.46	2.07	.82	1.15	1.15	2.3	2.7	2.7	.280	.313
Killarney	3	2A	3	2		2.78	2.70	.17	2.72	.47	2.39		2.7		3.1	.260	.260
Ramsey	2	2A	2	3		1.06	1.06	.40	1.12	.49	.80	.80	0.9	1.7	1.7	.353	.338
Quebec																	
CANSAP																	
Chibougamau	3	3	1	3		.38	.33	.86	.41	.31	.13	.13	0.4	0.7	0.7	.239	.203
Fort Chimo	2	2B	2	3	1	.24	.09	2.50	.26	.25	.01	.01	0.3	0.5	0.5	.178	.330
Maniwaki	2	2B	1	3		1.51	1.50	.21	1.52	.34	1.29	1.29	1.4	1.9	1.9	.337	.327
Nitchequon	2	2B	1	3	1	.06	.03	1.67	.06	.07	.01	.01	0.0	0.1	0.1	.280	.206
Quebec City	3	3	1	3		1.58	1.58	.18	1.60	.29	1.33	1.33	1.6	1.9	1.9	.227	.204
St. Hubert	3	3	1	3		1.82	2.09	.54	2.30	1.27	1.29	1.29	1.9	3.7	3.7	.290	.235

Table 10(a)

Autumn Quarter 1980 Unified Data Summary
(Sep 1980, Oct 1980, Nov 1980)

28-Jun-1985
Page 1

Nitrate

State / Network / Site Name	Period Summarized First Date	Last Date	Overall Rating	Site Data Rep	Comp	% PCL	% TP	% VSL	% VSMP	% Col Eff	N	N BDL	Wtd Mean mg/l	NO3 Dep g/m2	Total Precip cm
Delaware															
MAP3s/PCN															
Lewes	Sep 1 80	Dec 1 80	2	2A	1	100	100	99	94	112	17		1.11	.24	21.7
Indiana															
NADP															
Indiana Dunes	Sep 2 80	Dec 2 80	3	3	1	100	100	85	85	99	11		2.58	.38	14.6
UAPSP															
Fort Wayne	Sep 1 80	Dec 1 80	2	2A	1	100	99	97	88	95	22		1.71	.25	14.5
Rockport	Sep 1 80	Dec 1 80	3	3	2	100	100	99	92	75	12		.72	.16	22.0
Massachusetts															
UAPSP															
Turners Falls	Sep 1 80	Dec 1 80	2	2A	1	100	100	100	100	98	18		1.55	.28	18.4
Michigan															
NADP															
Douglas Lake	Sep 2 80	Dec 2 80	2	1	2	92	100	92	100	95	12	1	1.90	.23	12.1
Kellogg	Sep 2 80	Dec 2 80	2	2A	2	92	100	92	100	98	12		2.35	.36	15.3
Wellston	Sep 2 80	Dec 2 80	2	2A	1	100	100	100	100	96	13		1.51	.37	24.3
New Hampshire															
NADP															
Hubbard Brook	Sep 2 80	Dec 2 80	2	1	2	92	100	92	100	100	11		1.89	.55	28.9
New York															
NADP															
Aurora	Sep 2 80	Dec 2 80	2	2A	1	100	100	100	100	93	13		2.32	.50	21.6
Chautauqua	Sep 2 80	Dec 2 80	2	2A	1	100	90	85	85	97	11		1.86	.65	34.9
Huntington	Sep 2 80	Dec 2 80	2	2B	2	92	91	85	92	103	11		1.86	.41	22.0
Jasper	Sep 2 80	Dec 2 80	2	2A	1	100	100	100	100	96	13		1.20	.18	14.8
Stilwell Lake	Sep 2 80	Dec 2 80	2	2B	2	92	100	85	92	88	11		1.33	.34	25.6
MAP3s/PCN															
Brookhaven	Sep 1 80	Dec 1 80	2	2B	1	99	97	97	87	83	13		.87	.18	21.0
Ithaca	Sep 1 80	Dec 1 80	2	2A	1	100	92	96	83	97	19		1.70	.46	26.8
Whiteface	Sep 1 80	Dec 1 80	1	1	1	100	100	99	96	105	25		1.51	.49	32.5
North Carolina															
NADP															
Clinton Station	Sep 2 80	Dec 2 80	2	2A	1	100	100	92	92	94	12		.88	.28	31.7
Coweeta	Sep 2 80	Dec 2 80	2	2A	1	100	100	92	92	92	11		.82	.28	34.3
Finley (A)	Sep 2 80	Dec 2 80	2	2A	1	100	100	92	92	98	12		1.41	.33	23.7
Lewiston	Sep 2 80	Dec 2 80	2	2A	1	100	100	92	92	96	12	1	.91	.21	23.4
Piedmont Station	Sep 2 80	Dec 2 80	2	2A	1	100	100	85	85	92	11		1.38	.44	31.7
UAPSP															
Raleigh	Sep 1 80	Dec 1 80	3	3	1	100	99	98	91	94	21		1.25	.30	23.7
Ohio															
NADP															
Caldwell	Sep 2 80	Dec 2 80	2	2B	2	92	100	92	100	99	11		1.65	.22	13.6
Delaware	Sep 2 80	Dec 2 80	2	2A	1	100	100	85	85	92	11		1.89	.30	15.7
Wooster	Sep 2 80	Dec 2 80	3	3	2	92	100	85	92	94	11		1.75	.22	12.7
UAPSP															
Zanesville	Sep 1 80	Dec 1 80	3	3	2	100	98	99	95	76	21		1.62	.37	23.0

Nitrate

State / Network / Site Name	Period Summarized First Date	Last Date	Overall Rating	Site Rep	Data Comp	% PCL	% TP	% VSL	% VSMP	% Col Eff	N	N BDL	Wtd Mean mg/l	NO3 Dep g/m2	Total Precip cm
Pennsylvania															
NADP															
Leading Ridge	Sep 2 80	Dec 2 80	2	1	2	92	100	92	100	91	12		1.63	.36	22.1
MAP3s/PCN															
Penn State	Sep 1 80	Dec 1 80	2	2B	1	100	100	99	94	102	15		1.55	.27	17.7
UAPSP															
Scranton	Sep 1 80	Dec 1 80	2	2A	1	100	100	100	100	100	20		1.30	.23	17.6
South Carolina															
NADP															
Clemson	Sep 2 80	Dec 2 80	3	3	1	100	100	85	85	98	11		.77	.26	33.4
Tennessee															
NADP															
Walker Branch	Sep 2 80	Dec 2 80	2	2A	2	92	100	85	92	105	11		1.27	.24	19.1
West Virginia															
NADP															
Parsons	Sep 2 80	Dec 2 80	2	2A	1	100	100	100	100	95	13		1.66	.39	23.6
UAPSP															
Lewisburg	Sep 1 80	Dec 1 80	2	2A	2	100	100	100	100	70	17		.94	.11	11.6
Wisconsin															
NADP															
Trout Lake	Sep 2 80	Dec 2 80	1	1	1	100	100	92	92	93	12		1.62	.38	23.3
New Brunswick															
CANSAP															
Acadia Fes	Aug 31 80	Nov 30 80	3	3	1	100	100	100	100	88	3		1.23	.55	44.3
Charlo	Aug 30 80	Nov 30 80	3	3	1	100	100	100	100	81	3		.69	.22	31.7
St. John	Aug 31 80	Nov 30 80	3	3	1	100	100	100	100	86	3	1	.77	.35	45.0
Newfoundland															
CANSAP															
Gander	Sep 1 80	Dec 1 80	3	3	2	100	100	100	100	70	3		.27	.10	36.0
Goose	Aug 31 80	Dec 1 80	2	2B	1	100	100	100	100	86	3	1	.20	.07	36.1
Nova Scotia															
CANSAP															
Kejimkujik (a)	Aug 31 80	Nov 30 80	2	2A	1	100	100	100	100	102	3		.30	.12	39.3
Shelburne	Aug 31 80	Nov 30 80	2	2A	1	100	100	100	100	95	3		.59	.24	40.4
Truro	Sep 1 80	Nov 30 80	3	3	2	100	100	100	100	79	3		1.09	.35	32.2

Nitrate

State / Network / Site Name	Period Summarized First Date	Last Date	Overall Rating	Site Rep	Data Comp	% PCL	% TP	% VSL	% VSMP	% Col Eff	N	N BDL	Wtd Mean mg/l	NO3 Dep g/m2	Total Precip cm
Ontario															
CANSAP															
Atikokan	Aug 31 80	Nov 30 80	3	3	1	100	100	100	100	92	3		.77	.19	25.0
Dorset (a)	Sep 1 80	Nov 27 80	1	1	1	100	100	100	100	82	3		1.87	.53	28.1
ELA (a)	Aug 31 80	Nov 30 80	2	2A	1	100	100	100	100	83	3		.70	.11	15.9
Harrow	Sep 2 80	Nov 30 80	3	3	1	100	100	100	100	84	3		2.76	.39	14.2
Moosonee	Sep 1 80	Nov 30 80	2	2B	1	100	100	100	100	81	3		.64	.15	23.4
Mount Forest (a)	Sep 1 80	Dec 1 80	3	3	1	100	100	100	100	91	3		2.31	.67	28.9
Simcoe	Aug 31 80	Nov 30 80	3	3	1	100	100	100	100	96	3		2.31	.52	22.5
Trout Lake	Aug 31 80	Nov 30 80	3	2B	3	100	69	66	67	83	2		2.43	.57	23.5
APIOS-D															
Dorset (b)	Sep 1 80	Dec 1 80	1	1	1	100	99	98	94	98	34		2.04	.57	27.7
Longwoods (b)	Sep 1 80	Dec 1 80	2	2B	1	100	97	97	88	99	22		2.26	.43	19.2
Railton	Sep 1 80	Dec 1 80	2	1	2	100	98	93	79	98	22		2.85	.73	25.5
APN															
Chalk River	Sep 1 80	Dec 1 80	3	2A	3	99	93	84	65	97	26	1	1.72	.47	27.1
ELA (b)	Sep 1 80	Dec 1 80	2	2A	2	100	96	93	79	85	22	3	.73	.12	15.9
Long Point	Sep 1 80	Dec 1 80	3	3	1	100	96	95	80	98	20		2.41	.52	21.4
APIOS-C															
Alvinston	Sep 1 80	Nov 28 80	2	2A	2	95	100	95	100	73	3		3.22	.56	17.5
Campbellford	Sep 1 80	Nov 28 80	2	2A	2	97	100	97	100	69	3		3.60	.67	18.7
Colchester	Sep 1 80	Nov 28 80	2	2A	1	99	100	99	100	92	3		3.43	.37	10.7
Dalhousie Mills	Sep 1 80	Nov 28 80	3	2B	3	98	100	98	100	57	3		2.71	.77	28.2
Dorion	Sep 1 80	Nov 28 80	1	1	1	99	100	99	100	85	3		1.10	.30	27.4
Dorset (c)	Sep 2 80	Nov 28 80	1	1	1	100	100	100	100	97	3		1.51	.40	26.2
Ear Falls	Sep 1 80	Nov 30 80	3	3	2	99	100	99	100	66	3		.49	.08	15.5
Golden Lake	Sep 1 80	Dec 1 80	2	1	2	99	100	99	100	61	3		1.86	.49	26.6
Gowganda	Sep 2 80	Nov 28 80	2	2A	1	100	100	100	100	94	3		1.22	.24	19.7
Kaladar	Sep 1 80	Nov 28 80	3	1	3	99	100	99	100	59	3		2.38	.67	28.2
Killarney	Sep 2 80	Nov 28 80	2	2A	1	100	100	100	100	93	3		2.26	.46	20.5
Moonbeam	Sep 1 80	Dec 2 80	2	2A	2	99	100	99	100	61	3		1.57	.24	15.2
Nakina	Sep 1 80	Nov 28 80	3	3	3	99	67	64	67	106	2		.69	.10	14.2
Palmerson	Sep 1 80	Nov 28 80	2	2A	2	99	100	99	100	61	3		2.68	.71	26.3
Port Stanley	Sep 1 80	Nov 28 80	3	2B	3	99	100	99	100	58	3		3.38	.75	22.1
Ramsey	Sep 2 80	Nov 28 80	2	2A	1	100	100	100	100	81	3		1.06	.20	19.0
Smith's Falls	Sep 1 80	Nov 28 80	3	3	3	98	73	66	67	54	2		2.12	.53	24.8
Uxbridge	Sep 1 80	Nov 30 80	2	2B	2	99	100	99	100	63	3		3.12	.66	21.2
Waterloo	Sep 1 80	Nov 28 80	2	2A	2	100	100	100	100	66	3		2.68	.49	18.1
Whitney	Sep 1 80	Nov 28 80	1	1	1	99	100	99	100	87	3		1.43	.34	23.7
Wilkesport	Sep 1 80	Nov 28 80	2	2A	2	98	100	98	100	80	3		3.34	.51	15.3
Quebec															
CANSAP															
Chibougamau	Aug 31 80	Dec 2 80	3	3	2	100	100	100	100	63	3		1.00	.34	33.8
Nitchequon	Aug 31 80	Nov 30 80	2	2B	2	100	100	100	100	61	3	1	.29	.07	22.8
Quebec City	Aug 31 80	Dec 5 80	3	3	1	100	100	100	100	85	3		1.72	.73	42.6
Sept Isles	Aug 31 80	Nov 30 80	3	3	1	100	100	100	100	81	3		.91	.35	38.6
St. Hubert	Aug 31 80	Nov 30 80	3	3	1	100	100	100	100	86	3		2.31	.78	33.9

Table 10(b)

Autumn Quarter 1980 Unified Data Summary
(Sep 1980, Oct 1980, Nov 1980)

28-Jun-1985
Page 1

Nitrate

State / Network / Site Name	Overall Rating	Site Rep	Data Comp	N	N BDL	Concentration: Wtd Mean mg/l	Geometric Mean mg/l	Geometric SD mg/l	Arithmetic Mean mg/l	Arithmetic SD mg/l	Percentiles mg/l: Min	25%	50%	75%	Max	K-S D-Statistic: Gau	Log
Delaware																	
MAP3s/PCN																	
Lewes	2	2A	1	17		1.11	1.25	.82	1.65	1.28	.18	.78	1.2	2.5	5.3	.184	.125
Indiana																	
NADP																	
Indiana Dunes	3	3	1	11		2.58	3.33	.53	3.72	1.68	1.04	2.57	3.5	4.6	6.4	.123	.150
UAPSP																	
Fort Wayne	2	2A	1	22		1.71	1.99	.68	2.42	1.46	.57	1.25	2.1	3.4	6.0	.112	.099
Rockport	3	3	2	12		.72	1.06	.84	1.41	1.06	.17	.64	1.1	2.1	4.0	.180	.115
Massachusetts																	
UAPSP																	
Turners Falls	2	2A	1	18		1.55	1.83	1.07	2.85	2.63	.16	1.06	1.8	4.6	9.9	.260*	.112
Michigan																	
NADP																	
Douglas Lake	2	1	2	12	1	1.90	1.36	1.63	2.17	1.14	.02	1.12	2.5	3.0	3.7	.212	.293*
Kellogg	2	2A	2	12		2.35	2.72	.42	2.95	1.27	1.45	2.23	2.6	4.1	5.3	.203	.150
Wellston	2	2A	1	13		1.51	1.56	.57	1.77	.80	.43	1.11	1.9	2.4	3.2	.143	.174
New Hampshire																	
NADP																	
Hubbard Brook	2	1	2	11		1.89	1.67	.77	2.12	1.43	.37	.90	1.7	3.9	4.3	.215	.136
New York																	
NADP																	
Aurora	2	2A	1	13		2.32	2.57	.67	3.03	1.49	.56	1.84	2.7	4.3	5.1	.212	.212
Chautauqua	2	2A	1	11		1.86	1.72	.80	2.17	1.26	.30	1.13	2.1	3.1	3.9	.176	.197
Huntington	2	2B	2	11		1.86	1.67	.99	2.15	1.09	.10	1.49	2.2	2.8	4.4	.183	.312*
Jasper	2	2A	1	13		1.20	1.69	1.02	2.34	1.55	.12	1.05	2.1	4.2	4.5	.178	.168
Stillwell Lake	2	2B	2	11		1.33	1.44	.83	1.94	1.55	.41	.62	1.6	2.6	5.0	.179	.118
MAP3s/PCN																	
Brookhaven	2	2B	1	13		.87	1.14	.95	1.63	1.41	.14	.60	1.2	2.4	5.1	.222	.131
Ithaca	2	2A	1	19		1.70	1.87	.93	2.51	1.64	.18	1.24	2.6	3.5	6.8	.116	.177
Whiteface	1	1	1	25		1.51	1.46	.52	1.64	.75	.34	.99	1.6	2.1	3.6	.100	.137
North Carolina																	
NADP																	
Clinton Station	2	2A	1	12		.88	.95	.61	1.11	.65	.32	.70	1.0	1.3	2.5	.226	.127
Coweeta	2	2A	1	11		.82	1.02	.65	1.24	.88	.43	.52	0.9	1.8	3.4	.252*	.133
Finley (A)	2	2A	1	12		1.41	1.25	.54	1.41	.72	.42	.91	1.2	1.9	3.0	.163	.162
Lewiston	2	2A	1	12	1	.91	.72	1.42	1.33	1.35	.05	.53	1.0	1.6	4.9	.242*	.223
Piedmont Station	2	2A	1	11		1.38	1.30	.53	1.49	.88	.73	.82	1.1	2.1	3.2	.210	.194
UAPSP																	
Raleigh	3	3	1	21		1.25	1.11	.77	1.41	.88	.26	.59	1.6	1.9	3.6	.169	.261*
Ohio																	
NADP																	
Caldwell	2	2B	2	11		1.65	2.21	.86	3.22	3.48	.78	1.07	1.6	4.3	12.8	.277*	.199
Delaware	2	2A	1	11		1.89	2.14	.59	2.52	1.57	1.18	1.22	1.7	4.2	5.2	.249*	.204
Wooster	3	3	2	11		1.75	1.97	.51	2.23	1.19	.98	1.30	1.7	2.9	4.7	.226	.172
UAPSP																	
Zanesville	3	3	2	21		1.62	2.18	.80	2.85	2.11	.41	1.36	2.5	3.9	9.1	.175	.090

Nitrate

State / Network / Site Name	Overall Rating	Site Rep	Data Comp	N	N BDL	Concentration: Wtd Mean mg/l	Geometric Mean mg/l	Geometric SD mg/l	Arithmetic Mean mg/l	Arithmetic SD mg/l	Percentiles mg/l: Min	25%	50%	75%	Max	K-S D-Statistic: Gau	Log
Pennsylvania																	
NADP																	
Leading Ridge	2	1	2	12		1.63	1.82	1.03	2.64	2.01	.27	.87	2.3	3.8	7.0	.130	.200
MAP3s/PCN																	
Penn State	2	2B	1	15		1.55	2.46	1.11	3.90	3.34	.44	.56	3.1	7.4	10.5	.239*	.179
UAPSP																	
Scranton	2	2A	1	20		1.30	1.61	.77	2.02	1.21	.30	1.11	1.7	2.8	4.4	.169	.180
South Carolina																	
NADP																	
Clemson	3	3	1	11		.77	.79	.80	1.00	.61	.16	.36	1.1	1.3	2.1	.159	.228
Tennessee																	
NADP																	
Walker Branch	2	2A	2	11		1.27	1.43	.51	1.61	.84	.72	.96	1.2	2.3	3.1	.251*	.205
West Virginia																	
NADP																	
Parsons	2	2A	1	13		1.66	1.89	.77	2.42	1.62	.60	.85	2.2	3.8	5.4	.179	.154
UAPSP																	
Lewisburg	2	2A	2	17		.94	1.32	.73	1.66	1.08	.35	.73	1.5	2.3	3.7	.126	.104
Wisconsin																	
NADP																	
Trout Lake	1	1	1	12		1.62	1.14	.88	1.51	1.08	.15	.77	1.3	2.3	3.9	.195	.158
New Brunswick																	
CANSAP																	
Acadia Fes	3	3	1	3		1.23	1.12	.51	1.21	.51	.62	.62	1.5	1.6	1.6	.352	.363
Charlo	3	3	1	3		.69	.67	.21	.68	.13	.53	.53	0.8	0.8	0.8	.368	.371
St. John	3	3	1	3	1	.77	.18	3.11	.73	.63	.01	.01	1.1	1.1	1.1	.376	.383
Newfoundland																	
CANSAP																	
Gander	3	3	2	3		.27	.29	.61	.33	.22	.19	.19	0.2	0.6	0.6	.355	.332
Goose	2	2B	1	3	1	.20	.08	2.40	.21	.18	.01	.01	0.3	0.4	0.4	.312	.366
Nova Scotia																	
CANSAP																	
Kejimkujik (a)	2	2A	1	3		.30	.27	1.24	.44	.51	.09	.09	0.2	1.0	1.0	.343	.246
Shelburne	2	2A	1	3		.59	.61	.27	.62	.15	.45	.45	0.7	0.8	0.8	.273	.295
Truro	3	3	2	3		1.09	1.05	.34	1.09	.36	.74	.74	1.1	1.5	1.5	.191	.187

Nitrate

State / Network / Site Name	Overall Rating	Site Rep	Data Comp	N	N BDL	Concentration: Wtd Mean mg/l	Geometric Mean mg/l	Geometric SD mg/l	Arithmetic Mean mg/l	Arithmetic SD mg/l	Percentiles mg/l: Min	25%	50%	75%	Max	K-S D-Statistic: Gau	Log
Ontario																	
CANSAP																	
Atikokan	3	3	1	3		.77	.92	.47	.99	.45	.58	.58	0.9	1.5	1.5	.214	.180
Dorset (a)	1	1	1	3		1.87	1.94	.47	2.09	1.00	1.29	1.29	1.8	3.2	3.2	.291	.245
ELA (a)	2	2A	1	3		.70	.62	.37	.64	.23	.42	.42	0.6	0.9	0.9	.207	.177
Harrow	3	3	1	3		2.76	2.93	.26	3.00	.82	2.48	2.48	2.6	4.0	4.0	.366	.361
Moosonee	2	2B	1	3		.64	.67	.72	.80	.63	.40	.40	0.5	1.5	1.5	.360	.335
Mount Forest (a)	3	3	1	3		2.31	2.50	.51	2.75	1.53	1.86	1.86	1.9	4.5	4.5	.385	.385
Simcoe	3	3	1	3		2.31	2.42	.32	2.51	.85	1.99	1.99	2.0	3.5	3.5	.376	.373
Trout Lake	3	2B	3	2		2.43	2.24	.14	2.25	.32	2.02		2.3		2.5	.260	.260
APIOS-D																	
Dorset (b)	1	1	1	34		2.04	2.05	.84	2.90	2.83	.40	1.26	1.9	3.6	15.3	.199*	.055
Longwoods (b)	2	2B	1	22		2.26	2.19	.85	2.86	1.79	.18	1.32	2.5	4.6	6.1	.131	.121
Railton	2	1	2	22		2.85	2.91	.88	3.90	2.95	.22	2.04	3.3	4.7	13.3	.201*	.161
APN																	
Chalk River	3	2A	3	26	1	1.72	1.31	1.32	1.91	1.22	.01	.92	1.7	2.6	4.9	.186*	.229*
ELA (b)	2	2A	2	22	3	.73	.32	1.91	.77	.93	.01	.24	0.6	1.0	4.5	.239*	.234*
Long Point	3	3	1	20		2.41	2.73	.65	3.33	2.21	.93	1.71	2.6	4.7	8.9	.182	.098
APIOS-C																	
Alvinston	2	2A	2	3		3.22	3.56	.46	3.82	1.76	2.30	2.30	3.4	5.8	5.8	.259	.205
Campbellford	2	2A	2	3		3.60	3.82	.16	3.85	.62	3.23	3.23	3.9	4.5	4.5	.175	.188
Colchester	2	2A	1	3		3.43	3.42	.20	3.47	.71	2.88	2.88	3.3	4.3	4.3	.274	.253
Dalhousie Mills	3	2B	3	3		2.71	2.70	.12	2.72	.31	2.39	2.39	2.7	3.0	3.0	.204	.219
Dorion	1	1	1	3		1.10	1.04	.61	1.18	.78	.71	.71	0.8	2.1	2.1	.375	.367
Dorset (c)	1	1	1	3		1.51	1.46	.21	1.48	.29	1.15	1.15	1.6	1.7	1.7	.266	.285
Ear Falls	3	3	2	3		.49	.41	.39	.43	.16	.27	.27	0.4	0.6	0.6	.204	.250
Golden Lake	2	1	2	3		1.86	1.65	.98	2.11	1.38	.53	.53	2.7	3.1	3.1	.344	.366
Gowganda	2	2A	1	3		1.22	1.43	.47	1.54	.73	.93	.93	1.3	2.3	2.3	.278	.227
Kaladar	3	1	3	3		2.38	2.12	.44	2.26	1.00	1.42	1.42	2.0	3.4	3.4	.271	.222
Killarney	2	2A	1	3		2.26	2.48	.28	2.54	.67	1.82	1.82	2.7	3.1	3.1	.236	.266
Moonbeam	2	2A	2	3		1.57	1.61	.72	1.89	1.20	.75	.75	1.8	3.1	3.1	.206	.219
Nakina	3	3	3	2		.69	.74	.25	.75	.19	.62		0.8		0.9	.260	.260
Palmerson	2	2A	2	3		2.68	2.92	.54	3.23	1.89	1.99	1.99	2.3	5.4	5.4	.356	.336
Port Stanley	3	2B	3	3		3.38	3.56	.69	4.21	3.09	2.08	2.08	2.8	7.8	7.8	.343	.304
Ramsey	2	2A	1	3		1.06	1.20	.32	1.24	.36	.84	.84	1.3	1.6	1.6	.263	.291
Smith's Falls	3	3	3	2		2.12	2.11	.15	2.13	.31	1.90		2.1		2.3	.260	.260
Uxbridge	2	2B	2	3		3.12	3.06	.48	3.32	1.70	2.13	2.13	2.6	5.3	5.3	.338	.310
Waterloo	2	2A	2	3		2.68	2.91	.56	3.25	1.95	1.95	1.95	2.3	5.5	5.5	.353	.330
Whitney	1	1	1	3		1.43	1.34	.31	1.39	.42	.97	.97	1.4	1.8	1.8	.181	.194
Wilkesport	2	2A	2	3		3.34	3.59	.23	3.66	.90	3.10	3.10	3.2	4.7	4.7	.368	.364
Quebec																	
CANSAP																	
Chibougamau	3	3	2	3		1.00	1.05	.48	1.14	.59	.80	.80	0.8	1.8	1.8	.385	.385
Nitchequon	2	2B	2	3	1	.29	.11	2.70	.37	.40	.01	.01	0.3	0.8	0.8	.229	.308
Quebec City	3	3	1	3		1.72	1.82	.40	1.91	.66	1.15	1.15	2.2	2.3	2.3	.351	.361
Sept Isles	3	3	1	3		.91	.92	.73	1.06	.60	.40	.40	1.2	1.6	1.6	.283	.328
St. Hubert	3	3	1	3		2.31	2.36	.28	2.43	.71	1.95	1.95	2.1	3.2	3.2	.352	.342

APPENDIX F

INVENTORY OF WET DEPOSITION SITES

This appendix contains a listing of the sites found in Tables 1 to 10 of Appendix E, including their latitude, longitude and elevation, and a brief operating history. The information was taken from the Acid Deposition System (ADS) database, and is ordered by state and province, for easy cross-referencing with Tables 1 to 10 of Appendix E. Also included is a set of maps (ordered by network) showing the location of each site.

Note that the information is this appendix includes sites in the ADS database in all of North America, not just those in the eastern part of the continent, as well as some sites which were not operational in 1980.

COLUMN HEADING DEFINITIONS FOR WET DEPOSITION SITES IN ADS

Column	Column Head	Explanation
1	ADS SITE IDENT	The first four characters of the six character site identification. The first three numbers identify a geographic location. The fourth character (the letter a, b, c, ...) identifies colocated samplers at a site.
2	NETWORK	The network which operates the site. (Note all EPRI/SURE sites are identified as UAPSP sites; all NADP and NTN sites are identified as NADP sites.)
3	NET SITE IDENT	The network's 10 character number of name for the site.
4	SITE NAME	The network's name of the site concatenated with the state or province.
5	LATITUDE d m s	The North latitude of the site in degrees, minutes and seconds.
6	LONGITUDE d m s	The West longitude of the site in degrees, minutes and seconds.
7	ELEV M	The elevation, in meters above sea level, of the site.
8	FIRST ACTIVE DATE	The date on which the network stated operating the site.

STATE / NETWORK / SITE NAME	ADS SITE IDENT	LATITUDE d m s	LONGITUDE d m s	ELEV m	ADS rev num	REV START	REV END	OPERATING HISTORY
Alabama (1)								
NADP (01)								
Blackbelt (011000)	329a	32 27 30	87 14 31	58	00	8/83		
UAPSP (08)								
Selma (15)	235a	32 28 25	87 05 03	42	00	10/81	1/82	Operated under normal UAPSP sampling protocol in last quarter of 1981. Co-located sampler at this site, see 235b.
					01	1/82	10/82	UAPSP sampling protocol expanded to include NITRITE in CY 82 See co-located sampler 235b.
					02	10/82	1/83	Strong acid analysis discontinued on Sept 30, 1982. See co-located sampler 235b.
					03	1/83		Discontinued analysis of NITRITE, otherwise no change in protocol See co-located sampler 235b.
Selma-2 (15 smplr 2)	235b	32 28 25	87 05 03	42	00	10/81	1/82	Operated under normal UAPSP sampling protocol in last quarter of 1981 See co-located sampler 235a.
					01	1/82	10/82	UAPSP sampling protocol expanded to include NITRITE in CY 82 See co-located sampler 235a.
					02	10/82	1/83	Strong acid analysis discontinued on Sept 30, 1982. See co-located sampler 235a.
					03	1/83	1/83	Discontinued analysis of NITRITE on 1/1/83. Discontinued operation of co-located sampler on 1/21/83. This ADS ident TERMINATED.
EPA-IV (13)								
Dewey Armory (ALDEWEYARM)	259a	32 34 03	85 55 54	153	00	3/82	10/83	Samples analyzed by RTI
					01	10/83		Samples analyzed by Global Geochem after 10/1/83
TVA (16)								
COLBERT 1 (COLBERT 1)	385a	34 46 13	87 50 09	152	00	12/78		Operated by TVA network using AEC wet/dry collector without rain gage Note that collection period is 2 weeks (Fortnightly).
COLBERT 8 (COLBERT 8)	386a	34 46 18	87 54 05	146	00	11/78	8/81	Operated by TVA network using AEC wet/dry collector without rain gage Note that collection period is 2 weeks (Fortnightly).
HYTOP (HYTOP)	409a	34 53 39	86 05 36	544	00	5/78	10/80	Operated by TVA network using AEC wet/dry collector without rain gage Note that collection period is 2 weeks (Fortnightly).
WIDOWS CREEK 23 (WIDOWS C23)	408a	35 55 05	85 44 02	209	00	11/78	12/80	Operated by TVA network using AEC wet/dry collector without rain gage Note that collection period is 2 weeks (Fortnightly).
WIDOWS CREEK 3 (WIDOWS C3)	406a	34 51 31	85 43 21	469	00	11/78	12/80	Operated by TVA network using AEC wet/dry collector without rain gage Note that collection period is 2 weeks (Fortnightly).
WIDOWS CREEK 9 (WIDOWS C9)	407a	34 52 04	85 43 17	457	00	4/81		Operated by TVA network using AEC wet/dry collector without rain gage Note that collection period is 2 weeks (Fortnightly).
Arkansas (5)								

Arkansas, NADP, Buffalo River

STATE / NETWORK / SITE NAME	ADS SITE IDENT	LATITUDE d	m	s	LONGITUDE d	m	s	ELEV m	ADS rev num	REV START	REV END	OPERATING HISTORY
NADP (01)												
Buffalo River (041620)	269a	36	05	00	92	33	00	265	00	7/82	12/83	
									01	12/83		On 27 Dec 83 site moved approximately 2 km NW because of loss of ground cover and increased vehicle activity at previous location. No change made to the NET ident or ADS ident.
Caddo Valley (040380)	330a	34	10	46	93	05	55	71	00	12/83		
Fayetteville (042700)	004a	36	06	02	94	10	24	391	00	5/80		
Warren 2WSW (040260)	268a	33	36	15	92	06	02	78	00	5/82		
Delaware (10)												
MAP3s/PCN (06)												
Lewes (7)	013a	38	46	00	75	00	00	0	00	2/78	11/80	This MAP3S site started operation with the Battelle Northwest collector; surface area = 490 sq cm.
									01	11/80		On 10-Nov-80 the collector was changed to the Aerochem Metrics model 301-A2 with a surface area of 640 sq cm.
UAPSP (08)												
Indian River (03)	152a	38	34	50	75	14	45	6	00	8/78	1/79	Start up phase for this EPRI/SURE site DO NOT USE DATA
									01	1/79	6/80	EPRI/SURE operation in CY 1979 with co-located samplers at this site. See 152b. Starting 1/1/80 only one sampler in operation at this EPRI/SURE site. STATION TERMINATED June 30, 1980.
Indian River-2 (03 smplr 2)	152b	38	34	50	75	14	45	6	00	8/78	1/79	Start up phase for this EPRI/SURE site DO NOT USE DATA
									01	1/79	12/79	EPRI/SURE operation in CY 1979 with co-located samplers at this site. See 152a. The second sampler was removed after one year, this ADS number DISCONTINUED.
Florida (12)												
NADP (01)												
Austin-Cary Forest (100020)	014a	29	45	37	82	11	56	46	00	10/78	7/81	Operations TERMINATED on 7/14/81.
Bradford Forest (100360)	015a	29	58	29	82	11	53	44	00	10/78		
CIFANT (100380)	336a	28	32	34	80	38	40	2	00	8/83		
Everglades Nat. Pa (101190)	016a	25	23	40	80	41	45	2	00	6/80		
Quincy (101400)	337a	30	32	56	84	35	50	69	00	3/84		
Verna Well Field (104100)	338a	27	22	48	82	17	02	25	00	8/83		
Georgia (13)												
NADP (01)												
Bellville (112040)	339a	32	08	30	81	58	18	61	00	4/83		
Georgia Station (114140)	017a	33	10	40	84	24	22	270	00	10/78		
Tifton, ARS (115000)	340a	31	28	25	83	31	59	104	00	10/83		
UAPSP (08)												

Georgia, UAPSP, Uvalda

STATE / NETWORK / SITE NAME	ADS SITE IDENT	LATITUDE d m s	LONGITUDE d m s	ELEV m	ADS rev num	REV START	REV END	OPERATING HISTORY
Uvalda (14)	237a	32 03 18	82 28 25	64	00	10/81	10/82	Operated under normal UAPSP sampling protocol beginning in last quarter of 1981.
					01	10/82		Strong acid analysis discontinued on Sept 30, 1982. Co-located sampler 237b started operation on 10/9/83.
Uvalda-2 (14 smplr 2)	237b	32 03 18	82 28 25	64	00	10/83		Start of operation as co-located sampler to site 237a on 10/9/83.
EPA-IV (13)								
Hiawassee (GAHIAWASSE)	261a	34 50 33	83 43 03	636	00	5/82	10/83	Samples analyzed by RTI
					01	10/83		Samples analyzed by Global Geochem after 10/1/83
Summerville (GASUMMERVI)	262a	34 28 22	85 24 27	202	00	5/82	10/83	Samples analyzed by RTI
					01	10/83		Samples analyzed by Global Geochem after 10/1/83
Illinois (17)								
NADP (01)								
Argonne (141980)	021a	41 42 04	87 59 43	229	00	3/80	5/80	
					01	5/80		On 25 May 80 site moved 400m W. No change made to NET ident or ADS ident.
Bondville (141160)	020a	40 03 12	88 22 19	212	00	2/79		See co-located sites 020b and 020c. NADP/NTN comparison site with NET ident 141161, ADS ident 020c. Comparison involves comparability of Geotech and Aerochem Metrics Wet/Dry collectors.
Bondville intercom (141161)	020c	40 03 12	88 22 19	212	00	9/83		See co-located sites 020a and 020b. NADP/NTN comparison site with NET ident 141160, ADS ident 020a. Comparison involves comparability of Geotech and Aerochem Metrics Wet/Dry collectors.
Dixon Springs (146340)	023a	37 26 08	88 40 19	161	00	1/79		
NIARC (141800)	024a	41 50 29	88 51 04	265	00	5/81		
Salem (144740)	161a	38 38 36	88 58 01	173	00	4/80	4/81	
					01	4/81	11/81	From 14 Apr 1981 to 3 Nov 1981 all chemistry analysis values were excluded (NS) due to a faulty collector lid seal.
					02	11/81		On 30 Oct 81 a Belfort weighing recording raingage was installed 10 ft NW of and to replace an 8-inch stick or standard gage. No change made to NET ident or ADS ident.
Southern Ill U (143580)	022a	37 42 36	89 16 08	146	00	7/79		
MAP3s/PCN (06)								
Illinois (5)	020b	40 03 12	88 22 19	212	00	11/77	2/80	This MAP3S site started operation with the Battelle Northwest collector; surface area = 490 sq cm.
					01	2/80	1/82	On 16-Feb-80 the collector was changed to the HASL model with surface area = 325 sq cm.
					02	1/82		On 5-Jan-82 the collector was changed to the Aerochem Metrics model 301-A2 with surface area = 640 sq cm.
GLAD (14)								
Evanston (142360010)	288a	42 03 36	87 40 25	183	00	7/81		

Illinois, GLAD, Jardine Plant

STATE / NETWORK / SITE NAME	ADS SITE IDENT	LATITUDE d m s	LONGITUDE d m s	ELEV m	ADS rev num	REV START	REV END	OPERATING HISTORY
Jardine Plant (141220043)	289a	41 53 41	87 36 23	194	00	6/81		
South Water Plant (141220034)	290a	41 45 25	87 32 45	187	00	6/81		
Indiana (18)								
NADP (01)								
Huntington (152020)	343a	40 50 24	85 27 50	244	00	8/83		
Indiana Dunes (153420)	025a	41 37 57	87 05 16	208	00	7/80	3/81	On 17 March 1981 site moved 62m South off of a roof to ground level. NET ident was changed to 153421, no change to ADS ident.
					01	3/81		Sampler was located on a nearby roof prior to 3/17/81. Sampling did not start in current location until 3/19/81.
Purdue U Ag Farm (154100)	272a	40 28 17	85 59 18	215	00	7/82		
UAPSP (08)								
Fort Wayne (07)	156a	41 02 39	85 19 08	244	00	8/78	1/79	Start up phase for this EPRI/SURE site DO NOT USE DATA
					01	1/79	10/81	EPRI/SURE operation in CY 1979 with co-located samplers at this site. See 156b. Starting 1/1/80 only one sampler in operation at this EPRI/SURE site.
					02	10/81	1/82	Transfered operation from EPRI/SURE to UAPSPS and operated under normal UAPSPS protocol in last quarter of 1981.
					03	1/82	10/82	UAPSPS one year effort to analyze NITRITE in 1982, otherwise protocol remained the same.
					04	10/82	1/83	Strong acid analysis discontinued on Sept 30, 1982.
					05	1/83		Discontinued analysis of NITRITE, otherwise no change in protocol
Fort Wayne-2 (07 smplr 2)	156b	41 02 39	85 19 08	244	00	8/78	1/79	Start up phase for this EPRI/SURE site DO NOT USE DATA
					01	1/79	12/79	EPRI/SURE operation in CY 1979 with co-located samplers at this site. See 156a. The second sampler was removed after one year, this ADS number DISCONTINUED.
Rockport (05)	154a	37 52 50	87 07 47	131	00	8/78	1/79	Start up phase for this EPRI/SURE site DO NOT USE DATA
					01	1/79	10/81	EPRI/SURE operation in CY 1979 with co-located samplers at this site. See 154b. Starting 1/1/80 only one sampler in operation at this EPRI/SURE site.
					02	10/81	10/82	Transfered operation from EPRI/SURE to UAPSPS and operated under normal UAPSPS protocol beginning the last quarter of 1981.
					03	10/82		Strong acid analysis discontinued on Sept 30, 1982.
Rockport-2 (05 smplr 2)	154b	37 52 50	87 07 47	131	00	8/78	1/79	Start up phase for this EPRI/SURE site DO NOT USE DATA
					01	1/79	12/79	EPRI/SURE operation in CY 1979 with co-located samplers at this site. See 154a. The second sampler was removed after one year, this ADS number DISCONTINUED.

Kentucky, NADP, Clark State Fish H

STATE / NETWORK / SITE NAME	ADS SITE IDENT	LATITUDE d m s	LONGITUDE d m s	ELEV m	ADS rev num	REV START	REV END	OPERATING HISTORY
Kentucky (21)								
NADP (01)								
Clark State Fish H (183560)	348a	38 07 06	83 32 49	204	00	8/83		
Lilley Cornett Woo (182260)	347a	37 04 40	82 59 37	335	00	9/83		
Perryville (180360)	346a	37 40 39	84 57 25	277	00	11/83		
UAPSP (08)								
Morehead (11)	239a	38 08 10	83 27 17	235	00	10/81	10/82	Operated under normal UAPSP sampling protocol beginning in last quarter of 1981.
					01	10/82		Strong acid analysis discontinued on Sept 30, 1982.
EPA-IV (13)								
Grayson (KYGRAYSONL)	260a	38 14 00	82 59 00	213	00	4/82	10/83	Samples analyzed by RTI
					01	10/83		Samples analyzed by Global Geochem after 10/1/83
Mammoth Cave (KYMAMMOTHC)	265a	37 13 00	86 04 00	219	00	10/82	10/83	Samples analyzed by RTI
					01	10/83		Samples analyzed by Global Geochem after 10/1/83
TVA (16)								
CUMBERLAND 20 (CUMBERLA20)	394a	36 50 17	87 10 12	0	00	7/77	12/79	Operated by TVA network using AEC wet/dry collector without rain gage Note that collection period is 2 weeks (Fortnightly).
LBL (LBL)	410a	36 47 27	88 04 01	177	00	6/77		Operated by TVA network using AEC wet/dry collector without rain gage Note that collection period is 2 weeks (Fortnightly).
PARADISE 24 (PARADISE24)	401a	37 11 20	86 58 38	139	00	12/78	3/81	Operated by TVA network using AEC wet/dry collector without rain gage Note that collection period is 2 weeks (Fortnightly).
SHAWNEE 13 (SHAWNEE 13)	402a	37 04 09	88 46 21	118	00	5/81		Operated by TVA network using AEC wet/dry collector without rain gage Note that collection period is 2 weeks (Fortnightly).
SHAWNEE 20 (SHAWNEE 20)	403a	37 08 40	88 49 17	107	00	12/78	12/80	Operated by TVA network using AEC wet/dry collector without rain gage Note that collection period is 2 weeks (Fortnightly).
SHAWNEE 22 (SHAWNEE 22)	404a	37 08 18	88 48 12	113	00	7/80	8/80	Operated by TVA network using AEC wet/dry collector without rain gage Note that collection period is 2 weeks (Fortnightly).
Louisiana (22)								
NADP (01)								
Iberia (191260)	275a	29 55 47	91 42 54	6	00	11/82		
N La Hill Farm (190620)	274a	32 45 04	93 03 02	61	00	11/82		
Southeast (193060)	349a	30 48 41	90 10 51	78	00	1/83		
Maine (23)								
NADP (01)								
Acadia < 11/81 (200010)	162a	44 24 30	68 14 42	37	00	11/80	11/81	On 3 Nov 1981, site moved 4 km SSW and 85 meters higher. The NET ident was changed to 200011 and the ADS ident was changed to 257a00.
Acadia > 11/81 (200011)	257a	44 22 27	68 15 39	122	00	11/81		This site was identified as NET ident 200010 and ADS ident 162a00 prior to 3 Nov 1981.

Maine, NADP, Bridgton

STATE / NETWORK / SITE NAME	ADS SITE IDENT	LATITUDE d m s	LONGITUDE d m s	ELEV m	ADS rev num	REV START	REV END	OPERATING HISTORY
Bridgton (200277)	164a	44 06 27	70 43 44	222	00	9/80		
Caribou (a) (200045)	163a	46 52 08	68 00 55	191	00	4/80		NADP comparison site with CANSAP network April 1981 - April 1984. See ADS ident 163b. Comparison involves comparability of U. S. and Canadian data.
Greenville Station (200935)	030a	45 29 23	69 39 52	322	00	11/79	7/80	
					01	7/80		On 15 July 80 a Belfort weighting and recording rain gage was installed. Prior to this date there was no gage on the site.
CANSAP (05)								
Caribou (b) (13 000)	163b	46 52 08	68 00 55	191	00	4/80		See co-located NADP site 163a.
UAPSP (08)								
Winterport (13)	240a	44 37 05	68 58 30	67	00	10/81	10/82	Operated under normal UAPSP sampling protocol beginning in last quarter of 1981.
					01	10/82		Strong acid analysis discontinued on Sept 30, 1982.
Maryland (24)								
NADP (01)								
Wye (211320)	350a	38 54 47	76 09 09	6	00	3/83		
Massachusetts (25)								
NADP (01)								
Cadwell (220815)	276a	42 21 40	72 23 27	283	00	3/82		
East (221325)	277a	42 23 02	71 12 53	20	00	2/82		
NACL (220155)	251a	41 58 23	70 01 12	34	00	12/81	9/82	Collector located on rooftop.
					01	9/82		On 23 Sept 1982 site moved off rooftop to ground level. No change made to NET ident or ADS ident.
UAPSP (08)								
Montague (01)	149a	42 32 00	72 32 08	73	00	8/78	1/79	Start up phase for this EPRI/SURE site DO NOT USE DATA
					01	1/79	7/80	EPRI/SURE operation in CY 1979 with co-located samplers at this site. See 149b. Starting 1/1/80 only one sampler in operation at this EPRI/SURE site. Sampler moved to ADS location 150a on 1-Aug-80. Site 149a TERMINATED.
Montague-2 (01 smplr 2)	149b	42 32 00	72 32 08	73	00	8/78	1/79	Start up phase for this EPRI/SURE site DO NOT USE DATA
					01	1/79	12/79	EPRI/SURE operation in CY 1979 with co-located samplers at this site. See 149a. The second sampler was removed after one year, this ADS number DISCONTINUED.
Turners Falls (01)	150a	42 35 50	72 32 55	98	00	8/80	10/81	EPRI/SURE site moved from 149a on 1-Aug-80
					01	10/81	10/82	Transfered operation from EPRI/SURE to UAPSPS and operated under normal UAPSPS protocol in last quarter of 1981.
					02	10/82		Strong acid analysis discontinued on Sept 30, 1982.

Michigan (26)

Michigan, NADP, Chassell

STATE / NETWORK / SITE NAME	ADS SITE IDENT	LATITUDE d	m	s	LONGITUDE d	m	s	ELEV m	ADS rev num	REV START	REV END	OPERATING HISTORY
NADP (01)												
Chassell (232241)	258a	47	06	03	88	33	10	279	00	2/83		This site was identified as NET ident 232240 and ADS ident 165a00 prior to 15 Feb 1983.
Douglas Lake (230920)	031a	45	33	40	84	40	42	233	00	7/79		NADP comparison site with CANSAP network April 1981 - April 1984. See ADS ident031b. Comparison involves the comparability of US and Canadian data.
Houghton (232240)	165a	47	13	33	88	37	50	193	00	10/80	2/83	On 15 Feb 1983, site moved 13 km SE. The NET ident was changed to 232241, the ADS ident to 258a00 and the SITE names to Chassell. This site was considered nonstandard by NADP because of discontinuous sampling. Collector was moved each year to 026a from May to November.
Isle Royal Park (232570)	026a	47	54	43	89	09	10	209	00	8/80		This site is closed by federal law from November through April every year. Therefore the site is considered nonstandard by NADP. Collector was moved annually to site 165a from November to May in 1980, 1981, and 1982.
Kellogg (232660)	032a	42	24	37	85	23	34	288	00	6/79		
Raco (230980)	351a	46	22	26	84	44	31	260	00	5/84		
Wellston (235340)	033a	44	13	28	85	49	07	292	00	10/78	9/83	
									01	9/83		On 27 Sept 83 the collector was moved to about 10m from the rain gage. No change made to the NET ident or ADS ident.
CANSAP (05)												
Pellston (13 020)	031b	45	33	40	84	40	42	233	00	7/79	1/80	This site is part of an International study using co-located samplers, see 031a. Collector: Sangamo model C.
									01	1/80		On 1/1/80, the use of a single bucket for entire month was DISCONTINUED. Subsequent samples are composited in the field. See co-located NADP site 031a.
UAPSP (08)												
Gaylord (10)	241a	44	56	58	84	38	30	473	00	11/81	10/82	Operated under normal UAPSP sampling protocol beginning in last quarter of 1981.
									01	10/82		Strong acid analysis discontinued on Sept 30, 1982.
GLAD (14)												
Bay City (230420002)	291a	43	39	30	83	53	45	187	00	3/81		
Beaver Island (230860001)	292a	45	44	30	85	30	30	183	00	9/81		
Benton Harbor (230460004)	293a	42	07	00	86	28	30	191	00	2/81		
Cooper Harbor (232740001)	294a	47	28	00	87	52	00	191	00	6/81	5/83	This GLAD network site TERMINATED on May 17, 1983. Sampler moved to Eagle Harbor (ADS site 295a).
Eagle Harbor (232740002)	295a	47	27	28	88	09	42	188	00	6/83		
Empire (232940001)	296a	44	51	16	86	02	08	233	00	6/81		
Escanaba (231420008)	297a	45	44	30	87	03	30	196	00	6/81		
Gramd Marais (230080001)	298a	46	40	00	85	58	00	191	00	7/81		
Mount Clemens (233660002)	299a	42	34	00	82	50	40	176	00	4/82		
Muskegon (233760007)	301a	43	08	40	86	16	20	190	00	3/81		
Ontonagon (234060002)	302a	46	49	20	89	38	00	194	00	7/81		

Michigan, GLAD, Port Austin

STATE / NETWORK / SITE NAME	ADS SITE IDENT	LATITUDE d	m	s	LONGITUDE d	m	s	ELEV m	ADS rev num	REV START	REV END	OPERATING HISTORY
Port Austin (232340002)	303a	44	02	50	82	59	40	185	00	4/81		
Port Sanilac (234800001)	304a	43	26	20	82	32	32	190	00	3/81		
Tawas Point (234110002)	305a	44	16	00	83	26	30	179	00	5/81		
Minnesota (27)												
NADP (01)												
Camp Ripley (242360)	352a	46	14	58	94	29	50	410	00	10/83		
Fernberg (241840)	166a	47	56	45	91	29	43	524	00	11/80	3/81	This NADP site operated with collector at ground level within a clearing until March 1981.
									01	3/81	5/81	Collector and raingage(?) moved to a trailer rooftop within existing clearing.
									02	5/81		Collector and raingage returned to ground level about 30m from trailer roof top. Co-located with ADS-IDENT 166b.
Lamberton (242720)	035a	44	14	14	95	18	02	343	00	1/79		
Marcell (241660)	034a	47	31	52	93	28	07	431	00	7/78		
APIOS-D (07)												
Fernberg (6051)	166b	47	56	51	91	29	26	506	00	10/81	5/82	Cold weather collector = SES BULK sampler and Nepher shielded gauge. Co-located with ADS-IDENT 166a.
									01	5/82		Warm weather collector and gauge
GLAD (14)												
Duluth (241040029)	306a	46	46	07	92	05	15	198	00	7/81		
Gooseberry Falls (241840016)	307a	46	24	40	91	28	48	206	00	9/81		
Gull Lake (240900001)	308a	46	24	40	94	21	15	383	00	1/82		
Hovland (240800009)	309a	47	50	50	89	57	45	224	00	7/81		
Mississippi (28)												
NADP (01)												
Clinton (251080)	242b	32	18	22	90	18	54	90	00	7/84		See co-located UAPSP site 242a.
Meridian (251460)	036a	32	20	04	88	44	42	89	00	4/80		
UAPSP (08)												
Clinton (16)	242a	32	21	06	90	17	15	76	00	10/81	10/82	Operated under normal UAPSP sampling protocol beginning in last quarter of 1981. See co-located NTN site 242b.
									01	10/82		Strong acid analysis discontinued on Sept 30, 1982. See co-located NTN site 242b which began operations on July 11, 1984.
EPA-IV (13)												
University (MSUNIVERSI)	263a	34	23	00	89	32	00	35	00	5/82	10/83	Samples analyzed by RTI
									01	10/83		Samples analyzed by Global Geochem after 10/1/83
Missouri (29)												
NADP (01)												
Ashland (260380)	252a	38	45	13	92	11	55	239	00	10/81		
University Forest (260560)	253a	36	54	39	90	19	06	154	00	10/81		
New Hampshire (33)												
NADP (01)												
Hubbard Brook (300240)	039a	43	56	35	71	42	12	250	00	7/78		

New Jersey, NADP, Princeton

STATE / NETWORK / SITE NAME	ADS SITE IDENT	LATITUDE d m s	LONGITUDE d m s	ELEV m	ADS rev num	REV START	REV END	OPERATING HISTORY
New Jersey (34)								
NADP (01)								
Princeton (312980)	167a	40 20 44	74 37 01	37	00	8/80	7/81	On 7 July 1981, site moved 40 km SW. The NET ident was changed to 312981, the ADS ident to 285a00 and the SITE names to Washington Crossing. This site was part of the WMO network. Data collected at Princeton was considered nonstandard by NADP because it did not follow siting guidelines.
Washington Xing (312981)	285a	40 18 54	74 51 17	72	00	8/81		This NADP site was formerly located in the town of Princeton. This site was identified as NET ident 312980 and ADS ident 167a00 prior to 7 July 1981.
New York (36)								
NADP (01)								
Aurora (330860)	040a	42 44 02	76 39 35	249	00	4/79		
Bennett Bridge (335240)	046a	43 31 34	75 56 50	245	00	6/80		
Biscuit Brook (336840)	359a	41 59 39	74 30 13	634	00	10/83		
Chautauqua (331000)	041a	42 17 58	79 23 47	488	00	6/80		
Huntington (332020)	168a	43 58 19	74 13 25	500	00	10/78	6/84	
					01	6/84		On 15 June 84 site moved to new forest clearing. No change to NET ident or ADS ident.
Jasper (336500)	047a	42 06 22	77 32 08	634	00	2/80		
Knobit (331220)	042a	42 22 41	73 30 10	406	00	1/80		
Stilwell Lake (335140)	045a	41 21 00	74 02 22	186	00	6/79	10/84	Comparision site with NET ident 335141, ADS ident 358a from 6 Sept 1983 to 2 Oct 1984. Comparison involved impact on data of site relocation. On 2 Oct 1984 operations TERMINATED by sponsor and site replaced by NET ident 335141, ADS ident 358a.
West Point (335141)	358a	41 21 03	74 02 54	203	00	9/83		Comparison site with NET ident 335140, ADS ident 045a from 6 Sept 1983 to 2 Oct 1984. Comparison involved impact on data of site relocation. Note: dry side started 6 Sept 83, wet side started 13 Sept 83. This site was identified as NET ident 335140 and ADS ident 045a prior to 13 Sept 83.
Whiteface (332021)	043b	44 23 26	73 51 34	610	00	7/84		See co-located MAP3S site 043a.
MAP3s/PCN (06)								
Brookhaven (6)	048a	40 52 00	72 53 00	25	00	2/78	2/81	Started operation using Battelle Northwest sampler with surface area = 490 sq cm.
					01	2/81		On 24-Feb-81 the sampler was changed to an Aerochem Metrics model 301-A2 with surface area = 640 sq cm.

New York, MAP3s/PCN, Ithaca

STATE / NETWORK / SITE NAME	ADS SITE IDENT	LATITUDE d	m	s	LONGITUDE d	m	s	ELEV m	ADS rev num	REV START	REV END	OPERATING HISTORY
Ithaca (2)	044a	42	24	03	76	39	12	509	00	10/76	8/77	This MAP3S site started operation with the Battelle Northwest collector; surface area = 490 sq cm.
									01	8/77	9/77	Analysis method changed. NH4 was colorimetry now Ion Chromatography. NA and K were Flame Emission Spectrography - now Ion Chromatography.
									02	9/77	11/79	Analysis method changed. CA and MG were Flame Emission Spectrography - now Flame Atomic Absorption. SO4 was colorimetry - now Colorimetry with field fixation.
									03	11/79		Collector changed to HASL model with surface area = 640 sq cm.
Whiteface (1)	043a	44	23	26	73	51	34	610	00	10/76	8/77	This MAP3s/PCN site started operation with the Battelle Northwest collector; surface area = 490 sq sm.
									01	8/77	9/77	Analysis method changed in August 1977. NH4 changed from colorimetry to Ion Chromatography. NA and K changed from Flame Emission Spectrometry to Ion Chromatography.
									02	9/77	12/79	Analysis method changed in mid September 1977. CA and MG changed from Flame Emission Spectrometry to Flame Atomic Absorbtion on 9/14/77. SO4 (S-IV) changed from colorimetry to colimetry with field fixation on 9/6/77.
									03	12/79		Collection instrument changed to HASL with surface area = 640 sq cm in December 1979. See co-located NTN site 043b which started operations July 3, 1984.
UAPSP (08)												
Big Moose (21)	243a	43	49	03	74	54	08	603	00	10/81	1/82	Operated under normal UAPSP sampling protocol in last quarter of 1981
									01	1/82	10/82	UAPSP sampling protocol expanded to include NITRITE in CY 82
									02	10/82	1/83	Strong acid analysis discontinued on Sept 30, 1982.
									03	1/83		Discontinued analysis of NITRITE, otherwise no change in protocol
GLAD (14)												
Cape Vincent (333340099)	310a	44	05	30	76	20	30	80	00	1/82		
Dunkirk (331600099)	311a	42	30	13	79	19	26	182	00	1/82	9/84	
Fair Haven (330860099)	312a	43	19	08	76	42	11	74	00	1/82	11/84	
Grand Island (332000099)	313a	43	03	30	78	58	00	173	00	1/82		
Olcott (334720099)	314a	43	20	27	78	41	35	84	00	1/82		
Rochester (335760099)	315a	43	13	48	77	34	45	81	00	1/82		
SILVER CREEK (336240099)	381a	42	34	49	79	08	02	199	00	10/84		Initial period of operation of this site in the GLAD network
SODUS POINT (337240099)	380a	43	16	24	76	58	32	78	00	11/84		Initial period of operation of this site in the GLAD network

North Carolina (37)
NADP (01)

North Carolina, NADP, Clinton Station

STATE / NETWORK / SITE NAME	ADS SITE IDENT	LATITUDE d m s	LONGITUDE d m s	ELEV m	ADS rev num	REV START	REV END	OPERATING HISTORY
Clinton Station (343560)	052a	35 01 26	78 16 45	47	00	10/78		
Coweeta (342500)	050a	35 03 38	83 25 50	686	00	7/78		
Finley (A) (344160)	053a	35 43 43	78 40 52	119	00	10/78	4/81	NADP intercomparison study, see co-located NET ident 344161, ADS ident 053b.
					01	4/81	7/81	On 21 April 1981 site moved approximately 100m. No change to NET ident or ADS ident.
					02	7/81	5/83	On 17 July 1981 site moved 125m. No change to NET ident or ADS ident.
					03	5/83		On 6 May 1983 site moved 10m N. No change to NET ident or ADS ident.
Finley (B) (344161)	053b	35 43 43	78 40 52	119	00	10/78	4/80	NADP comparison site. See ADS ident 053a, NET ident 344160. Comparison involves single site collection variability. Collection operations TERMINATED on 4/1/80.
Jordan Creek (343600)	360a	34 58 16	79 31 41	132	00	10/83		
Lewiston (340320)	049a	36 07 40	77 10 30	26	00	10/78		
Piedmont Station (343460)	051a	35 41 48	80 37 22	221	00	10/78		
R Triangle Inst (341180)	174a	35 54 09	78 52 12	99	00	10/80	1/83	Operations TERMINATED on 4 Jan 83.
R Triangle Park (343310)	169a	35 53 47	78 51 38	94	00	4/80	3/83	Operations TERMINATED on 1 Mar 83.
UAPSP (08)								
Raleigh (08)	053c	35 43 43	78 40 48	128	00	8/78	1/79	Start up phase for this EPRI/SURE site DO NOT USE DATA
					01	1/79	10/81	EPRI/SURE operation in CY 1979 with co-located samplers at this site. See 053d. Starting 1/1/80 only one sampler in operation at this EPRI/SURE site.
					02	10/81	1/82	Transfered operation from EPRI/SURE to UAPSPS and operated under normal UAPSPS protocol in last quarter of 1981.
					03	1/82	10/82	UAPSPS one year effort to analyze NITRITE in 1982, otherwise protocol remained the same.
					04	10/82	1/83	Strong acid analysis discontinued on Sept 30, 1982.
					05	1/83		Discontinued analysis of NITRITE, otherwise no change in protocol
Raleigh-2 (08 smplr 2)	053d	35 43 43	78 40 48	128	00	8/78	1/79	Start up phase for this EPRI/SURE site DO NOT USE DATA
					01	1/79	1/80	EPRI/SURE operation in CY 1979 with co-located samplers at this site. See 053c. The second sampler was removed after one year, this ADS number DISCONTINUED.
Ohio (39)								
NADP (01)								
Caldwell (364900)	056a	39 47 34	81 31 52	276	00	9/78		
Delaware (361760)	055a	40 21 19	83 03 58	285	00	10/78		
Wooster (367160)	058a	40 46 48	81 55 31	315	00	9/78		
MAP3s/PCN (06)								

Ohio, MAP3s/PCN, Oxford

STATE / NETWORK / SITE NAME	ADS SITE IDENT	LATITUDE d m s	LONGITUDE d m s	ELEV m	ADS rev num	REV START	REV END	OPERATING HISTORY
Oxford (8)	057a	39 31 51	84 43 25	284	00	9/78	11/80	Started operation using Battelle Northwest sampler with surface area = 490 sq cm.
					01	11/80		On 24-Nov-80 the sampler was changed to the Aerochem Metrics model 301-A2 with surface area = 640 sq cm.
UAPSP (08)								
McArthur (22)	244a	39 14 06	82 28 41	224	00	10/81	10/82	Operated under normal UAPSP sampling protocol beginning in last quarter of 1981.
					01	10/82	5/84	Strong acid analysis discontinued on Sept 30, 1982. Site TERMINATED on 5/15/84.
Zanesville (04)	153a	39 59 02	82 01 05	250	00	8/78	1/79	Start up phase for this EPRI/SURE site DO NOT USE DATA
					01	1/79	10/81	EPRI/SURE operation in CY 1979 with co-located samplers at this site. See 153b. Starting 1/1/80 only one sampler in operation at this EPRI/SURE site.
					02	10/81	10/82	Transfered operation from EPRI/SURE to UAPSPS and operated under normal UAPSPS protocol beginning in last quarter of 1981.
					03	10/82		Strong acid analysis discontinued on Sept 30, 1982.
Zanesville-2 (04 smplr 2)	153b	39 59 02	82 01 05	250	00	8/78	1/79	Start up phase for this EPRI/SURE site DO NOT USE DATA
					01	1/79	12/79	EPRI/SURE operation in CY 1979 with co-located samplers at this site. See 153a. The second sampler was removed after one year, this ADS number DISCONTINUED.
GLAD (14)								
Ashtabula (360200001)	316a	41 54 30	80 46 30	179	00	1/82	9/84	
CONNEAUT (361480001)	382a	41 57 36	80 34 23	201	00	10/84		Initial period of operation of this site in the Glad network
Fairport Harbor (362100001)	317a	41 45 17	81 16 25	203	00	1/81		
Lorain (363620014)	318a	41 28 20	82 08 30	192	00	2/81		
Put-in-Bay (365260001)	319a	41 39 29	82 49 40	177	00	2/81		
Toledo (365200007)	320a	41 41 30	83 24 32	177	00	1/81		
Pennsylvania (42)								
NADP (01)								
Kane (392940)	063a	41 35 52	78 46 04	618	00	7/78		
Leading Ridge (394200)	064a	40 39 32	77 56 10	282	00	4/79		
Milford (397220)	371a	41 19 39	74 49 13	212	00	12/83		
Penn State (391520)	065b	40 47 18	77 56 47	393	00	6/83		See co-located MAP3S site 065a. NADP/NTN comparison site. See ADS ident 065c00. Comparison involves comparability of Leonard Mold and Die and Aerochem Metrics Wet/Dry collectors.
Penn State (391521)	065c	40 47 18	77 56 47	393	00	10/83		See co-located MAP3S site 065a. NADP/NTN comparison site. See ADS ident 065b00. Comparison involves comparability of Leonard Mold and Die and Aerochem Metrics Wet/Dry collectors.
MAP3s/PCN (06)								

Pennsylvania, MAP3s/PCN, Penn State

STATE / NETWORK / SITE NAME	ADS SITE IDENT	LATITUDE d	m	s	LONGITUDE d	m	s	ELEV m	ADS rev num	REV START	REV END	OPERATING HISTORY
Penn State (3)	065a	40	47	18	77	56	47	393	00	9/76	8/77	Started operation using Battelle Northwest sampler with surface area = 490 sq cm.
									01	8/77	9/77	Analysis method changed. NH4 was colorimetry - now Ion Chromatography. NA and K were Flame Emission Spectrography - now Ion Chromatography.
									02	9/77	12/79	Analysis method changed. CA and MG were Flame Emission Spectrography - now Flame Atomic Absorption. SO4 was colorimetry - now Colorimetry with field fixation.
									03	12/79	3/81	Collection instrument changed. Was BNW - now HASL with surface area = 640 sq cm.
									04	3/81		Collection instrument changed. Was HASL - now Aerochem Metrics model 301-A2 with surface area = 640 sq cm. See co-located NTN site 065b which started June 7, 1983 and 065c which started October 4, 1983.
UAPSP (08)												
Scranton (02)	151a	41	34	30	75	59	40	335	00	8/78	1/79	Start up phase for this EPRI/SURE site DO NOT USE DATA
									01	1/79	1/81	Started operation as a co-located site. See 151b. On 1/1/80 continued operation in EPRI/SURE network with only one sampler in use.
									02	1/81	10/81	Station NOT IN USE.
									03	10/81	10/82	Started operation as UAPSP site.
									04	10/82		Strong acid analysis discontinued on Sept 30, 1982.
Scranton-2 (02 smplr 2)	151b	41	34	30	75	59	40	335	00	8/78	1/79	EPRI/SURE start up phase DO NOT USE DATA
									01	1/79	12/79	One year operation with two samplers at this site, see 151a.
GLAD (14)												
Erie (393060099)	321a	42	07	48	80	06	03	183	00	1/82		
South Carolina (45)												
NADP (01)												
Clemson (421880)	066a	34	40	28	82	50	09	221	00	3/79		Site is considered nonstandard by NADP because location of collector does not follow siting guidelines.
EPA-IV (13)												
CAPE ROMAIN (SCCAPEROMA)	413a	32	55	59	79	39	27	5	00	8/83	10/83	Samples analyzed by RTI
									01	10/83		Samples analyzed by Global Geochem after 10/1/83
CONGAREE SWAMP (SCCONGAREE)	414a	33	48	56	80	49	38	32	00	10/83		Samples analyzed by Global Geochem
Delta (SCDELTA000)	267a	34	32	22	81	33	40	113	00	12/82	10/83	Samples analyzed by RTI
									01	10/83		Samples analyzed by Global Geochem after 10/1/83
Long Creek (SCLONGCREE)	266a	34	48	19	83	14	17	602	00	11/82	10/83	Samples analyzed by RTI
									01	10/83		Samples analyzed by Global Geochem after 10/1/83
Tennessee (47)												

Tennessee, NADP, Elkmont

STATE / NETWORK / SITE NAME	ADS SITE IDENT	LATITUDE d m s	LONGITUDE d m s	ELEV m	ADS rev num	REV START	REV END	OPERATING HISTORY
NADP (01)								
Elkmont (441190)	028a	35 39 52	83 35 25	640	00	8/80		
Walker Branch (440040)	171a	35 57 41	84 17 14	341	00	3/80		See co-located MAP3S site 171b.
MAP3s/PCN (06)								
Oak Ridge (9)	171b	35 57 41	84 17 14	341	00	1/81		See co-located NADP/NTN site 171a. This MAP3S site started operation with Aerochem Metrics model 301-A2 sampler; surface area = 640 sq cm.
UAPSP (08)								
Alamo (12)	246a	35 47 32	89 08 03	112	00	10/81	10/82	Operated under normal UAPSP sampling protocol beginning in last quarter of 1981.
					01	10/82		Strong acid analysis discontinued on Sept 30, 1982.
Giles County (06)	155a	35 17 05	86 54 11	244	00	8/78	1/79	Start up phase for this EPRI/SURE site DO NOT USE DATA
					01	1/79	6/80	EPRI/SURE operation in CY 1979 with co-located samplers at this site. See 155b. Starting 1/1/80 only one sampler in operation at this EPRI/SURE site. Station TERMINATED on June 30, 1980.
Giles County-2 (06 smplr 2)	155b	35 17 05	86 54 11	244	00	8/78	1/79	Start up phase for this EPRI/SURE site DO NOT USE DATA
					01	1/79	1/80	EPRI/SURE operation in CY 1979 with co-located samplers at this site. See 155a. The second sampler was removed after one year, this ADS number DISCONTINUED.
EPA-IV (13)								
Center Hill (TNCENTERHI)	264a	36 02 20	85 43 59	305	00	8/82	10/83	Samples analyzed by RTI
					01	10/83		Samples analyzed by Global Geochem after 10/1/83
TVA (16)								
ALLEN 7 (ALLEN 7)	383a	35 05 49	90 04 56	73	00	11/78		Operated by TVA network using AEC wet/dry collector without rain gage Note that collection period is 2 weeks (Fortnightly).
BULL RUN 8 (BULL RUN 8)	384a	35 58 52	84 13 32	250	00	11/78	8/81	Operated by TVA network using AEC wet/dry collector without rain gage Note that collection period is 2 weeks (Fortnightly).
CUMBERLAND 1 (CUMBERLA 1)	387a	36 26 23	87 36 17	180	00	6/77	12/80	Operated by TVA network using AEC wet/dry collector without rain gage Note that collection period is 2 weeks (Fortnightly).
CUMBERLAND 14 (CUMBERLA14)	391a	36 16 20	87 45 53	0	00	6/77	9/80	Operated by TVA network using AEC wet/dry collector without rain gage Note that collection period is 2 weeks (Fortnightly).
CUMBERLAND 16 (CUMBERLA16)	392a	36 31 14	87 33 48	174	00	6/77	9/80	Operated by TVA network using AEC wet/dry collector without rain gage Note that collection period is 2 weeks (Fortnightly).
CUMBERLAND 18 (CUMBERLA18)	393a	36 27 58	87 34 52	216	00	6/77	9/80	Operated by TVA network using AEC wet/dry collector without rain gage Note that collection period is 2 weeks (Fortnightly).
CUMBERLAND 21 (CUMBERLA21)	395a	36 10 13	87 50 50	0	00	7/77	12/79	Operated by TVA network using AEC wet/dry collector without rain gage Note that collection period is 2 weeks (Fortnightly).

Tennessee, TVA, CUMBERLAND 22

STATE / NETWORK / SITE NAME	ADS SITE IDENT	LATITUDE d m s	LONGITUDE d m s	ELEV m	ADS rev num	REV START	REV END	OPERATING HISTORY
CUMBERLAND 22 (CUMBERLA22)	396a	36 26 07	87 36 08	178	00	7/77		Operated by TVA network using AEC wet/dry collector without rain gage Note that collection period is 2 weeks (Fortnightly).
CUMBERLAND 3 (CUMBERLA 3)	388a	36 36 05	87 27 03	165	00	6/77	9/80	Operated by TVA network using AEC wet/dry collector without rain gage Note that collection period is 2 weeks (Fortnightly).
CUMBERLAND 7 (CUMBERLA 7)	389a	36 19 29	87 41 30	195	00	6/77	9/80	Operated by TVA network using AEC wet/dry collector without rain gage Note that collection period is 2 weeks (Fortnightly).
CUMBERLAND 8 (CUMBERLA 8)	390a	36 25 58	87 42 30	130	00	6/77	9/80	Operated by TVA network using AEC wet/dry collector without rain gage Note that collection period is 2 weeks (Fortnightly).
GALLLATIN 6 (GALLATIN 6)	397a	36 17 21	86 23 11	158	00	11/78	3/81	Operated by TVA network using AEC wet/dry collector without rain gage Note that collection period is 2 weeks (Fortnightly).
GILES COUNTY (GILES CNTY)	155c	35 17 05	86 54 11	244	00	12/78		Operated by TVA network using AEC wet/dry collector without rain gage Note that collection period is 2 weeks (Fortnightly).
JOHN SEVIER 4 (JOHN SEVI4)	398a	36 26 02	85 58 40	347	00	11/78		Operated by TVA network using AEC wet/dry collector without rain gage Note that collection period is 2 weeks (Fortnightly).
JOHNSONVILLE 11 (JOHNSONV11)	399a	36 01 33	88 02 43	131	00	11/78	3/81	Operated by TVA network using AEC wet/dry collector without rain gage Note that collection period is 2 weeks (Fortnightly).
KINGSTON 2 (KINGSTON 2)	400a	35 59 17	84 32 40	317	00	1/79	7/81	Operated by TVA network using AEC wet/dry collector without rain gage Note that collection period is 2 weeks (Fortnightly).
LOUDON (LOUDON)	411a	35 38 30	84 18 45	271	00	5/78	10/80	Operated by TVA network using AEC wet/dry collector without rain gage Note that collection period is 2 weeks (Fortnightly).
WATTS BAR 2 (WATTS BAR2)	405a	35 37 46	84 46 29	238	00	1/79	7/81	Operated by TVA network using AEC wet/dry collector without rain gage Note that collection period is 2 weeks (Fortnightly).
Vermont (50)								
NADP (01)								
Bennington (470100)	249a	42 52 34	73 09 48	305	00	4/81		
UAPSP (08)								
Underhill Center (20)	248a	44 31 42	72 52 08	442	00	10/81	10/82	Operated under normal UAPSP sampling protocol beginning in last quarter of 1981.
					01	10/82		Strong acid analysis discontinued on Sept 30, 1982. Co-located sampler 248b began operations on 10/9/83.
Underhill Center-2 (20 smplr 2)	248b	44 31 42	72 52 08	442	00	10/83		Start of operation as co-located sampler to site 248a on 10/9/83.
Virginia (51)								
NADP (01)								
Big Meadows (482890)	250a	38 30 51	78 25 45	1047	00	5/81	6/82	
					01	6/82		On 15 June 82 site moved approximately 1.5km W to a more accessible location. No change made to NET ident or ADS ident.

Virginia, NADP, Horton's Station

STATE / NETWORK / SITE NAME	ADS SITE IDENT	LATITUDE d m s	LONGITUDE d m s	ELEV m	ADS rev num	REV START	REV END	OPERATING HISTORY
Horton's Station (481300)	073a	37 20 06	80 33 28	1051	00	7/78		Site is considered nonstandard by NADP because location of collector does not follow siting guidelines.
MAP3s/PCN (06)								
Virginia (4)	072a	38 02 23	78 32 31	172	00	12/76	8/77	This MAP3S/PCN site started operation with the Battelle Northwest collector, surface area = 490 sq cm.
					01	8/77	9/77	Analysis method changed starting 4-aug-77. NH4 changed from Colorimetry to Ion Chromatography. NA and K changed from Flame Emission Spectrophy to Ion Chromatography.
					02	9/77	4/81	Analysis method changed; new method in use after September 1977. CA and MG changed from Flame Emission Spectrometry to Flame Atomic Absorbtion on September 14, 1977. SO4 changed from Colorimetry to Colimetry with field fixation starting 9/6/77.
					03	4/81		Sample collection instrument changed from Battelle Northwest to Aerochem Metrics model 302-A2 with surface area = 640 sq cm.
TVA (16)								
LOVES MILL (LOVES MILL)	412a	36 44 12	81 41 13	663	00	5/78		Operated by TVA network using AEC wet/dry collector without rain gage Note that collection period is 2 weeks (Fortnightly).
West Virginia (54)								
NADP (01)								
Babcock State Park (500460)	379a	37 58 47	80 56 59	631	00	9/83		
Parsons (501860)	075a	39 05 23	79 39 44	305	00	7/78		
UAPSP (08)								
Lewisburg (09)	158a	37 50 50	80 25 00	701	00	8/78	1/79	Start up phase for this EPRI/SURE site DO NOT USE DATA
					01	1/79	12/80	EPRI/SURE operation in CY 1979 with co-located samplers at this site. See 158b. Starting 1/1/80 only one sampler in operation at this EPRI/SURE site. Station TERMINATED on December 31, 1980.
Lewisburg-2 (09 smplr 2)	158b	37 50 50	80 25 00	701	00	8/78	1/79	Start up phase for this EPRI/SURE site DO NOT USE DATA
					01	1/79	12/79	EPRI/SURE operation in CY 1979 with co-located samplers at this site. See 158a. The second sampler was removed after one year, this ADS number DISCONTINUED.
Wisconsin (55)								
NADP (01)								
Lake Dubay (512800)	283a	44 39 53	89 39 08	338	00	6/82		
Lake Geneva (513680)	328b	88 30 01	42 34 49	290	00	6/84		This NADP/NTN site was formerly operated by WISC on a daily sampling protocol. See ADS ident 328a.
Spooner (513700)	077a	45 49 21	91 52 30	331	00	6/80		
Trout Lake (513640)	076a	46 03 09	89 39 11	501	00	1/80		

Wisconsin, GLAD, Cornucopia

STATE / NETWORK / SITE NAME	ADS SITE IDENT	LATITUDE d m s	LONGITUDE d m s	ELEV m	ADS rev num	REV START	REV END	OPERATING HISTORY
GLAD (14)								
Cornucopia (510180001)	322a	46 51 44	91 08 13	195	00	2/81		
Green Bay (510360001)	323a	44 31 47	87 55 11	201	00	3/81		
Manitowoc (513600001)	324a	44 03 56	87 39 23	189	00	7/81		
Milwaukee (512200035)	325a	43 04 31	87 53 02	205	00	3/81		
WISC (15)								
Geneva Lake (GENEVA)	328a	42 34 48	88 30 03	27	00	3/82	4/83	Aluminum analysis on precipitation samples was performed.
					01	4/83	9/83	Aluminum analysis on precipitation samples discontinued.
					02	9/83	1/84	Markson Model 4503 SelectroMark pH and conductivity meter replaced with a Fisher Accument pH meter and YSI Model 35 conductivity meter.
					03	1/84	5/84	Atomic absorption analysis discontinued; plasma emission spectroscopy used for calcium and magnesium analysis. Operation as WISC site ended 5/31/84. See follow-on operation as site 328b under NADP/NTN weekly sampling protocol.
Legend Lake (LEGEND)	327a	44 53 30	88 37 47	27	00	4/82	4/83	Aluminum analysis on precipitation samples were performed.
					01	4/83	11/83	Aluminum analysis on precipitation samples were discontinued.
					02	11/83	12/83	Bulk sample collection through 12-28-83.
					03	12/83	5/84	Site was repeatedly vandalized. New collectors and rain gauges were installed. Atomic absorption analysis discontinued; plasma emission spectroscopy used for calcium and magnesium analysis. Site down between 2-27-84 and 3-16-84. However, no events were recorded during this period. Site TERMINATED on 5/31/84.
Round Lake (ROUND)	326a	46 13 24	91 56 10	32	00	8/82	4/83	Aluminum analysis on precipitation samples was performed.
					01	4/83	7/83	Aluminum analysis on precipitation samples was discontinued.
					02	7/83	11/83	Markson Model 4503 SelectMark pH meter replaced with Corning Model 125 pH meter.
					03	11/83	1/84	Markson conductivity bridge replaced with YSI Model 35 conductivity meter.
					04	1/84	5/84	Atomic absorption analysis discontinued; plasma emission spectroscopy analysis used for calcium and magnesium analysis. Site TERMINATED on 5/31/84.
New Brunswick (83)								
CANSAP (05)								
Acadia Fes (09 010)	090a	46 00 00	66 22 00	61	00	11/79	1/80	Collector: Sangamo model C
					01	1/80		On 1/1/80, the use of a single bucket for entire month was DISCONTINUED. Subsequent samples are composited in the field.

New Brunswick, CANSAP, Charlo

STATE / NETWORK / SITE NAME	ADS SITE IDENT	LATITUDE d m s	LONGITUDE d m s	ELEV m	ADS rev num	REV START	REV END	OPERATING HISTORY
Charlo (09 000)	081a	48 00 00	66 20 00	38	00	5/77	3/79	Sampler is either Sangamo model A or B
					01	3/79	1/80	Collector: Sangamo model C
					02	1/80	1/83	On 1/1/80, the use of a single bucket for entire month was DISCONTINUED. Subsequent samples are composited in the field. Sample collection operations TERMINATED 1/1/83.
St. John (09 020)	119a	45 19 00	65 53 00	109	00	5/77	3/79	Sampler is either Sangamo model A or B
					01	3/79	1/80	Collector: Sangamo model C
					02	1/80	1/83	On 1/1/80, the use of a single bucket for entire month was DISCONTINUED. Subsequent samples are composited in the field. Sample collection operations TERMINATED 1/1/83.
Newfoundland (84)								
CANSAP (05)								
Gander (12 010)	097a	48 57 00	54 34 00	151	00	5/77	3/79	Sampler is either Sangamo model A or B
					01	3/79	1/80	Collector: Sangamo model C
					02	1/80	1/83	On 1/1/80, the use of a single bucket for entire month was DISCONTINUED. Subsequent samples are composited in the field. Sample collection operations TERMINATED 1/1/83.
Goose (12 000)	098a	53 19 00	60 25 00	36	00	7/77	3/79	Sampler is either Sangamo model A or B
					01	3/79	1/80	Collector: Sangamo model C
					02	1/80	1/83	On 1/1/80, the use of a single bucket for entire month was DISCONTINUED. Subsequent samples are composited in the field. Sample collection operations TERMINATED 1/1/83.
Stephenville (12 020)	123a	48 32 00	58 33 00	26	00	5/77	3/79	Sampler is either Sangamo model A or B
					01	3/79	1/80	Collector: Sangamo model C
					02	1/80		On 1/1/80, the use of a single bucket for entire month was DISCONTINUED. Subsequent samples are composited in the field.
APN (09)								
Baie d'Espoir (12 030)	145a	47 59 00	55 48 00	23	00	11/81		This APN site started operation with the Sangamo model C collector.
Nova Scotia (86)								
NADP (01)								
Kejimkujik (c) (775048)	103c	44 25 58	65 12 20	152	00	5/81	4/84	Co-located with APN site 103b. NADP comparison site with CANSAP network, April 1981 - April 1984. See ADS ident 103a. Comparison involved the comparability of U.S. and Canadian data. Operations TERMINATED on 4/3/84.
CANSAP (05)								

Nova Scotia, CANSAP, Kejimkujik (a)

STATE / NETWORK / SITE NAME	ADS SITE IDENT	LATITUDE d m s	LONGITUDE d m s	ELEV m	ADS rev num	REV START	REV END	OPERATING HISTORY
Kejimkujik (a) (10 020)	103a	44 25 58	65 12 20	127	00	6/78	3/79	Sampler is either Sangamo model A or B. See co-located APN daily sampler, site 103b
								Sampler is either Sangamo model A or B. See co-located APN daily sampler, site 103b See also the co-located NADP weekly collector at site 103c.
					01	3/79	1/80	Collector: Sangamo model C. See co-located APN daily sampler, site 103b See also the co-located NADP weekly collector at site 103c.
					02	1/80	4/84	On 1/1/80, the use of a single bucket for entire month was DISCONTINUED. Subsequent samples are composited in the field. See co-located APN daily sampler, site 103b. Sample collection operations TERMINATED 4/1/84. See also the co-located NADP weekly collector at site 103c.
Sable Island (10 010)	117a	43 56 00	60 01 00	4	00	3/75	3/79	Sampler is either Sangamo model A or B
					01	3/79	1/80	Collector: Sangamo model C
					02	1/80	1/83	On 1/1/80, the use of a single bucket for entire month was DISCONTINUED. Subsequent samples are composited in the field. Sample collection operations TERMINATED 1/1/83.
Shelburne (10 030)	121a	43 43 00	65 15 00	30	00	1/76	3/79	Sampler is either Sangamo model A or B
					01	3/79	1/80	Collector: Sangamo model C
					02	1/80	1/83	On 1/1/80, the use of a single bucket for entire month was DISCONTINUED. Subsequent samples are composited in the field. Sample collection operations TERMINATED 1/1/83.
Truro (10 000)	127a	45 22 00	63 16 00	40	00	5/77	3/79	Sampler is either Sangamo model A or B
					01	3/79	1/80	Collector: Sangamo model C
					02	1/80		On 1/1/80, the use of a single bucket for entire month was DISCONTINUED. Subsequent samples are composited in the field.
APN (09)								
Kejimkujik (b) (10 019)	103b	44 25 58	65 12 20	152	00	5/79		This APN site started operation with the Sangamo model C collector. See co-located CANSAP monthly sampler, site 103a See also the co-located NADP weekly collector at site 103c.
Ontario (87)								
NADP (01)								
Mount Forest (b) (776000)	110b	43 59 29	80 44 46	410	00	5/81	3/84	NADP comparison site with CANSAP network, April 1981 - April 1984. See ADS ident 110a. Comparison involved the comparability of U.S. and Canadian data. Operations TERMINATED on 3/20/84.
CANSAP (05)								
Armstrong (07 140)	287a	50 17 00	88 54 00	323	00	2/74	11/76	

Ontario, CANSAP, Atikokan

STATE NETWORK SITE NAME	ADS SITE IDENT	LATITUDE d m s	LONGITUDE d m s	ELEV m	ADS rev num	REV START	REV END	OPERATING HISTORY
Atikokan (07 050)	079a	48 45 00	91 37 00	393	00	4/77	3/79	Sampler is either Sangamo model A or B
					01	3/79	1/80	Collector: Sangamo model C
					02	1/80	1/83	On 1/1/80, the use of a single bucket for entire month was DISCONTINUED. Subsequent samples are composited in the field. Sample collection operations TERMINATED 1/1/83.
Dorset (a) (07 060)	087a	45 13 00	78 56 00	319	00	7/79	1/80	Collector: Sangamo model C See co-located APIOS daily sampler, site 087b. See co-located APIOS monthly sampler, site 087c.
					01	1/80		On 1/1/80, the use of a single bucket for entire month was DISCONTINUED. Subsequent samples are composited in the field. See co-located APIOS daily sampler, site 087b. See co-located APIOS monthly sampler, site 087c.
ELA (a) (07 023)	135a	49 40 00	93 43 00	368	00	8/79	1/80	Collector: Sangamo model C See co-located APN daily sampler, site 135b.
					01	1/80		On 1/1/80, the use of a single bucket for entire month was DISCONTINUED. Subsequent samples are composited in the field. See co-located APN daily sampler, site 135b.
Harrow (07 120)	100a	42 02 00	82 54 00	191	00	12/79	1/83	On 1/1/80, the use of a single bucket for entire month was DISCONTINUED. Subsequent samples are composited in the field. Sample collection operations TERMINATED 1/1/83.
Kapuskasing (07 030)	102a	49 24 00	82 26 00	227	00	10/79	1/80	Collector: Sangamo model C
					01	1/80		On 1/1/80, the use of a single bucket for entire month was DISCONTINUED. Subsequent samples are composited in the field.
Kingston (07 070)	106a	44 13 00	76 36 00	92	00	5/77	3/79	Sampler is either Sangamo model A or B
					01	3/79	1/80	Collector: Sangamo model C
					02	1/80	1/83	On 1/1/80, the use of a single bucket for entire month was DISCONTINUED. Subsequent samples are composited in the field. Sample collection operations TERMINATED 1/1/83.
Moosonee (07 010)	109a	51 16 00	80 39 00	10	00	6/77	3/79	Sampler is either Sangamo model A or B
					01	3/79	1/80	Collector: Sangamo model C
					02	1/80	1/83	On 1/1/80, the use of a single bucket for entire month was DISCONTINUED. Subsequent samples are composited in the field. Sample collection operations TERMINATED 1/1/83.
Mount Forest (a) (07 090)	110a	43 59 29	80 44 46	415	00	7/73	3/79	Sampler is either Sangamo model A or B. CANSAP site 110a is co-located with NADP site 110b for intercomparison.
					01	3/79	1/80	Collector: Sangamo model C. CANSAP site 110a is co-located with NADP site 110b for intercomparison.
					02	1/80		On 1/1/80, the use of a single bucket for entire month was DISCONTINUED. Subsequent samples are composited in the field. CANSAP site 110a is co-located with NADP site 110b for intercomparison.

Ontario, CANSAP, Peterborough

STATE / NETWORK / SITE NAME	ADS SITE IDENT	LATITUDE d	m	s	LONGITUDE d	m	s	ELEV m	ADS rev num	REV START	REV END	OPERATING HISTORY
Peterborough (07 080)	112a	44	14	00	78	21	00	191	00	6/77	3/79	Sampler is either Sangamo model A or B
									01	3/79	1/80	Collector: Sangamo model C
									02	1/80	1/83	On 1/1/80, the use of a single bucket for entire month was DISCONTINUED. Subsequent samples are composited in the field. Sample collection operations TERMINATED 1/1/83.
Pickle Lake (07 020)	113a	51	28	00	90	12	00	369	00	2/77	3/79	Sampler is either Sangamo model A or B
									01	3/79	1/80	Collector: Sangamo model C
									02	1/80	1/83	On 1/1/80, the use of a single bucket for entire month was DISCONTINUED. Subsequent samples are composited in the field. Sample collection operations TERMINATED 1/1/83.
Simcoe (07 110)	122a	42	51	00	80	16	00	241	00	6/77	3/79	Sampler is either Sangamo model A or B
									01	3/79	1/80	Collector: Sangamo model C
									02	1/80	1/83	On 1/1/80, the use of a single bucket for entire month was DISCONTINUED. Subsequent samples are composited in the field. Sample collection operations TERMINATED 1/1/83.
Trout Lake (07 000)	126a	53	50	00	89	52	00	220	00	5/77	3/79	Sampler is either Sangamo model A or B
									01	3/79	1/80	Collector: Sangamo model C
									02	1/80	1/83	On 1/1/80, the use of a single bucket for entire month was DISCONTINUED. Subsequent samples are composited in the field. Sample collection operations TERMINATED 1/1/83.
Wawa (07 130)	129a	47	58	00	84	47	00	287	00	5/77	3/79	Sampler is either Sangamo model A or B
									01	3/79	9/79	NOT SURE OF HISTORY IN THIS TIME PERIOD
Windsor (07 150)	131a	42	16	00	82	58	00	190	00	6/77	3/79	Sampler is either Sangamo model A or B
									01	3/79	11/79	NOT SURE OF HISTORY IN THIS TIME PERIOD
APIOS-D (07)												
Balsam Lake (3031)	225a	44	37	35	78	51	22	259	00	11/80	2/81	Warm weather collector = Aerochem Metrics 301 with standard rain gauge.
									01	2/81	5/81	Cold weather collector = SES BULK sampler and Nepher shielded gauge
									02	5/81	11/81	Warm weather collector = Aerochem Metrics 301 with standard rain gauge.
									03	11/81	5/82	Cold weather collector = SES BULK sampler and Nepher shielded gauge
									04	5/82		Warm weather collector and gauge
Charleston Lake (4011)	227a	44	29	54	76	02	30	92	00	1/81	5/81	Cold weather collector = SES BULK sampler and Nepher shielded gauge
									01	5/81	11/81	Warm weather collector = Aerochem Metrics 301 with standard rain gauge.
									02	11/81	4/82	Cold weather collector = SES BULK sampler and Nepher shielded gauge
									03	4/82		Warm weather collector and gauge

Ontario, APIOS-D, Dorset (b)

STATE / NETWORK / SITE NAME	ADS SITE IDENT	LATITUDE d m s	LONGITUDE d m s	ELEV m	ADS rev num	REV START	REV END	OPERATING HISTORY
Dorset (b) (3011)	087b	45 13 23	78 55 49	320	00	7/80	1/81	Warm weather collector = Aerochem Metrics 301 with standard rain gauge. See co-located CANSAP monthly sampler, site 087a. See co-located APIOS monthly sampler, site 087c.
					01	1/81	5/81	Cold weather collector = SES BULK sampler and Nepher shielded gauge See co-located CANSAP monthly sampler, site 087a. See co-located APIOS monthly sampler, site 087c.
					02	5/81	11/81	Warm weather collector = Aerochem Metrics 301 with standard rain gauge. See co-located CANSAP monthly sampler, site 087a. See co-located APIOS monthly sampler, site 087c.
				-	03	11/81	4/82	Cold weather collector = SES BULK sampler and Nepher shielded gauge See co-located CANSAP monthly sampler, site 087a. See co-located APIOS monthly sampler, site 087c.
					04	4/82		Warm weather collector and gauge See co-located CANSAP monthly sampler, site 087a. See co-located APIOS monthly sampler, site 087c.
Forbes Twsp. (6081)	234a	48 34 58	89 38 56	324	00	9/81	10/81	Warm weather collector = Aerochem Metrics 301 with standard rain gauge.
					01	10/81	5/82	Cold weather collector = SES BULK sampler and Nepher shielded gauge
					02	5/82		Warm weather collector and gauge
Graham Lake (4031)	229a	44 35 22	75 51 44	130	00	10/80	2/81	Warm weather collector = Aerochem Metrics 301 with standard rain gauge.
					01	2/81	5/81	Cold weather collector = SES BULK sampler and Nepher shielded gauge
					02	5/81	11/81	Warm weather collector = Aerochem Metrics 301 with standard rain gauge.
					03	11/81	5/82	Cold weather collector = SES BULK sampler and Nepher shielded gauge
					04	5/82		Warm weather collector and gauge
Lac Le Croix (b) (6061)	208b	48 21 14	92 12 32	368	00	9/81	11/81	Warm weather collector = Aerochem Metrics 301 with standard rain gauge. See co-located APIOS monthly sampler, site 208a.
					01	11/81	5/82	Cold weather collector = SES BULK sampler and Nepher shielded gauge See co-located APIOS monthly sampler, site 208a.
					02	5/82		Warm weather collector and gauge See co-located APIOS monthly sampler, site 208a.

Ontario, APIOS-D, Longwoods (b)

STATE / NETWORK / SITE NAME	ADS SITE IDENT	LATITUDE d m s	LONGITUDE d m s	ELEV m	ADS rev num	REV START	REV END	OPERATING HISTORY
Longwoods (b) (1011)	143b	42 53 02	81 28 50	239	00	7/80	1/81	Warm weather collector - Aerochem Metrics 301 with standard rain gauge. See co-located APN daily sampler, site 143a.
					01	1/81	5/81	Cold weather collector - SES BULK sampler and Nepher shielded gauge See co-located APN daily sampler, site 143a.
					02	5/81	11/81	Warm weather collector - Aerochem Metrics 301 with standard rain gauge. See co-located APN daily sampler, site 143a.
					03	11/81	5/82	Cold weather collector - SES BULK sampler and Nepher shielded gauge See co-located APN daily sampler, site 143a.
					04	5/82		Warm weather collector and gauge See co-located APN daily sampler, site 143a.
Melbourne (1021)	221a	42 47 15	81 33 23	213	00	11/80	2/81	Warm weather collector - Aerochem Metrics 301 with standard rain gauge.
					01	2/81	5/81	Cold weather collector - SES BULK sampler and Nepher shielded gauge
					02	5/81	12/81	Warm weather collector - Aerochem Metrics 301 with standard rain gauge.
					03	12/81	5/82	Cold weather collector - SES BULK sampler and Nepher shielded gauge
					04	5/82		Warm weather collector and gauge
Nithgrove (3021)	224a	45 12 01	79 04 14	335	00	1/81	5/81	Cold weather collector - SES BULK sampler and Nepher shielded gauge
					01	5/81	11/81	Warm weather collector - Aerochem Metrics 301 with standard rain gauge.
					02	11/81	4/82	Cold weather collector - SES BULK sampler and Nepher shielded gauge
					03	4/82		Warm weather collector and gauge
North Easthope (1031)	222a	43 24 21	80 53 35	375	00	11/80	1/81	Warm weather collector - Aerochem Metrics 301 with standard rain gauge.
					01	1/81	5/81	Cold weather collector - SES BULK sampler and Nepher shielded gauge
					02	5/81	11/81	Warm weather collector - Aerochem Metrics 301 with standard rain gauge.
					03	11/81	5/82	Cold weather collector - SES BULK sampler and Nepher shielded gauge
					04	5/82		Warm weather collector and gauge
Quetico Centre (6071)	233a	48 24 44	91 12 08	420	00	10/81	5/82	Cold weather collector - SES BULK sampler and Nepher shielded gauge
					01	5/82		Warm weather collector and gauge
Railton (4021)	228a	44 22 34	76 35 33	137	00	7/80	1/81	Warm weather collector - Aerochem Metrics 301 with standard rain gauge.
					01	1/81	4/81	Cold weather collector - SES BULK sampler and Nepher shielded gauge
					02	4/81	11/81	Warm weather collector - Aerochem Metrics 301 with standard rain gauge.
					03	11/81	5/82	Cold weather collector - SES BULK sampler and Nepher shielded gauge
					04	5/82		Warm weather collector and gauge

Ontario, APIOS-D, Raven Lake

STATE / NETWORK / SITE NAME	ADS SITE IDENT	LATITUDE d	m	s	LONGITUDE d	m	s	ELEV m	ADS rev num	REV START	REV END	OPERATING HISTORY
Raven Lake (3041)	226a	44	36	40	78	54	43	274	00	2/81	5/81	Cold weather collector = SES BULK sampler and Nepher shielded gauge
									01	5/81	11/81	Warm weather collector = Aerochem Metrics 301 with standard rain gauge.
									02	11/81	5/82	Cold weather collector = SES BULK sampler and Nepher shielded gauge
									03	5/82		Warm weather collector and gauge
Wellesley (2011)	223a	43	28	13	80	45	35	344	00	1/81	5/81	Cold weather collector = SES BULK sampler and Nepher shielded gauge
									01	5/81	11/81	Warm weather collector = Aerochem Metrics 301 with standard rain gauge.
									02	11/81	5/82	Cold weather collector = SES BULK sampler and Nepher shielded gauge
									03	5/82		Warm weather collector and gauge
Whitman Creek (4041)	230a	44	29	07	76	49	19	137	00	10/80	11/80	Warm weather collector = Aerochem Metrics 301 with standard rain gauge.
									01	11/80	5/81	Cold weather collector = SES BULK sampler and Nepher shielded gauge
									02	5/81	11/81	Warm weather collector = Aerochem Metrics 301 with standard rain gauge.
									03	11/81	5/82	Cold weather collector = SES BULK sampler and Nepher shielded gauge
									04	5/82		Warm weather collector and gauge
APN (09)												
Algoma (07 054)	140a	47	06	00	84	06	00	265	00	9/80		This APN site started operation with the Sangamo model C collector.
Chalk River (07 056)	141a	46	06	00	77	24	00	122	00	11/78	3/79	Sampler is either Sangamo model A or B
									01	3/79		Collector: Sangamo model C
ELA (b) (07 024)	135b	49	40	00	93	43	00	368	00	11/78	3/79	Sampler is either Sangamo model A or B See co-located CANSAP monthly sampler, site 135a.
									01	3/79		Collector: Sangamo model C See co-located CANSAP monthly sampler, site 135a.
Long Point (07 094)	142a	42	60	00	80	50	00	175	00	11/78	11/82	This APN site started operation with the Sangamo model C collector. Site moved to ADS ident 143a on 11/30/82.
Longwoods (a) (07 100)	143a	42	53	00	81	29	00	239	00	12/82		This APN site started operation with the Sangamo model C collector. See co-located APIOS daily sampler, site 143b.
APIOS-C (12)												
Alvinston (1081)	180a	42	49	36	81	50	04	221	00	9/80	1/82	Sample collected on last working day of each month.
									01	1/82	11/82	Samples collected every 28 days (tuesday to tuesday) starting 1/5/82 at 8AM local time.
									02	11/82		food grade polyethylene/nylon laminate collection bags replaced polyethylene bags in November, 1982

Ontario, APIOS-C, Attawapiskat

STATE NETWORK SITE NAME	ADS SITE IDENT	LATITUDE d m s	LONGITUDE d m s	ELEV m	ADS rev num	REV START	REV END	OPERATING HISTORY
Attawapiskat (5081)	202a	52 56 00	82 24 00	9	00	9/80	1/82	Sample collected on last working day of each month.
					01	1/82	11/82	Samples collected every 28 days (tuesday to tuesday) starting 1/5/82 at 8AM local time.
					02	11/82	2/84	food grade polyethylene/nylon laminate collection bags replaced polyethylene bags in November, 1982
Azure Lake (5151)	417a	47 28 12	81 52 30	244	00	7/83		Site replaced ADS site 199a in July, 1983.
Bear Island (5041)	198a	46 58 22	80 04 40	305	00	5/80	1/82	Sample collected on last working day of each month.
					01	1/82	11/82	Samples collected every 28 days (tuesday to tuesday) starting 1/5/82 at 8AM local time.
					02	11/82		food grade polyethylene/nylon laminate collection bags replaced polyethylene bags in November, 1982
Campbellford (3081)	189a	44 17 28	77 47 33	175	00	9/80	1/82	Sample collected on last working day of each month.
					01	1/82	11/82	Samples collected every 28 days (tuesday to tuesday) starting 1/5/82 at 8AM local time.
					02	11/82		food grade polyethylene/nylon laminate collection bags replaced polyethylene bags in November, 1982
Cloyne (4091)	418a	44 49 09	77 11 45	259	00	12/84		Site replaced ADS site 191a in December, 1984.
Colchester (1041)	176a	41 59 15	82 55 41	183	00	9/80	1/82	Sample collected on last working day of each month.
					01	1/82	11/82	Samples collected every 28 days (tuesday to tuesday) starting 1/5/82 at 8AM local time.
					02	11/82		food grade polyethylene/nylon laminate collection bags replaced polyethylene bags in November, 1982
Coldwater (3101)	190a	44 37 31	79 32 08	280	00	8/81	1/82	Sample collected on last working day of each month.
					01	1/82	11/82	Samples collected every 28 days (tuesday to tuesday) starting 1/5/82 at 8AM local time.
					02	11/82		food grade polyethylene/nylon laminate collection bags replaced polyethylene bags in November, 1982
Dalhousie Mills (4071)	193a	45 19 00	74 28 13	69	00	9/80	1/82	Sample collected on last working day of each month.
					01	1/82	11/82	Samples collected every 28 days (tuesday to tuesday) starting 1/5/82 at 8AM local time.
					02	11/82		food grade polyethylene/nylon laminate collection bags replaced polyethylene bags in November, 1982
Dorion (6011)	204a	48 50 33	88 36 45	244	00	9/80	1/82	Sample collected on last working day of each month.
					01	1/82	11/82	Samples collected every 28 days (tuesday to tuesday) starting 1/5/82 at 8AM local time.
					02	11/82		food grade polyethylene/nylon laminate collection bags replaced polyethylene bags in November, 1982

Ontario, APIOS-C, Dorset (c)

STATE NETWORK SITE NAME	ADS SITE IDENT	LATITUDE d m s	LONGITUDE d m s	ELEV m	ADS rev num	REV START	REV END	OPERATING HISTORY
Dorset (c) (3011)	087c	45 13 26	78 55 52	320	00	5/80	1/82	Sample collected on last working day of each month. See co-located CANSAP monthly sampler, site 087a. See co-located APIOS daily sampler, site 087b.
					01	1/82	11/82	Samples collected every 28 days (tuesday to tuesday) starting 1/5/82 at 8AM local time. See co-located CANSAP monthly sampler, site 087a. See co-located APIOS daily sampler, site 087b.
					02	11/82		food grade polyethylene/nylon laminate collection bags replaced polyethylene bags in November, 1982 See co-located CANSAP monthly sampler, site 087a. See co-located APIOS daily sampler, site 087b.
Ear Falls (6031)	206a	50 38 31	93 13 13	350	00	9/80	1/82	Sample collected on last working day of each month.
					01	1/82	11/82	Samples collected every 28 days (tuesday to tuesday) starting 1/5/82 at 8AM local time.
					02	11/82		food grade polyethylene/nylon laminate collection bags replaced polyethylene bags in November, 1982
Expt. Lake Area (6091)	210a	49 39 22	93 43 28	123	00	10/81	1/82	Sample collected on last working day of each month.
					01	1/82	11/82	Samples collected every 28 days (tuesday to tuesday) starting 1/5/82 at 8AM local time.
					02	11/82		food grade polyethylene/nylon laminate collection bags replaced polyethylene bags in November, 1982
Geraldton (6121)	416a	49 48 05	86 46 00	351	00	8/83		Site replaced ADS site 205a in August, 1983.
Golden Lake (4081)	194a	45 36 48	77 12 03	160	00	9/80	1/82	Sample collected on last working day of each month.
					01	1/82	11/82	Samples collected every 28 days (tuesday to tuesday) starting 1/5/82 at 8AM local time.
					02	11/82		food grade polyethylene/nylon laminate collection bags replaced polyethylene bags in November, 1982
Gowganda (5061)	200a	47 39 04	80 46 32	343	00	7/80	1/82	Sample collected on last working day of each month.
					01	1/82	11/82	Samples collected every 28 days (tuesday to tuesday) starting 1/5/82 at 8AM local time.
					02	11/82		food grade polyethylene/nylon laminate collection bags replaced polyethylene bags in November, 1982
Huron Park (1191)	183a	43 17 28	81 30 03	250	00	10/81	1/82	Sample collected on last working day of each month.
					01	1/82	11/82	Samples collected every 28 days (tuesday to tuesday) starting 1/5/82 at 8AM local time.
					02	11/82		food grade polyethylene/nylon laminate collection bags replaced polyethylene bags in November, 1982

Ontario, APIOS-C, Kaladar

STATE NETWORK SITE NAME	ADS SITE IDENT	LATITUDE d	m	s	LONGITUDE d	m	s	ELEV m	ADS rev num	REV START	REV END	OPERATING HISTORY
Kaladar (4051)	191a	44	41	31	77	09	18	244	00	9/80	1/82	Sample collected on last working day of each month.
									01	1/82	11/82	Samples collected every 28 days (tuesday to tuesday) starting 1/5/82 at 8AM local time.
									02	11/82	11/82	food grade polyethylene/nylon laminate collection bags replaced polyethylene bags in November, 1982 Site replaced by ADS site 418a in December, 1984.
Killarney (5021)	196a	45	59	26	81	29	18	183	00	5/80	1/82	Sample collected on last working day of each month.
									01	1/82	11/82	Samples collected every 28 days (tuesday to tuesday) starting 1/5/82 at 8AM local time.
									02	11/82		food grade polyethylene/nylon laminate collection bags replaced polyethylene bags in November, 1982
Lac Le Croix (a) (6061)	208a	48	21	14	92	12	32	368	00	12/81	1/82	Sample collected on last working day of each month. See co-located APIOS daily sampler, site 208b.
									01	1/82	11/82	Samples collected every 28 days (tuesday to tuesday) starting 1/5/82 at 8AM local time. See co-located APIOS daily sampler, site 208b.
									02	11/82		food grade polyethylene/nylon laminate collection bags replaced polyethylene bags in November, 1982 See co-located APIOS daily sampler, site 208b.
Mattawa (5031)	197a	46	16	45	78	49	19	198	00	8/80	1/82	Sample collected on last working day of each month.
									01	1/82	11/82	Samples collected every 28 days (tuesday to tuesday) starting 1/5/82 at 8AM local time.
									02	11/82		food grade polyethylene/nylon laminate collection bags replaced polyethylene bags in November, 1982
McKellar (5011)	195a	45	30	57	79	55	19	244	00	8/80	1/82	Sample collected on last working day of each month.
									01	1/82	11/82	Samples collected every 28 days (tuesday to tuesday) starting 1/5/82 at 8AM local time.
									02	11/82		food grade polyethylene/nylon laminate collection bags replaced polyethylene bags in November, 1982
Merlin (1051)	177a	42	14	47	82	13	30	191	00	9/80	1/82	Sample collected on last working day of each month.
									01	1/82	11/82	Samples collected every 28 days (tuesday to tuesday) starting 1/5/82 at 8AM local time.
									02	11/82		food grade polyethylene/nylon laminate collection bags replaced polyethylene bags in November, 1982

Ontario, APIOS-C, Milton

STATE / NETWORK / SITE NAME	ADS SITE IDENT	LATITUDE d m s	LONGITUDE d m s	ELEV m	ADS rev num	REV START	REV END	OPERATING HISTORY
Milton (3051)	186a	43 31 05	79 55 54	221	00	9/80	1/82	Sample collected on last working day of each month.
					01	1/82	11/82	Samples collected every 28 days (tuesday to tuesday) starting 1/5/82 at 8AM local time.
					02	11/82	3/84	food grade polyethylene/nylon laminate collection bags replaced polyethylene bags in November, 1982
Moonbeam (5071)	201a	49 19 16	82 08 46	244	00	9/80	1/82	Sample collected on last working day of each month.
					01	1/82	11/82	Samples collected every 28 days (tuesday to tuesday) starting 1/5/82 at 8AM local time.
					02	11/82		food grade polyethylene/nylon laminate collection bags replaced polyethylene bags in November, 1982
Nakina (6021)	205a	50 10 38	86 42 40	320	00	9/80	1/82	Sample collected on last working day of each month.
					01	1/82	11/82	Samples collected every 28 days (tuesday to tuesday) starting 1/5/82 at 8AM local time.
					02	11/82	7/83	food grade polyethylene/nylon laminate collection bags replaced polyethylene bags in November, 1982 Site replaced by ADS site 416a in August, 1983.
Palmerston (1101)	182a	43 48 19	80 54 12	389	00	9/80	1/82	Sample collected on last working day of each month.
					01	1/82	11/82	Samples collected every 28 days (tuesday to tuesday) starting 1/5/82 at 8AM local time.
					02	11/82		food grade polyethylene/nylon laminate collection bags replaced polyethylene bags in November, 1982
Pickle Lake (6041)	207a	51 27 41	90 12 04	360	00	7/80	1/82	Sample collected on last working day of each month.
					01	1/82	11/82	Samples collected every 28 days (tuesday to tuesday) starting 1/5/82 at 8AM local time.
					02	11/82		food grade polyethylene/nylon laminate collection bags replaced polyethylene bags in November, 1982
Port Stanley (1061)	178a	42 40 22	81 09 55	213	00	9/80	1/82	Sample collected on last working day of each month.
					01	1/82	11/82	Samples collected every 28 days (tuesday to tuesday) starting 1/5/82 at 8AM local time.
					02	11/82		food grade polyethylene/nylon laminate collection bags replaced polyethylene bags in November, 1982
Quetico Centre (6071)	209a	48 44 24	91 12 08	420	00	11/81	1/82	Sample collected on last working day of each month.
					01	1/82	11/82	Samples collected every 28 days (tuesday to tuesday) starting 1/5/82 at 8AM local time.
					02	11/82		food grade polyethylene/nylon laminate collection bags replaced polyethylene bags in November, 1982

Ontario, APIOS-C, Ramsey

STATE / NETWORK / SITE NAME	ADS SITE IDENT	LATITUDE d	m	s	LONGITUDE d	m	s	ELEV m	ADS rev num	REV START	REV END	OPERATING HISTORY
Ramsey (5051)	199a	47	26	33	82	20	14	427	00	5/80	1/82	Sample collected on last working day of each month.
									01	1/82	11/82	Samples collected every 28 days (tuesday to tuesday) starting 1/5/82 at 8AM local time.
									02	11/82	7/83	food grade polyethylene/nylon laminate collection bags replaced polyethylene bags in November, 1982
												Site replaced by ADS site 417a in July, 1983.
Shallow Lake (1091)	181a	44	34	54	81	05	24	229	00	9/80	1/82	Sample collected on last working day of each month.
									01	1/82	11/82	Samples collected every 28 days (tuesday to tuesday) starting 1/5/82 at 8AM local time.
									02	11/82		food grade polyethylene/nylon laminate collection bags replaced polyethylene bags in November, 1982
Smith's Falls (4061)	192a	44	56	41	75	57	48	122	00	9/80	1/82	Sample collected on last working day of each month.
									01	1/82	11/82	Samples collected every 28 days (tuesday to tuesday) starting 1/5/82 at 8AM local time.
									02	11/82		food grade polyethylene/nylon laminate collection bags replaced polyethylene bags in November, 1982
Turkey Lake (5141)	415a	47	03	15	84	24	00	472	00	9/83		
Uxbridge (3061)	187a	44	12	46	79	12	38	244	00	9/80	1/82	Sample collected on last working day of each month.
									01	1/82	11/82	Samples collected every 28 days (tuesday to tuesday) starting 1/5/82 at 8AM local time.
									02	11/82		food grade polyethylene/nylon laminate collection bags replaced polyethylene bags in November, 1982
Waterloo (2021)	184a	43	28	39	80	35	09	343	00	9/80	1/82	Sample collected on last working day of each month.
									01	1/82	11/82	Samples collected every 28 days (tuesday to tuesday) starting 1/5/82 at 8AM local time.
									02	11/82		food grade polyethylene/nylon laminate collection bags replaced polyethylene bags in November, 1982
Whitney (5091)	203a	45	32	21	78	15	35	412	00	9/80	1/82	Sample collected on last working day of each month.
									01	1/82	11/82	Samples collected every 28 days (tuesday to tuesday) starting 1/5/82 at 8AM local time.
									02	11/82		food grade polyethylene/nylon laminate collection bags replaced polyethylene bags in November, 1982
Wilberforce (3071)	188a	45	00	54	78	12	58	396	00	9/80	1/82	Sample collected on last working day of each month.
									01	1/82	11/82	Samples collected every 28 days (tuesday to tuesday) starting 1/5/82 at 8AM local time.
									02	11/82		food grade polyethylene/nylon laminate collection bags replaced polyethylene bags in November, 1982

Ontario, APIOS-C, Wilkesport

STATE / NETWORK / SITE NAME	ADS SITE IDENT	LATITUDE d	m	s	LONGITUDE d	m	s	ELEV m	ADS rev num	REV START	REV END	OPERATING HISTORY
Wilkesport (1071)	179a	42	42	11	82	21	13	183	00	9/80	1/82	Sample collected on last working day of each month.
									01	1/82	11/82	Samples collected every 28 days (tuesday to tuesday) starting 1/5/82 at 8AM local time.
									02	11/82		food grade polyethylene/nylon laminate collection bags replaced polyethylene bags in November, 1982
Winisk (6101)	211a	55	12	00	85	08	00	9	00	7/82	11/82	Samples collected every 28 days (tuesday to tuesday) starting 1/5/82 at 8AM local time.
									01	11/82		food grade polyethylene/nylon laminate collection bags replaced polyethylene bags in November, 1982
Quebec (89)												
CANSAP (05)												
Chibougamau (08 030)	082a	49	49	00	74	25	00	402	00	4/77	3/79	Sampler is either Sangamo model A or B
									01	3/79	1/80	Collector: Sangamo model C
									02	1/80	6/82	On 1/1/80, the use of a single bucket for entire month was DISCONTINUED. Subsequent samples are composited in the field. Sample collection operations TERMINATED 6/30/82.
Fort Chimo (08 000)	091a	58	06	00	68	25	00	36	00	5/77	3/79	Sampler is either Sangamo model A or B
									01	3/79	1/80	Collector: Sangamo model C
									02	1/80	11/82	On 1/1/80, the use of a single bucket for entire month was DISCONTINUED. Subsequent samples are composited in the field. Sample collection operations TERMINATED 11/12/82.
Maniwaki (08 050)	108a	46	23	00	75	58	00	170	00	5/75	3/79	Sampler is either Sangamo model A or B
									01	3/79	1/80	Collector: Sangamo model C
									02	1/80		On 1/1/80, the use of a single bucket for entire month was DISCONTINUED. Subsequent samples are composited in the field.
Nitchequon (08 010)	111a	53	12	00	70	54	00	536	00	4/77	3/79	Sampler is either Sangamo model A or B
									01	3/79	1/80	Collector: Sangamo model C
									02	1/80	1/83	On 1/1/80, the use of a single bucket for entire month was DISCONTINUED. Subsequent samples are composited in the field. Sample collection operations TERMINATED 1/1/83.
Quebec City (08 040)	116a	46	48	00	71	24	00	73	00	5/77	3/79	Sampler is either Sangamo model A or B
									01	3/79	1/80	Collector: Sangamo model C
									02	1/80	1/83	On 1/1/80, the use of a single bucket for entire month was DISCONTINUED. Subsequent samples are composited in the field. Sample collection operations TERMINATED 1/1/83.
Sept Isles (08 020)	120a	50	13	00	66	15	00	55	00	4/77	3/79	Sampler is either Sangamo model A or B
									01	3/79	1/80	Collector: Sangamo model C
									02	1/80		On 1/1/80, the use of a single bucket for entire month was DISCONTINUED. Subsequent samples are composited in the field.

Quebec, CANSAP, St. Hubert

STATE / NETWORK / SITE NAME	ADS SITE IDENT	LATITUDE d m s	LONGITUDE d m s	ELEV m	ADS rev num	REV START	REV END	OPERATING HISTORY
St. Hubert (08 060)	118a	45 31 00	73 25 00	27	00	5/77	3/79	Sampler is either Sangamo model A or B
					01	3/79	1/80	Collector: Sangamo model C
					02	1/80	11/82	On 1/1/80, the use of a single bucket for entire month was DISCONTINUED. Subsequent samples are composited in the field. Sample collection operations TERMINATED 11/30/82.
APN (09)								
Montmorency (08 034)	144a	47 19 00	71 09 00	640	00	12/80		This APN site strated operation with the Sangamo model C collector.



Figure E-1: MAP3S Network Sites



Figure E-2: NADP/NTN Network Sites



Figure E-3: Wisconsin Network Sites



Figure E-Y: UAPSP and EPRI/SURE Network Sites



Figure E-5: APN Sites



Figure E-6: APIOS Network Daily Monitoring Sites



Figure E-7: APIOS Network Cumulative Monitoring Sites



Figure E-8: CANSAP Sites

ONTARIO
(
)
(
96936000008127
36

DATE	ISSUED TO

BRO DART CAT. No. 23-115 PRINTED IN U. S. A.